SAFETY DATA SHEET

Date Issued : 06/26/2018 SDS No : Bortek_Endure

Endure Spray Buff Gloss Restorer

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Endure Spray Buff Gloss Restorer GENERAL USE: Floor surface gloss restorer PRODUCT DESCRIPTION: Spray Buff CHEMICAL FAMILY: Acrylic/wax Blend

DISTRIBUTOR

Bortek Industries, Inc. 4713 Gettysburg Road Mechanicsburg, PA 17055 **Customer Service:** 7177377162

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Health:

Skin Irritation, Category 3 Eye Irritation, Category 2B

GHS LABEL

SIGNAL WORD: WARNING

HAZARD STATEMENTS

H320: Causes eye irritation.

H316: Causes mild skin irritation.

H303: May be harmful if swallowed.

PRECAUTIONARY STATEMENT(S)

Prevention:

P262: Do not get in eyes, on skin, or on clothing.

P102: Keep out of reach of children.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Storage:

P404: Store in a closed container.

Disposal:

P501: Dispose of contents/container according to all local, state and Federal regulations.

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: White opaque liquid IMMEDIATE CONCERNS: Eye irritant

POTENTIAL HEALTH EFFECTS

EYES: Contact causes eye irritation.

SKIN: Skin irritant with prolonged or repeated contact.

SKIN ABSORPTION: None Expected.

INGESTION: Although of moderate to low toxicity, ingestion can cause gastrointestinal irritation, nausea, vomiting, diarrhea, and possible death.

INHALATION: None Expected.

REPRODUCTIVE TOXICITY

TERATOGENIC EFFECTS: None known.

CARCINOGENICITY: No listed substance

MUTAGENICITY: None known.

MEDICAL CONDITIONS AGGRAVATED: Previous skin conditions such as dermatitis may be aggrevated.

ROUTES OF ENTRY: Ingestion, eye

24 HR. EMERGENCY TELEPHONE NUMBERS CHEM-TEL (Medical and Transportation): 800-255-3924

POISON CONTROL CENTER (Medical): 800-222-1222

3. COMPOSITION / INFORMATION ON INGREDIENTS Wt.% CAS Chemical Name Secondary Alcohol Ethoxylate 0 - 5 84133-50-6 1 - 5 111-90-0 Diethylene Glycol Ethyl Ether Acrylate Copolymer 0 - 1 N/A 2,5-furandione, polymer with propene 0 - 2 25722-45-6 Isopropanol 0 - 2 67-63-0 Fragrance < 0.5 N/A Water 80 - 85 7732-18-5

4. FIRST AID MEASURES

EYES: Immediately flush eyes with water for at least 15 minutes, while holding eyelids open. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Seek medical attention immediately.

SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

INGESTION: Get immediate medical attention. Do not induce vomiting unless instructed to do so by poison center or physician.

INHALATION: Remove victim to fresh air and monitor. Seek medical advise if irritation persists.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Burning sensation with tearing, redness.

SKIN: Prolonged contact will cause irritation marked by redness, burning sensation.

SKIN ABSORPTION: Not Established

INGESTION: Irritation of mouth, throat, along with stomach upset, vomiting.

INHALATION: Irritation of nose, throat and lungs with coughing, sneezing, possible difficulty breathing.

ACUTE EFFECTS: Not Established

5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: NA = Not Applicable GENERAL HAZARD: NA = Not Applicable EXTINGUISHING MEDIA: Not required. Water based material.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Avoid walking in product. Wipe up or otherwise flush small spills to sanitary sewer.

LARGE SPILL: Avoid walking in material. Prevent product from entering into stream, soil, storm sewer or other bodies of water. ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Avoid discharges into open waterways.

LAND SPILL: Avoid discharge to soil.

GENERAL PROCEDURES: Isolate spill or leak area immediately. Keep unauthorized personnel away. Do not touch or walk through spilled material. Prevent entry into waterways, sewers, or confined areas. Absorb with dry earth, sand or other non-combustible material and transfer to containers.

SPECIAL PROTECTIVE EQUIPMENT: Eye protection, rubber gloves, rubber boots to protect feet.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Close container after use.

HANDLING: Wear eye protection, rubber gloves when handling concentrate.

STORAGE: Store in area inaccessible to children.

STORAGE TEMPERATURE: Store at ambient temperatures.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENT	S (29 CFR1910.1200)				
	EXPOSURE LIMITS				
Chemical Name	Туре		ppm	mg/m³	
Diethylene Glycol Ethyl Ether	Supplier OEL	TWA	25	140	
	OSHA PEL	TWA	400	980	
	ACGIH TLV	TWA	200	490	
Isopropanol		STEL	400	960	
	Sumplier OF	TWA	NL	NL	
	Supplier OEL	STEL	NL	NL	

ENGINEERING CONTROLS: No special requirements.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Safety glasses with side shields.

SKIN: Rubber or other chemical resistant gloves.

PROTECTIVE CLOTHING: No special requirements.

WORK HYGIENIC PRACTICES: Wash with soap and water after handling. Do not eat, drink or smoke while using product.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid **ODOR:** Fresh linen **ODOR THRESHOLD:** Not Established **APPEARANCE:** Milky COLOR: White **pH:** 7.7 to 8.7 PERCENT VOLATILE: 90+ FLASH POINT AND METHOD: None FLAMMABLE LIMITS: N/A AUTOIGNITION TEMPERATURE: NA = Not Applicable VAPOR PRESSURE: ≤ 20 mm Hg at 20°C (68°F) VAPOR DENSITY: Not Available BOILING POINT: 212° F; 100° C FREEZING POINT: 32° F; 0° C **MELTING POINT: Not Available** THERMAL DECOMPOSITION: Not Available **SOLUBILITY IN WATER:** Complete EVAPORATION RATE: (Water = 1) 1.0 DENSITY: 8.31 at 20°C (68°F) SPECIFIC GRAVITY: 0.996 grams/ml. at 20°C (68°F) VISCOSITY: Water thin. (VOC): 0.95 % by weight

10. STABILITY AND REACTIVITY

REACTIVITY: Stable HAZARDOUS POLYMERIZATION: No CONDITIONS TO AVOID: Not Established POSSIBILITY OF HAZARDOUS REACTIONS: None Expected. HAZARDOUS DECOMPOSITION PRODUCTS: None known. INCOMPATIBLE MATERIALS: Strong acids, oxidizers.

11. TOXICOLOGICAL INFORMATION


ACUTE TOXICITY

	ORAL LD ₅₀ (ra	t) DER	MAL LD ₅₀ (rabbit)	INHALATION LC ₅₀ (rat)
Secondary Alcohol Ethoxylat	e > 412 mg/kg (ra	t) > 14	000 mg/kg (rabbit)	1.06 mg/l (Rat), Aeroso
Diethylene Glycol Ethyl Ether	· 6031 mg/kg (moi	use) 91	43 mg/kg (rabbit)	
Isopropanol	5045 mg/kg (ra	at) 12	800 mg/kg (rabbit)	16000 ppm
ORAL LD₅0: Not Established INHALATION LC₅0: Not Established ERIOUS EYE DAMAGE/IRRIT ESPIRATORY OR SKIN SENS ERM CELL MUTAGENICITY: EPRODUCTIVE TOXICITY: Not ECOLOGICAL INFORMATIO	ATION: Irritant SITISATION: No known signif No known significant effects o known significant effects or	or critical hazar		
INVIRONMENTAL DATA: Not I				
COTOXICOLOGICAL INFORM				
QUATIC TOXICITY (ACUTE):				
DISPOSAL CONSIDERATION DISPOSAL METHOD: Small am				
MPTY CONTAINER: Rinse cor CRA/EPA WASTE INFORMAT TRANSPORT INFORMATION OT (DEPARTMENT OF TRAN	ION: NA = Not Applicable SPORTATION)		cycling, or dispose of	III (1851).
COAD AND RAIL (ADR/RID) PROPER SHIPPING NAME: IR (ICAO/IATA)				
OAD AND RAIL (ADR/RID) PROPER SHIPPING NAME:	Cleaning Compound, not reg			
COAD AND RAIL (ADR/RID) PROPER SHIPPING NAME: IR (ICAO/IATA) SHIPPING NAME: Cleaning C ESSEL (IMO/IMDG) SHIPPING NAME: Cleaning C	Cleaning Compound, not reg Compound, not regulated.			
COAD AND RAIL (ADR/RID) PROPER SHIPPING NAME: IR (ICAO/IATA) SHIPPING NAME: Cleaning C (ESSEL (IMO/IMDG) SHIPPING NAME: Cleaning C REGULATORY INFORMATIC	Cleaning Compound, not reg Compound, not regulated.			
COAD AND RAIL (ADR/RID) PROPER SHIPPING NAME: JR (ICAO/IATA) SHIPPING NAME: Cleaning (CESSEL (IMO/IMDG) SHIPPING NAME: Cleaning (REGULATORY INFORMATIC INITED STATES SARA TITLE III (SUPERFUNI 311/312 HAZARD CATEGO	Cleaning Compound, not reg Compound, not regulated. Compound, not regulated. Compound. Compound, not regulated. Compound. Comp	ulated. UTHORIZATIOI	I ACT)	
COAD AND RAIL (ADR/RID) PROPER SHIPPING NAME: IR (ICAO/IATA) SHIPPING NAME: Cleaning (ESSEL (IMO/IMDG) SHIPPING NAME: Cleaning (REGULATORY INFORMATIC INITED STATES SARA TITLE III (SUPERFUNI 311/312 HAZARD CATEGO 313 REPORTABLE INGRE	Cleaning Compound, not reg Compound, not regulated. Compound, not regulated. Compound. Compound, not regulated. Compound. Comp	ulated. UTHORIZATIOI		Comments
COAD AND RAIL (ADR/RID) PROPER SHIPPING NAME: IR (ICAO/IATA) SHIPPING NAME: Cleaning C ESSEL (IMO/IMDG) SHIPPING NAME: Cleaning C REGULATORY INFORMATIC INITED STATES SARA TITLE III (SUPERFUNI 311/312 HAZARD CATEGO 313 REPORTABLE INGRE EPCRA SECTION 313 SUI	Cleaning Compound, not reg Compound, not regulated. Compound, not regulated. Compound, not regulated. DN D AMENDMENTS AND REA DRIES: Health - Acute DIENTS: NA = Not Applicab PPLIER NOTIFICATION	ulated. UTHORIZATIOI e Wt.% CAS	I ACT)	
CAD AND RAIL (ADR/RID) PROPER SHIPPING NAME: IR (ICAO/IATA) SHIPPING NAME: Cleaning (C SSEL (IMO/IMDG) SHIPPING NAME: Cleaning (C REGULATORY INFORMATIC INITED STATES SARA TITLE III (SUPERFUNI 311/312 HAZARD CATEGO 313 REPORTABLE INGRE EPCRA SECTION 313 SUI Chemical Name Diethylene Glycol Ethyl Eth 302/304 EMERGENCY PLA EMERGENCY PLAN: NA CERCLA (COMPREHENSIVE CERCLA REGULATORY: TSCA (TOXIC SUBSTANCE O TSCA REGULATORY: All	Cleaning Compound, not reg Compound, not regulated. Compound, not regulated. Compound to re	UTHORIZATION e <u>Wt.% CAS</u> 1 - 5 111-90 TON, AND LIAE	0 N230 Certain Glyc	
CAD AND RAIL (ADR/RID) PROPER SHIPPING NAME: IR (ICAO/IATA) SHIPPING NAME: Cleaning (C 'ESSEL (IMO/IMDG) SHIPPING NAME: Cleaning (C REGULATORY INFORMATIC INITED STATES SARA TITLE III (SUPERFUNI 311/312 HAZARD CATEGO 313 REPORTABLE INGRE EPCRA SECTION 313 SUI Chemical Name Diethylene Glycol Ethyl Eth 302/304 EMERGENCY PLA EMERGENCY PLAN: NA CERCLA (COMPREHENSIVE CERCLA REGULATORY: TSCA (TOXIC SUBSTANCE O TSCA REGULATORY: All is STATES WITH SPECIAL F	Cleaning Compound, not reg Compound, not regulated. Compound, not regulated. Compound to re	UTHORIZATION e Wt.% CAS 1 - 5 111-90 TON, AND LIAE	0 N230 Certain Glyc ILITY ACT) Inventory.	
CAD AND RAIL (ADR/RID) PROPER SHIPPING NAME: IR (ICAO/IATA) SHIPPING NAME: Cleaning (C SSEL (IMO/IMDG) SHIPPING NAME: Cleaning (C REGULATORY INFORMATIC INITED STATES SARA TITLE III (SUPERFUNI 311/312 HAZARD CATEGO 313 REPORTABLE INGRE EPCRA SECTION 313 SUI Chemical Name Diethylene Glycol Ethyl Eth 302/304 EMERGENCY PLA EMERGENCY PLAN: NA CERCLA (COMPREHENSIVE CERCLA REGULATORY: TSCA (TOXIC SUBSTANCE O TSCA REGULATORY: All	Cleaning Compound, not reg Compound, not regulated. Compound, not regulated. Compound to re	UTHORIZATION e Wt.% CAS 1 - 5 111-90 TON, AND LIAE SCA Chemical R	0 N230 Certain Glyc	

CARCINOGEN: No listed substance

16. OTHER INFORMATION

Date Prepared: 06/26/2018



ADDITIONAL SDS INFORMATION: Rev1.0.0

MANUFACTURER DISCLAIMER: This company cannot anticipate all conditions of handling and use of this product. Therefore, this company accepts no responsibility for results obtained by the application of this information, or the safety and suitability of the product either alone or in combination with other products. It is the responsibility of the employer and/or user to provide a safe workplace, using health and safety information contained herein as a guide. This company will accept no liability for damages or losses incurred from the improper handling and use of this product.