

Version 2.0	Revision Date: 04/08/2015		SDS Number: 378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014		
SECTION	1. IDENTIFICATION					
Produ	uct name	:	PROVON® Foar Moisturizers	ning Antimicrobial Handwash with		
Manu	facturer or supplier's	deta	ils			
	bany name of supplier		: GOJO Industries, Inc.			
Addre	955	:	: One GOJO Plaza, Suite 500 Akron OH 44311			
Telep	hone	:	1 (330) 255-6000			
Emer	gency telephone	:	: 1-800-424-9300 CHEMTREC			
Deee	mmended use of the o	- h - m				
		inen:	Antibacterial Soa			
	Recommended use Restrictions on use		This is a personal care or cosmetic product that is safe to consumers and other users under normal and reasonable foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consum While this material is not considered hazardous, this SD contains valuable information critical to the safe handlin proper use of the product for industrial workplace condit as well as unusual and unintended exposures such as la spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.			

## SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 3
Serious eye damage	: Category 1
GHS Label element Hazard pictograms	
Signal Word	: Danger



Version 2.0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014		
Hazard Statements			: H226 Flammable liquid and vapor. H318 Causes serious eye damage.		
Preca	utionary Statements	No smoking. P233 Keep conta P241 Use explose equipment. P242 Use only n P243 Take preca P280 Wear prote <b>Response:</b> P303 + P361 + F all contaminated P305 + P351 + F water for several and easy to do. 0 CENTER or doct <b>Storage:</b> P403 + P235 Sto <b>Disposal:</b>	y from heat/sparks/open flames/hot surfaces. ainer tightly closed. sion-proof electrical/ ventilating/ lighting/ on-sparking tools. autionary measures against static discharge. active gloves/ eye protection/ face protection. P353 IF ON SKIN (or hair): Take off immediately clothing. Rinse skin with water/shower. P338 + P310 IF IN EYES: Rinse cautiously with minutes. Remove contact lenses, if present Continue rinsing. Immediately call a POISON tor/ physician. ore in a well-ventilated place. Keep cool. contents/ container to an approved waste		

### Other hazards

Vapors may form explosive mixture with air.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Ethanol	64-17-5	>= 1 - < 5
Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2- ethanediyl), Ammonium salt	67762-19-0	>= 1 - < 5
Ammonium dodecyl sulphate	2235-54-3	>= 1 - < 5
Propylene glycol	57-55-6	>= 1 - < 5
4-chloro-3,5-dimethylphenol	88-04-0	>= 0.1 - < 1

#### **SECTION 4. FIRST AID MEASURES**

General advice	<ul> <li>In the case of accident or if you feel unwell, seek medical advice immediately.</li> <li>When symptoms persist or in all cases of doubt seek medical advice.</li> </ul>
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.



Version 2.0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014		
In case of skin contact			ter and soap as a precaution. ttention if symptoms occur.		
In case of eye contact		for at least 15 If easy to do,	<ul> <li>In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.</li> <li>If easy to do, remove contact lens, if worn.</li> <li>Get medical attention immediately.</li> </ul>		
If swallowed		Get medical a	DO NOT induce vomiting. ttention if symptoms occur. horoughly with water.		
	t important symptoms effects, both acute and yed	: Causes seriou	us eye damage.		
Prot	ection of first-aiders	and use the re	onders should pay attention to self-protection, ecommended personal protective equipment ential for exposure exists.		
Note	es to physician	: Treat symptor	natically and supportively.		

## SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Sulfur oxides Nitrogen oxides (NOx)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.



Version	Revision Date:	MSDS Number:	Date o
2.0	04/08/2015	31378-00005	Date o

Date of last issue: 03/19/2015 Date of first issue: 12/11/2014

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	<ul> <li>Remove all sources of ignition.</li> <li>Use personal protective equipment.</li> <li>Follow safe handling advice and personal protective equipment recommendations.</li> </ul>
Environmental precautions	<ul> <li>Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.</li> </ul>
Methods and materials for containment and cleaning up	<ul> <li>Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapors/mists with a water spray jet. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.</li> <li>Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.</li> </ul>

## SECTION 7. HANDLING AND STORAGE

Technical measures		See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	-	Use with local exhaust ventilation. Use only in an area equipped with explosion proof exhaust ventilation.
Advice on safe handling		Avoid inhalation of vapor or mist. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice. Non-sparking tools should be used. Keep container tightly closed. Keep away from heat and sources of ignition.



Version 2.0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014		
			ary measures against static discharges. vent spills, waste and minimize release to the		
Conditions for safe storage		<ul> <li>Keep in properly labeled containers.</li> <li>Keep tightly closed.</li> <li>Keep in a cool, well-ventilated place.</li> <li>Store in accordance with the particular national regulations.</li> <li>Keep away from heat and sources of ignition.</li> </ul>			
Materials to avoid		Strong oxidizing a Organic peroxide Flammable solids Pyrophoric liquids Pyrophoric solids Self-heating subs	s s stances and mixtures mixtures which in contact with water emit		

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Propylene glycol	57-55-6	TWA	10 mg/m3	US WEEL

### Hazardous components without workplace control parameters

-	-
Ingredients	CAS-No.
Alpha-Sulfo-omega-	67762-19-0
(dodecyloxy)-poly(oxy-1,2-	
ethanediyl), Ammonium salt	
Ammonium dodecyl sulphate	2235-54-3
4-chloro-3,5-dimethylphenol	88-04-0

#### **Engineering measures**

: Minimize workplace exposure concentrations. Use only in an area equipped with explosion proof exhaust ventilation.

Use with local exhaust ventilation.

Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk



Version 2.0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014
		Particulates N dust, 5 mg/m3 Particles (inso	Relevant limits include: OSHA PEL for ot Otherwise Regulated of 15 mg/m3 - total - respirable fraction; and ACGIH TWA for luble or poorly soluble) Not Otherwise mg/m3 - respirable particles, 10 mg/m3 - cles.
Pers	sonal protective equip	nent	
	piratory protection	: General and le maintain vapo concentrations unknown, app Follow OSHA use NIOSH/M by air purifying hazardous che supplied respi release, expos	ocal exhaust ventilation is recommended to r exposures below recommended limits. Where is are above recommended limits or are ropriate respiratory protection should be worn. respirator regulations (29 CFR 1910.134) and SHA approved respirators. Protection provided g respirators against exposure to any emical is limited. Use a positive pressure air rator if there is any potential for uncontrolled sure levels are unknown, or any other where air purifying respirators may not provide ection.
	d protection aterial	: Impervious glo	N/PS
	aterial	: Flame retarda	
R	emarks	on the concen time is not det For special ap resistance to o gloves with the	s to protect hands against chemicals depending tration specific to place of work. Breakthrough ermined for the product. Change gloves often! plications, we recommend clarifying the chemicals of the aforementioned protective e glove manufacturer. Wash hands before the end of workday.
Eye	protection	Chemical resist	wing personal protective equipment: stant goggles must be worn. e likely to occur, wear:
Skin	and body protection	resistance dat potential. Wear the follo Flame retarda Skin contact n	riate protective clothing based on chemical a and an assessment of the local exposure wing personal protective equipment: nt antistatic protective clothing. hust be avoided by using impervious protective es, aprons, boots, etc).
Hygi	iene measures	located close When using d	ve flushing systems and safety showers are to the working place. o not eat, drink or smoke. inated clothing before re-use.



Version	Revision Date:	MSDS Number:	Date of last issue: 03/19/2015
2.0	04/08/2015	31378-00005	Date of first issue: 12/11/2014

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: clear, amber, brown
Odor	: fruity
Odor Threshold	: No data available
рН	: 4.5 - 8.5
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: 83 °C
Flash point	: 58.9 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Density	: 1.00 g/cm3
Solubility(ies) Water solubility	: soluble
Partition coefficient: n- octanol/water	: Not applicable
Autoignition temperature	: No data available
Decomposition temperature	: The substance or mixture is not classified self-reactive.
Viscosity Viscosity, kinematic	: 10 - 20 mm2/s (20 °C)
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.



Version	Revision Date:	MSDS Number:	Date of last issue: 03/19/2015
2.0	04/08/2015	31378-00005	Date of first issue: 12/11/2014

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac- tions	: Flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of Inhalation Skin contact Ingestion Eye contact	of exposure
Acute toxicity	
Not classified based on availab	le information.
Product:	
Acute oral toxicity	: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Ingredients:	
Ethanol:	
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapor
II Alpha-Sulfo-omega-(dodecvi	oxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:
Acute oral toxicity	: LD50 (Rat): 4,100 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute dermal toxicity	<ul> <li>LD50 (Rat): &gt; 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials</li> </ul>

Ammonium dodecyl sulphate:



ersion )	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014
Acute	e oral toxicity		000 mg/kg rective 92/69/EEC B.1 Acute Toxicity (Oral) ed on data from similar materials
	ylene glycol:		
Acute	e oral toxicity	: LD50 (Rat): > 5	5,000 mg/kg
Acute	e inhalation toxicity	Exposure time: Test atmosphe	re: dust/mist he substance or mixture has no acute
Acute	e dermal toxicity	: LD50 (Rabbit): Assessment: T toxicity	> 2,000 mg/kg he substance or mixture has no acute dermal
	oro-3,5-dimethylphe		
Acute	oral toxicity	Method: Exper	ed on harmonised classification in EU regulation
Acute	inhalation toxicity	: LC50 (Rat): > 6 Test atmosphe	
Acute	e dermal toxicity	: LD50 (Rat): >2	2,000 mg/kg
Not cl	<b>corrosion/irritation</b> lassified based on ava <u>uct:</u> lt: No skin irritation	ilable information.	
Ethar Speci Metho	<u>dients:</u> nol: ies: Rabbit od: OECD Test Guidel lt: No skin irritation	ine 404	
Speci Metho Resu	<b>a-Sulfo-omega-(dode</b> ies: Rabbit od: OECD Test Guidel It: Skin irritation arks: Based on data fro	ine 404	-ethanediyl), Ammonium salt:
11	onium dodecyl sulpl	nate:	
Speci Metho	ies: Rabbit od: OECD Test Guidel lt: Skin irritation	ine 404	



Version 2.0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014
Metho	es: Rabbit od: OECD Test Guidelir It: No skin irritation	ne 404	
Resul	oro-3,5-dimethylphen It: Skin irritation arks: Based on harmoni		J regulation 1272/2008, Annex VI
	<b>us eye damage/eye ir</b> es serious eye damage		
	dients:		
Resul	<b>tol:</b> es: Rabbit lt: Irritation to eyes, reve od: OECD Test Guidelir		
Speci	<b>a-Sulfo-omega-(dodec</b> es: Rabbit lt: Irreversible effects or		ethanediyl), Ammonium salt:
	arks: Based on data from		
Speci	onium dodecyl sulphaes: Rabbit		
	It: Irreversible effects or od: OECD Test Guidelin		
Speci Resul	<b>ylene glycol:</b> es: Rabbit lt: No eye irritation od: OECD Test Guidelir	ne 405	
	oro-3,5-dimethylphen It: Irreversible effects or		
Resp	iratory or skin sensiti	zation	
	sensitization: Not classi iratory sensitization: No		
Produ Asses	u <u>ct:</u> ssment: Does not cause	e skin sensitization.	
	dients:		
Ethar Test	<b>10I:</b> Fype: Local lymph node	assav (LLNA)	
Route	es of exposure: Skin co		
	es: Mouse lt: negative		
Alpha	a-Sulfo-omega-(dodeg	vloxy)-poly(oxy-1.2-e	ethanedivl). Ammonium salt:

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt: Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact



Version 2.0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014	
Metho Result	es: Guinea pig d: OECD Test Guidelin :: negative rks: Based on data fron			
Test T Routes Specie Result	onium dodecyl sulpha ype: Maximization Tes s of exposure: Skin cor es: Guinea pig :: negative rks: Based on data from	t (GPMT) htact		
Test T Routes Specie	<b>lene glycol:</b> ype: Maximization Tes s of exposure: Skin cor es: Guinea pig :: negative			
Asses	oro-3,5-dimethylphend sment: Probability or ev rks: Based on harmonis	vidence of skin sensiti	ization in humans U regulation 1272/2008, Annex VI	
Not cla	cell mutagenicity assified based on availa	able information.		
Ethan	<u>lients:</u> ol: oxicity in vitro	: Test Type: In vit Result: negative	ro mammalian cell gene mutation test	
Genot	oxicity in vivo	: Test Type: Rode Species: Mouse Application Rou Result: negative	te: Ingestion	0)
	-Sulfo-omega-(dodec oxicity in vitro	: Test Type: Bact Method: OECD Result: negative	ethanediyl), Ammonium salt: erial reverse mutation assay (AMES) Test Guideline 471 d on data from similar materials	
		Method: OECD Result: negative	ro mammalian cell gene mutation test Test Guideline 476 d on data from similar materials	
Genot	oxicity in vivo	cytogenetic test, Species: Mouse Application Rout Method: OECD Result: negative	te: Ingestion Test Guideline 475	N



0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014
II			
	onium dodecyl sulp toxicity in vitro	: Test Type: In vi Result: negative	itro mammalian cell gene mutation test e d on data from similar materials
Geno	toxicity in vivo	cytogenetic ass Species: Mouse Application Rou Method: OECD Result: negative	e ite: Ingestion Test Guideline 474
II Propy	ylene glycol:		
	toxicity in vitro	: Test Type: Bac Result: negative	terial reverse mutation assay (AMES) e
Geno	toxicity in vivo	Species: Mouse	ite: Intraperitoneal injection
	oro-3,5-dimethylphe toxicity in vitro		
		. 100(1)p0. Duo	terial reverse mutation assay (AMES)
Cent		Result: negative	terial reverse mutation assay (AMES) e
Carci	nogenicity assified based on available	Result: negative	
Carci Not cl Ingre Amm Speci Applic	nogenicity assified based on ava dients: onium dodecyl sulp es: Rat cation Route: Ingestio	Result: negative	
Carci Not cl Ingre Amm Speci Applic Expos Resul	nogenicity lassified based on ava <u>dients:</u> onium dodecyl sulp es: Rat	Result: negative ailable information. hate:	
Carci Not cl Ingre Amm Speci Applic Expos Resul Resul Rema Speci Applic Speci Applic Expos	nogenicity assified based on ava dients: onium dodecyl sulp es: Rat cation Route: Ingestio sure time: 2 Years It: negative	Result: negative ailable information. hate: n om similar materials	
Carci Not cl Ingre Amm Speci Applic Expos Resul Resul Rema Speci Applic Speci Applic Expos	nogenicity lassified based on avainable dients: onium dodecyl sulp es: Rat cation Route: Ingestio sure time: 2 Years lt: negative arks: Based on data fr ylene glycol: es: Rat cation Route: Ingestio sure time: 2 Years sure time: 2 Years lt: negative	Result: negative ailable information. hate: n om similar materials n No ingredient of th	e is product present at levels greater than or lentified as probable, possible or confirmed
Carci Not cl Ingree Amm Speci Applic Expos Resul Rema Propy Speci Applic Expos Resul	nogenicity lassified based on avainable dients: onium dodecyl sulp es: Rat cation Route: Ingestio sure time: 2 Years it: negative arks: Based on data fr ylene glycol: es: Rat cation Route: Ingestio sure time: 2 Years it: negative	Result: negative ailable information. hate: n om similar materials n No ingredient of th equal to 0.1% is ic human carcinoger No ingredient of th	e is product present at levels greater than or lentified as probable, possible or confirmed



	by ble	NTP. information. Test Type: Two- Species: Mouse Application Rout Method: OECD T	
ed based on availa <u>s:</u> <sup>r</sup> ertility <b>ro-omega-(dodecy</b>	:	Test Type: Two- Species: Mouse Application Rout Method: OECD T	e: Ingestion
<u>s:</u> <sup>;</sup> ertility <sup>;</sup> o-omega-(dodecy	:	Test Type: Two- Species: Mouse Application Rout Method: OECD T	e: Ingestion
ertility o-omega-(dodecy		Species: Mouse Application Rout Method: OECD	e: Ingestion
o-omega-(dodecy		Species: Mouse Application Rout Method: OECD	e: Ingestion
	-	Result: negative	Test Guideline 416
			ethanediyl), Ammonium salt:
ertility	:	Species: Rat Application Rout Result: negative	
etal development	:	Species: Rat Application Rout	
		•	l on data from similar materials
n dodecyl sulphat	te:		
	:	Species: Rat	ryo-fetal development
		Result: negative	
		_	
ertility	:	Species: Mouse Application Rout Result: negative	
etal development	:	Test Type: Embr Species: Mouse Application Rout Result: negative	e: Ingestion
	glycol: fertility fetal development	n dodecyl sulphate: etal development : glycol: ertility : etal development :	retal development       : Test Type: Two-Species: Rat Application Rout Result: negative Remarks: Based         n dodecyl sulphate:       : retal development       : Test Type: Embi Species: Rat Application Rout Result: negative Remarks: Based         glycol:       : rettility       : Species: Mouse Application Rout Result: negative         retal development       : Test Type: Embi Species: Mouse Application Rout Result: negative         retal development       : Test Type: Embi Species: Mouse Application Rout Result: negative

## STOT-repeated exposure

Not classified based on available information.

## Repeated dose toxicity

### Ingredients:



Version 2.0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014
NOAE Applic	<b>tol:</b> es: Rat EL: 2,400 mg/kg cation Route: Ingestion sure time: 2 y		
Specie NOAE Applic Expos Metho	a-Sulfo-omega-(dodec es: Rat EL: > 225 mg/kg cation Route: Ingestion sure time: 90 d od: OECD Test Guidelir irks: Based on data from	ne 408	ethanediyl), Ammonium salt:
Specie NOAE Applic	<b>/lene glycol:</b> es: Rat EL: 1,700 mg/kg cation Route: Ingestion sure time: 2 y		
Specie LOAE Applic	<b>bro-3,5-dimethylphen</b> es: Rabbit L: 180 mg/kg cation Route: Skin conta sure time: 90 d		
•• Aspir	ation toxicity		

## Aspiration toxicity

Not classified based on available information.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Ingredients:	
Ethanol: Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to bacteria	: EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h



ersion 0	Revision Date: 04/08/2015		SDS Number: 378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014
	Alpha-Sulfo-omega-(dodecylox Toxicity to fish :		LC50 (Danio rerio Exposure time: 96 Method: OECD Te	(zebra fish)): 7.1 mg/l S h
	ty to daphnia and other c invertebrates	:	Exposure time: 48 Method: OECD Te	
Toxici	ty to algae	:	Exposure time: 72 Method: OECD Te	
			Exposure time: 72 Method: OECD Te	
Toxicit toxicit <u>y</u>	ty to fish (Chronic y)	:	Exposure time: 28 Method: OECD Te	
aquati	ty to daphnia and other c invertebrates nic toxicity)	:	Exposure time: 21	nagna (Water flea)): 0.27 mg/l l d on data from similar materials
Toxici	ty to bacteria	:	Exposure time: 16 Method: DIN 38 4	
	<b>onium dodecyl sulpha</b> t ty to fish	te: :	Exposure time: 96 Method: OECD Te	
	ty to daphnia and other c invertebrates	:	Exposure time: 48 Method: Tested a	agna (Water flea)): 4.7 mg/l 3 h ccording to Directive 92/69/EEC. on data from similar materials
Toxici	ty to algae	:	Exposure time: 72 Method: Directive	smus subspicatus (green algae)): > 20 mg/l 2 h 67/548/EEC, Annex V, C.3. on data from similar materials
			Exposure time: 72	mus subspicatus (green algae)): 5.4 mg/l 2 h 67/548/EEC, Annex V, C.3.



Vers 2.0	ion	Revision Date: 04/08/2015		DS Number: 378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014
I				Remarks: Based of	on data from similar materials
	aquatic	y to daphnia and other invertebrates ic toxicity)	:	Exposure time: 7 d	nia dubia (water flea)): 0.88 mg/l d on data from similar materials
	Toxicity	y to bacteria	:	Exposure time: 16 Method: DIN 38 4	
		<b>ene glycol:</b> y to fish	:	LC50 (Oncorhyncl Exposure time: 96	nus mykiss (rainbow trout)): 40,613 mg/l h
		y to daphnia and other invertebrates	:	EC50 (Ceriodaphr Exposure time: 48	nia dubia (water flea)): 18,340 mg/l h
	Toxicity	y to algae	:	EC50 (Skeletonen Exposure time: 48 Method: OECD Te	
	Toxicity toxicity	y to fish (Chronic )	:	Chronic Toxicity V Exposure time: 30	
	aquatic	y to daphnia and other ; invertebrates ic toxicity)	:	NOEC (Ceriodaph Exposure time: 7 d	nia dubia (water flea)): 29,000 mg/l d
	Toxicity	y to bacteria	:	NOEC (Pseudomo Exposure time: 18	onas putida): > 20,000 mg/l h
		r <b>o-3,5-dimethylphenol</b> y to fish	:	LC50 (Oncorhyncl Exposure time: 96	nus mykiss (rainbow trout)): 0.76 mg/l h
		y to daphnia and other invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 7.7 mg/l h
	M-Fact icity)	or (Acute aquatic tox-	:	1	
•	Persis	tence and degradabili	ty		
	Ingred				
	Ethand Biodeg	radability	:	Result: Readily bio Biodegradation: 8 Exposure time: 20	4 %
		Sulfo-omega-(dodecy radability		y)-poly(oxy-1,2-etl Result: Readily bio Biodegradation: 1	



/ersion 0			SDS Number: 378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014
				3 d 67/548/EEC Annex V, C.4.C. on data from similar materials
	onium dodecyl sulphato gradability			75.7 %
	ylene glycol: egradability	:	Result: Readily b Biodegradation: Exposure time: 28 Method: OECD T	98.3 %
Bioa	ccumulative potential			
Ingre	dients:			
	n <b>ol:</b> ion coefficient: n- ol/water	:	log Pow: -0.35	
Partit	a-Sulfo-omega-(dodecyl ion coefficient: n- ol/water		<b>y)-poly(oxy-1,2-e</b> t log Pow: 0.3	hanediyl), Ammonium salt:
Partit	onium dodecyl sulphate ion coefficient: n- ol/water		log Pow: 0.8 - 0.9	1
Partit	<b>ylene glycol:</b> ion coefficient: n- ol/water	:	log Pow: -1.07	
Partit	oro-3,5-dimethylphenol ion coefficient: n- ol/water		log Pow: 3.27	
Mobi	lity in soil			
No da	ata available			
	r adverse effects			
No da	ata available			

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	: Dispose of as unused product.



Version	Revision Date:	MSDS Number:	Date of last issue: 03/19/2015
2.0	04/08/2015	31378-00005	Date of first issue: 12/11/2014

Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not burn, or use a cutting torch on, the empty drum.

### **SECTION 14. TRANSPORT INFORMATION**

### International Regulation

**UNRTDG** Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

#### **Domestic regulation**

**49 CFR** Not regulated as a dangerous good

### **SECTION 15. REGULATORY INFORMATION**

### EPCRA - Emergency Planning and Community Right-to-Know

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### **US State Regulations**

Pennsylvania Right To Know		
Water	7732-18-5	70 - 90 %
Ethanol	64-17-5	1 - 5 %
Ammonium dodecyl sulphate	2235-54-3	1 - 5 %
Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-	67762-19-0	1 - 5 %




Version 2.0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2 Date of first issue: 12/11/2	
	1 2-ethane	ediyl), Ammonium salt		
	Propylene		57-55-6	1 - 5 %
	Ammoniur	•••	7783-20-2	0.1 - 1 %
	Propan-2-	l	67-63-0	0.1 - 1 %
New J	Jersey Right To Kno	w		
	Water		7732-18-5	70 - 90 %
	Ethanol		64-17-5	1 - 5 %
	Ammoniur	n dodecyl sulphate	2235-54-3	1 - 5 %
		o-omega-(dodecyloxy) ediyl), Ammonium salt	-poly(oxy- 67762-19-0	1 - 5 %
	Propylene		57-55-6	1 - 5 %
Califo	California Prop 65		bes not contain any chemicals nia to cause cancer, birth, or a fects.	
The ir	ngredients of this pr	oduct are reported in	the following inventories:	
AICS		: All ingredients I	isted or exempt.	
Inven	tories			
			REACH (European Union), El I), PICCS (Philippines), TCSI	

(USA)

## **SECTION 16. OTHER INFORMATION**

## Further information



## Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-
	its for Air Contaminants



Version 2.0	Revision Date: 04/08/2015	MSDS Number: 31378-00005	Date of last issue: 03/19/2015 Date of first issue: 12/11/2014	
	EEL H / STEL H REL / TWA	: Short-term e : Time-weight	lace Environmental Exposure Levels (WEEL) exposure limit ed average concentration for up to a 10-hour ing a 40-hour workweek	
OSHA Z-1 / TWA US WEEL / TWA		<ul> <li>8-hour time weighted average</li> <li>8-hr TWA</li> </ul>		
	es of key data used to le the Material Safety Sheet	eChem Port	nical data, data from raw material SDSs, OECD al search results and European Chemicals Agen- na.europa.eu/	
Revis	ion Date	: 04/08/2015		

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8