Printing date 04/21/2015

Reviewed on 03/13/2015

1 Identification

- · Product identifier
- · Trade name: Bortek Formula 86 Stripper
- · Article number: 4781
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: BORTEK INDUSTRIES INC., 4713 OLD GETTYSBURG ROAD MECHANICSBURG, PA 17055 TELEPHONE: 717-737-7162

• Information department: Product safety department

• Emergency telephone number: SAME AS COMPANY NUMBER

2 Hazard(s) identification

· Classification of the substance or mixture

GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H312 Harmful in contact with skin.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Danger

- Hazard statements
- Harmful in contact with skin.

Causes severe skin burns and eye damage.

Precautionary statements
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
Do not breathe dusts or mists.
Wear protective gloves / protective clothing.
Wear eye protection / face protection.

(Contd. on page 2)

USA

Printing date 04/21/2015

Reviewed on 03/13/2015

Trade name: Bortek Formula 86 Stripper

(Contd. of page 1)

Wash thoroughly after handling.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison center/doctor.
Specific treatment (see on this label).
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Wash contaminated clothing before reuse.


If swallowed: Rinse mouth. Do NOT induce vomiting.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:



Health = 3 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH	3	Health = 3
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Components:		
	2-butoxyethanol	Prop.%
141-43-5	2-aminoethanol	Prop.%
127087-87-0	Poly(oxy-1,2-ethanediyl),alpha-(4 nonylphenyl)-omega-hydoxy-, branched	Prop.%
1310-58-3	potassium hydroxide	Prop.%

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 3)

Printing date 04/21/2015

Trade name: Bortek Formula 86 Stripper

(Contd. of page 2)

• After inhalation: Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Immediately call a doctor.
 Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

(Contd. on page 4)

Printing date 04/21/2015

Reviewed on 03/13/2015

Trade name: Bortek Formula 86 Stripper

(Contd. of page 3)

• Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

Control parameters

· Com	· Components with limit values that require monitoring at the workplace:	
111-	76-2 2-butoxyethanol	
PEL	Long-term value: 240 mg/m³, 50 ppm Skin	
REL	Long-term value: 24 mg/m³, 5 ppm Skin	
TLV	Long-term value: 97 mg/m³, 20 ppm BEI	
141-	I3-5 2-aminoethanol	
PEL	Long-term value: 6 mg/m ³ , 3 ppm	
REL	Short-term value: 15 mg/m³, 6 ppm Long-term value: 8 mg/m³, 3 ppm	
TLV	Short-term value: 15 mg/m³, 6 ppm Long-term value: 7.5 mg/m³, 3 ppm	
1310	-58-3 potassium hydroxide	
REL	Ceiling limit value: 2 mg/m ³	
TLV	Ceiling limit value: 2 mg/m ³	
· Ingre	dients with biological limit values:	
111-	76-2 2-butoxyethanol	
	200 mg/g creatinine Medium: urine Time: end of shift Parameter: Butoxyacetic acid with hydrolysis	
· Addi	tional information: The lists that were valid during the creation were used as basis.	
• Pers • Gene Keep Imme Was	esure controls onal protective equipment: eral protective and hygienic measures: away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. hands before breaks and at the end of work. I contact with the eyes and skin. (Contd. on page 5)	
	(Contd. on page 5)	

Printing date 04/21/2015

Reviewed on 03/13/2015

Trade name: Bortek Formula 86 Stripper

(Contd. of page 4)

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

 Information on basic physical and General Information 	chemical properties	
Appearance: Form:	In water	
Color:	Light blue	
• Odor: • Odour threshold:	Characteristic Not determined.	
pH-value at 20 °C (68 °F):	13	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. 100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	240 °C (464 °F)	
· Decomposition temperature:	Not determined.	

Printing date 04/21/2015

Reviewed on 03/13/2015

Trade name: Bortek Formula 86 Stripper

	(Contd. of page 5)	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	1.1 Vol %	
Upper:	10.6 Vol %	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)	
· Density at 20 °C (68 °F):	1.02 g/cm ³ (8.512 lbs/gal)	
· Relative density	Not determined.	
· Vapour density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
 Other information 	No further relevant information available.	

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:
- 111-76-2 2-butoxyethanol
- Oral LD50 1480 mg/kg (rat)
- Dermal LD50 400 mg/kg (rab)

1310-58-3 potassium hydroxide

- Oral LD50 273 mg/kg (rat)
- Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.

(Contd. on page 7)

USA

Printing date 04/21/2015

Reviewed on 03/13/2015

Trade name: Bortek Formula 86 Stripper

(Contd. of page 6)

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

- Harmful
- Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

(Contd. on page 8)

Printing date 04/21/2015

Reviewed on 03/13/2015

Trade name: Bortek Formula 86 Stripper

(Contd. of page 7)

• Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT	UN1760
· IMDG, IATA	UN3267
UN proper shipping name	
DOT	Compounds, cleaning liquid (potassium hydroxic
	(Potassium hydroxide)
· IMDG, IATA	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.
	(POTASSIUM HYDROXIDE)
Transport hazard class(es)	
DOT	
CORROSIVE	
8	
Class	8 Corrosive substances
Label	8
IMDG, IATA	
PS	
8	
Class	8 Corrosive substances
· Label	8
	•
· Packing group · DOT, IMDG, IATA	111
	III
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler):	80
EMS Number:	F-A,S-B
 Segregation groups 	Alkalis
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
•	
DOT	On nanonan aircraft/rail. 5
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L

Printing date 04/21/2015

Reviewed on 03/13/2015

Trade name: Bortek Formula 86 Stripper

(Contd. of page 8)

 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN3267, Corrosive liquid, basic, organic, n.o.s. (Potassium hydroxide), 8, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

111-76-2 2-butoxyethanol

• TLV (Threshold Limit Value established by ACGIH)

111-76-2 2-butoxyethanol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



· Signal word Danger

Hazard statements

Harmful in contact with skin.

(Contd. on page 10)

NL

A3

USA

Printing date 04/21/2015

Reviewed on 03/13/2015

Trade name: Bortek Formula 86 Stripper

(Contd. of page 9)

Causes severe skin burns and eye damage. · Precautionary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Do not breathe dusts or mists. Wear protective gloves / protective clothing. Wear eye protection / face protection. Wash thoroughly after handling. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Wash contaminated clothing before reuse. If swallowed: Rinse mouth. Do NOT induce vomiting. Take off contaminated clothing and wash it before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out. **16 Other information** This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Date of preparation / last revision 04/21/2015 / -Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

USA