




## M+A Matting. Satisfaction Guaranteed.

M+A mats are where design and function come together, where quality isn't compromised to meet a price point, and where solutions to your maintenance and décor problems come first. We promise our customers an unconditional, 100% satisfaction guarantee for as long as you own our product.

M+A Matting is committed to reducing our environmental impact. We are continually improving our environmental performance as an integral and fundamental part of our business strategy and operating methods. We have reduced waste going to landfills by 80% and recycle most paper, metal, cardboard, plastic, carpet and rubber waste we generate. Our commitment is also evident in our development of dozens of mat styles that contain recycled raw materials.

For over five decades, M+A Matting has been America's leader in innovative floor protection systems, industrial safety, anti-fatigue products, and high performance entrance matting. If you are looking for better ways to minimize maintenance, prolong floor surface life, reduce cleaning costs, improve safety,



### **TABLE OF CONTENTS**

### PAGE 10

ENTRANCE MAT AND TILE COLLECTION

PAGE **28** 

INTERIOR MAT COLLECTION

PAGE 36

LOGO MAT, SIGN MAT & MESSAGE MAT COLLECTION

PAGE **48** 

ANTI-FATIGUE & SLIP RESISTANT MAT COLLECTION

 Mat Symbols...
 2, 3

 M+A Matting Product Feature Guide...
 4, 5

 Mat Selector Guide...
 6, 7

 Preventative Maintenance, Safety and Ergonomics, The Right Mat for Every Job, Waterhog® Backing Types...
 8, 9

rieventative maintenance, safety and Ligonomics, the right mat for Every Job, water	5 5 7.			0, J
PRODUCT NAME	PRODUCT #	MAT TYPE	PLACEMENT	PAGE #
WATERHOG® PLUS	185	Scraper/Wiper	Indoor	12
WATERHOG® LOW PROFILE				
WATERHOG® ECO GRAND ELITE				
WATERHOG® ECO GRAND PREMIER				
WATERHOG® GRAND CLASSIC				
WATERHOG® ECO ELITE and ECO ELITE FASHION	•			
WATERHOG® ECO PREMIER and ECO PREMIER FASHION				
LEGACY ECO and LEGACY ECO FASHION				
WATERHOG® CLASSIC, FASHION and DRAINABLE				
WATERHOG® CLASSIC DIAMOND and FASHION DIAMOND	208, 221	.Scraper/Wiper	Indoor/Outdoor	19
LEGACY CLASSIC and LEGACY FASHION				
WATERHOG® ECO ELITE ROLL GOODS	2271, 2272	.Scraper/Wiper	Indoor/Outdoor	20
BERBER ROLL GOODS	2281, 2282	.Scraper/Wiper	Indoor/Outdoor	20
WATERHOG® CLASSIC TILE	210, 216, 219, 220	.Scraper/Wiper	Indoor	21
WATERHOG® ECO PREMIER TILE	2215, 2217, 2218	Scraper/Wiper	Indoor	21
WATERHOG® MODULAR TILE SQUARE	2210	Scraper/Wiper	Indoor/Outdoor	22
WATERHOG® FORKLIFT MAT	1253	Slip resistant	Indoor/Outdoor	23
MELT STEP <sup>™</sup>	886. 887. 889	. Slip resistant	Outdoor	23
SUPERSCRAPE <sup>™</sup>				
SUPERSCRAPE™ PLUS				
WATERHOG® DIAMONDCORD				
WATERHOG® MASTERPIECE SELECT				
BRUSH HOG™. BRUSH HOG™ PLUS.				
FLEX-TIP™				
FRONTIER				
SURE STRIDE®, CUTTING BOARD, CUTTING KNIFE				
SURE STRIDE® PLUSH				
CLEANSHIELD® URINAL MAT				
CLEAN STRIDE®				
ENVIRO PLUS®				
GREASE HOG™				
MICROLUXX <sup>TM</sup>				
PLUSH <sup>TM</sup>				
IMPRESSIONIST				
VICTORY				
COBBLESTONE		1 .		
The M+A Matting Company Logo Mat Program				
WATERHOG IMPRESSIONS HD®				
WATERHOG® LOGO INLAY				
WATERHOG® ECO ELITE ROLL GOODS LOGO				
BERBER ROLL GOODS LOGO				
LEGACY INLAY and LEGACY FASHION INLAY				
WATERHOG® SCULPTURES				
CLASSIC IMPRESSIONS™ HD CUSTOM SHAPE				
CLASSIC IMPRESSIONS™ HD LOGO and GRAND IMPRESSIONS HD LOGO				
CLASSIC IMPRESSIONS <sup>™</sup> LOGO				
SUPERSCRAPE IMPRESSIONS™ LOGO	3559	.Scraper	Indoor/Outdoor	47
The Benefits of Anti-Fatigue Mats				50
ESD Matting				51
HOG HEAVEN®	421, 422, 423, 424	Anti-fatigue	Indoor	52
HOG HEAVEN PRIME®	4220, 4221	Anti-fatigue	Indoor	52
HOG HEAVEN PRIME DECOR™	4222	Anti-fatigue	Indoor	53
HOG HEAVEN® MARBLE TOP	448, 449	Anti-fatigue	Indoor	53
HOG HEAVEN® PLUSH	446, 447	Anti-fatigue	Indoor	54
HOG HEAVEN® FASHION				
GETFIT STANDUP™ MAT	4443, 4447, 4448	Anti-fatigue	Indoor	55
HOG HEAVEN III™ MODULAR TILE/LINKABLE MATS/WORKSTATION MATS COMFORT				
HOG HEAVEN III™ MODULAR TILE TRAFFIC/DRAINABLE, LINKABLE MATS TRAFFIC/DRAINABLE				
HOG HEAVEN III™ MODULAR TILE/LINKABLE MATS/WORKSTATION MATS FASHION				
HOG HEAVEN III™ MODULAR TILE/LINKABLE MATS/WORKSTATION MATS POLY				
HAPPY FEET® & HAPPY FEET® LINKABLE				
COMPLETE COMFORT™ without holes and COMPLETE COMFORT™ with holes	494 496	FlowThrough/Anti-fations	Indoor	£1
COMPLETE COMFORT™ II				
COMFORT FLOW™				
COMFORT SCRAPE™				
COMFORT FLOW™ HD MODULAR TILE/LINKABLE MATS/WORKSTATION MATS				
COMFORT SCRAPE™ HD MODULAR TILE/LINKABLE MATS/WORKSTATION MATS				
WET STEP®				
WET STEE  CUSHION STATION™ without holes and CUSHION STATION™ with holes	370 371	Iow i iiougii/oiip iesisidill FlowThrough/Anti fotigus	Indoor	04
CUSHION MAX™ with holes and CUSHION MAX™ without holes				
CUSTION WAS WITH HOIRS AND CUSTION WAX WITHOUT ROLES	· · · · · · · · · · · · · · · · · · ·	•		
TRACTION TREAD				66
TRACTION TREADTRACTION TREAD SOFT	56			
TRACTION TREAD TRACTION TREAD SOFT SURE CUSHION RIBBED, TEXTURE, HEAVY DUTY, YELLOW BORDER	56415, 425, 428, 427	Anti-fatigue	Indoor	67
TRACTION TREAD TRACTION TREAD SOFT SURE CUSHION RIBBED, TEXTURE, HEAVY DUTY, YELLOW BORDER SURE TREAD V-GROOVE	56	Anti-fatigueFloor protection	IndoorIndoor	67 67
TRACTION TREAD	56	Anti-fatigue	Indoor Indoor Indoor/Outdoor	67 67 68
TRACTION TREAD  TRACTION TREAD SOFT  SURE CUSHION RIBBED, TEXTURE, HEAVY DUTY, YELLOW BORDER  SURE TREAD V-GROOVE	56	Anti-fatigue	Indoor Indoor Indoor/Outdoor Indoor/Outdoor	

### **Mat Symbols**



### **Anti-Fatigue**

Ergonomic mats and floor tiles reduce fatigue by up to 50%. Anti-fatigue mats help increase blood circulation and reduce pressure on the body's musculoskeletal system. They also reduce foot arch pronation, varicose veins, and pain commonly attributed to standing for long periods of time.



### Safety

Matting and tiles with highly visible, colored borders and beveled edges reduce trips and falls.



### **Chemical Resistant**

Many M+A Matting mats are manufactured with Nitrile rubber which is resistant to most commonly used chemicals. Please consult the chemical compatibility chart on page 5 for additional information.



### **Oily Environment**

Nitrile rubber mats withstand degradation from oils and grease. These mats are suitable for use in environments with industrial oils, machine lubricants, greases, food grade oils,etc.



### Wet Areas

May be used in areas where moisture may be present.



### **Dry Areas**

May be used in dry environments.



### **Linkable Floor Tile and Matting**

Tiles that can be customized to fit large areas and unique shapes.



### **Modular Tile**

Modular Tiles for large entrances and floor protection.



### FÇN

Matting that dissipates static electricity from people to protect sensitive equipment and small static generated electric shocks.

### **Mat Symbols**



### **Welding Safe**

Matting that is suitable for use in locations of high temperatures and welding slag. The temperature resistant rubber can withstand temperatures up to 1742 degrees Fahrenheit from welding slag and hot metal shavings.



### **Recycled Content**

Contains recycled content.



### **Anti-Slip**

Uniquely designed texturized surfaces prevent slip and fall accidents. Heavy-duty rubber keeps the mats in place and prevents movement on a variety of surfaces.



### **Non-Conductive**

Matting created for Switchboards and high voltage areas. Prevents workers from being grounded and reduces the potential for injuries caused by electrical shock.



### **Cart Traffic**

Matting and tiles designed to withstand heavy cart traffic.



### **Anti-Microbial**

Matting permanently treated with an anti-microbial agent that guards against degradation from micro-organisms and minimizes mats being a source of odors.



### Scraper

Scraper mats are heavy-duty mats designed to stop mud and larger particles of dirt from being tracked inside buildings.



### Scraper/Wiper

Scraper/Wiper mats provide scraping action and wiping to further stop dirt and moisture from entering a facility. These mats are typically made of tough heavy-duty commercial fabrics. They retain dust in recessed grooves while absorbing moisture in the fabric surface.



### Winer

Wiper mats are designed to stop any remaining dust and moisture. These mats are made with a variety of carpeted surfaces and colors to compliment a wide range of interiors.


### M+A Matting Product Feature Guide


		Welf	ing co	atic two Art	rstatic Diff	esistant diff	Proof Build	realed ties	intestive Non-Co	different Cher	net wet	Meas Dryk	1885
Item Category	Product Number(s)				<b>(b)</b>	<b>(b)</b>			<b>(1)</b>				
Interior Mats & Tile													
Brush Hog Plus — Scraper	385			Х							Х	Х	
Frontier - Scraper	437										Х	Χ	
Flex-Tip — Scraper	874										Х	X	
SuperScrape Plus - Scraper	5558, 5559			Х							Х	Χ	
WaterHog Classic/Fashion — Scraper/Wiper	200, 280			Х							Х	Χ	
WaterHog Grand Classic — Scraper/Wiper	272, 273, 274			Х							Х	Χ	
${\it WaterHog\ Classic\ Diamond/Fashion\ Diamond-Scraper/Wiper}$	208, 221			Х							Х	Χ	
WaterHog Diamondcord – Scraper/Wiper	296			Х							Х	χ	
WaterHog Modular Tile Square — Scraper/Wiper	2210			Х							Х	Х	
WaterHog Eco Elite/Eco Elite Fashion — Scraper/Wiper	2240, 2241			Х							Х	Χ	
WaterHog Eco Grand Elite — Scraper/Wiper	2243, 2244, 2246			Х							Х	Х	
WaterHog Eco Premier/Eco Premier Fashion — Scraper/Wiper	2295, 2297			Х							Х	χ	
WaterHog Masterpiece Select — Scraper/Wiper	265			Х							Х	χ	
WaterHog Plus— Scraper/Wiper	185			Х							Х	Χ	
Classic Brush — Wiper	110, 2110			Х							Х	Х	
Cobblestone – Wiper	870										Х	Χ	
Plush- Wiper	180			Х	Х						Х	Χ	
Enviro Plus – Wiper	2202			Х							Х	Χ	
Impressionist – Wiper	871										Х	Х	
Stylist – Wiper	872			Х							Х	Χ	
Tri-Grip — Wiper	100, 190			Х							Х	Х	
Victory — Wiper	873			Х							Х	Χ	
Grease Hog — Scraper/Wiper	883					Х					Х	Χ	
MicroLuxx — Wiper	1201			Х							Х	Χ	
Anti-Fatigue Mats & Tile													
Comfort Flow, Comfort Scrape	420, 430	Х	Х			Х	Х			Χ	Х	Χ	
Comfort Flow HD Modular Tile, Linkable and Workstation Mats	4430, 4434, 4439	Х	Х			Х	Х			Х	Х	Х	
Comfort Scrape HD Modular Tile, Linkable and Workstation Mats	4431, 4435, 4440	Х	Х			Х	Х			Χ	Х	Χ	
Complete Comfort	494, 496			Х		Х	Х			Х	Х	Х	
Complete Comfort II	594	Х	Х			Х	Х			Χ	Х	Χ	
Cushion Max	413, 414					Х	Х			Х	Х	Х	
Cushion Station	370, 371	Х	Х			Х	Х			Χ	Х	Х	
GetFit StandUp	4443			Х								Х	
Нарру Feet	465, 466, 475, 476	Х				Х		Х		Χ	Х	χ	

### M+A Matting Product Feature Guide

		Weddi	ide si	atic the left	d'Static Diff.	gedse dill	Proof Artific	redied the	difficitive Work	Che Che	dical Met	Heas Dry A	ens /
Item Category	Product Number(s)									0			
Anti-Fatigue Mats & Tile (continued)													
Hog Heaven	421, 422, 423, 424	Х				Х		Х		Х		Х	
Hog Heaven Confetti	443, 444	Х	Х									Х	
Hog Heaven Fashion	441, 442			Х								Х	
Hog Heaven Marble Top	448, 449			Χ								Х	
Hog Heaven Prime	4220, 4221	Х	Х			Х				Х	Х	Х	
Hog Heaven III Modular Tile Comfort and Linkable Mats Comfort	4471, 4472, 4497, 4498	х				Х		Х		Х		Х	
Hog Heaven III Modular Tile Fashion/Linkable Mats Fashion	4484, 4485, 4476, 4475			Х								Х	
Hog Heaven III Modular Tile, Linkable/Workstation Mats Poly	4482, 4483, 4481,4487			Χ								Х	
Hog Heaven III Modular Tile Traffic/Drainable	4477, 4478, 4479, 4480	Х	Х			Х				Х	Х	Х	
Kneeling Comfort	433, 436	Х				Х		Х		Х		Х	
Sure Cushion Products	415, 425, 427, 428											Х	
Sure Tread	505									Х		Х	
Traction Tread Soft	56	Х	Х			Х	Х			Х	Х	Х	
Slip Resistant Mats													
Melt Step	886, 887, 889	Х				Х	Х			Х	Х	Х	
SuperScrape	555, 5555		Х			Х				Х	X	Х	
SuperScrape Plus	5558, 5559					Х				Х	Х	Х	
Sure Stride/Sure Stride Plush	4450, 4457						Х				χ	Х	
Traction Tread	50	х				Х		Х		Х	χ	Х	
Waterhog Forklift	1253			Χ							Х	Х	
Logo Mats													
Classic Impressions, Classic Impressions HD	70, 73		Х									Х	
Classic Impressions HD Custom Shapes	733		Х									Х	
SuperScrape Impressions	3559		Х			Х				Х	χ	Х	
SuperScrape Impressions Message Mats	3557		Х			Х				Х	Х	Х	
Waterhog Impressions HD	2380, 2381			Χ							χ	Х	
Waterhog Logo Inlay	234, 235			Х							Х	Х	
Specialty Mats													
Clean Stride - Scraper/Wiper	410, 411, 412			Х								Х	

### **Mat Selector Guide**







Mat	Area
G,E	Cafeteria/Break
K,A	Clean Room
M,L	Dry Assembly
F,Q	Electric Panel
R,H	Entrance
C,G	Eyewash Stations
G,C	Food Prep
I,G	Locker Room
L,M	Mail & Samples
L,P	Maintenance
M,L	Manufacturing
M,L	Molding
S,J	Offices
L,M	Packing Lines
O,N	Paint
L,M	Quality Control
S,B	Reception
L,M	Rework
L,M	Shipping/Receiving
M,L	Stamping
O,N	Testing Labs
L,M	Tool Crib
T,U	Vestibule
L,M	Warehouse
M,L	Welding
C,D	Wet Assembly

Mat	Style & Product Number
Α	Clean Stride #412
В	Classic Solutions #120
С	Comfort Flow #420
D	Comfort Flow Modular Tile #4430
Е	Comfort Scrape #430
F	Corrugated Switchboard #781
G	Cushion Station #370/371
Н	Flex Tip #874
1	Frontier #437
J	Get Fit Stand Up Mat #4442
K	Happy Feet #465
L	Hog Heaven #424
M	Hog Heaven III Modular Tile Comfort #4471
N	Hog Heaven III Modular Tile Poly #4482
0	Hog Heaven Marble Top #448
Р	Kneeling Comfort #433
Q	Military Switchboard Diamond #789
R	SuperScrape Plus #5558
S	Tri-Grip/Classic Mats #100
Т	Waterhog Classic #200
U	WaterHog Modular Tile Square #2210

The first letter denotes **Best** choice, the second letter is a **Good** secondary option for the corresponding areas of a facility.


These are the most commonly used mats & floor tiles in industrial manufacturing facilities. The letter corresponds with the area chart to the left to help you locate the correct mat for a specific location.

### **Preventative Maintenance**

Mats are the first defense to stop dirt and moisture from entering your building. Mats filter these contaminants from entering the facility, saving thousands of dollars a year in cleaning costs. Mats also protect interior floor surfaces from excessive damage and wear. Entrance mats are the most effective way of stopping dirt and moisture at the door and keeping building maintenance costs to a minimum.

### **Consider These Facts...**

- 70% to 80% of dust, grime and dirt in a building is tracked in from the outside on people's feet—permanently damaging floors
- One square yard of carpet can accumulate one pound of dirt a week—twice that in inclement weather
- It is estimated that the cost to find and remove a single pound of dirt from a building can run in excess of \$600 in cleaning costs. As few as 150 people entering a facility can track in one pound of dirt in a 5 day work week costing over \$30,000 dollars annually to remove.
- By utilizing high performance entrance matting of at least 10' to 15' (as recommend by the U.S. Green Building Council and the Carpet and Rug Institute) you can capture as much as 85% to 95% of contaminants that enter the building, saving maintenance dollars and protecting building assets



### **Safety and Ergonomics**

Mats are used throughout facilities in numerous other capacities where safety is a must and anti-fatigue comfort is essential to the health and well being of employees.

- Slip and falls are the second leading cause of all workplace injuries according to Liberty Mutual Workplace Index. As many as 25,000 people a day are victims of slip and fall accidents(NSC)
- Compensation and medical costs associated with employee slip and fall accidents total approximately \$70 Billion annually(NSC)
- The average cost of a slip and fall injury exceeds \$12,000 (Wausau Insurance)
- The average cost to defend a slip and fall lawsuit is \$50,000(NFSI)
- Back injuries account for 25% of all worker compensation claims annually
- Cumulative Standing Trauma(CST) causes Billions of dollars
  of loss annually due to reduced productivity, increased worker
  compensation, higher insurance rates and absenteeism
- According to the American College of Occupational and Environmental Science, about 38% of workers in the United States suffer from fatigue. Testing shows that Ergonomic Matting can reduce worker fatigue.

# M+A Matting has the **right mat** for every job.

### **Scraper Entrance Mats**

Your First Line of Defense

Scraper mats are designed to stop mud and larger particles of dirt from being tracked inside buildings. These mats provide aggressive scraping action and trap dirt and debris in recessed areas until the mats are cleaned. Scraper mats can be used outside or inside and should be used in conjunction with a Scraper/Wiper mat and a Wiper mat.



### **Scraper/Wiper Entrance Mats**

The Second Step to Keeping Dirt Outside

Scraper/Wiper mats are designed to provide scraping action and wiping to further stop dirt and moisture from entering a facility. These mats are typically made of tough fabrics. They channel and retain dust in recessed grooves while absorbing moisture in the fabric face. These mats are primarily used inside but may be used outside as well.



### **Wiper Entrance Mats**

The Third Weapon Against Dirt and Moisture

Wiper Entrance Mats are designed to stop any remaining dust and moisture left after using the Scraper mat and Scraper/Wiper mat. These mats are made with carpet facing to complement most interiors. These mats are for indoor use and when used in conjunction with a Scraper mat and Scraper/Wiper mat, they can stop as much as 85% to 95% of dirt and grime from being tracked into a building.



### Logo Mats

Promote a Positive Image

Custom designed logo mats are a unique way to promote a company's image. Logos or other designs can be replicated on the face of numerous styles of mats without any setup charge. Logo mats add a professional look to any entrance, while acting as a further barrier to keep contaminants from entering a facility.



### Waterhog® Backing Types



SBR Rubber
.078 mil thickness
Cleated backing
Recommended for carpeted floors.



.078 mil thickness
Smooth backing
Recommended for hard floor surfaces
with light to medium traffic.

**SBR Rubber** 



Nitrile Rubber
.100 mil thickness
Anchor Safe backing
Recommended for hard floor surfaces with
heavy traffic and where carts are in use.

### **Anti-Fatigue Mats**

**Provide Comfort and Increase Productivity** 

Anti-Fatigue mats are available in a wide range of sizes, weights and materials. It has been proven that the proper use of anti-fatigue mats can enhance worker productivity by over 20%. These mats are designed for use wherever workers spend time standing and will help to eliminate muscular skeletal disorders.



### **Slip Resistant and Safety Mats**

Protect against Slips and Falls

Slip resistant and safety mats help provide safe working areas for employees and visitors to facilities. 85% of worker's compensation claims are attributed to employees slipping on slick floors. The utilization of slip resistant mats is an ideal solution to prevent such accidents from occurring.



### Flow Through Mats

Wet Area Solution

Flow through mats allow liquids to pass through them to eliminate slip hazards. Anti-fatigue properties provide comfort when standing for long periods of time. The thick rubber helps alleviate stress on the legs, feet and lower back.











# ENTRANCE MAT AND TILE COLLECTION

WATERHOG® PLUS

WATERHOG® LOW PROFILE

WATERHOG® ECO GRAND ELITE

WATERHOG® ECO GRAND PREMIER

WATERHOG® GRAND CLASSIC

WATERHOG® ECO ELITE

WATERHOG® ECO ELITE FASHION

WATERHOG® ECO PREMIER

WATERHOG® ECO PREMIER FASHION

LEGACY ECO

LEGACY ECO FASHION

WATERHOG® CLASSIC

WATERHOG® FASHION

WATERHOG® DRAINABLE

WATERHOG® CLASSIC DIAMOND

WATERHOG® FASHION DIAMOND

LEGACY CLASSIC

LEGACY FASHION

WATERHOG® ECO ELITE ROLL GOODS

BERBER ROLL GOODS

WATERHOG® CLASSIC TILE

WATERHOG® ECO PREMIER TILE

WATERHOG® MODULAR TILE SQUARE

WATERHOG® FORKLIFT MAT

 $\mathsf{MELT}\;\mathsf{STEP}^{\scriptscriptstyle\mathsf{TM}}$ 

SUPERSCRAPE™

SUPERSCRAPE™PLUS

WATERHOG® DIAMONDCORD

WATERHOG® MASTERPIECE SELECT

BRUSH HOG™

BRUSH HOG™ PLUS

FLEX TIP™

**FRONTIER** 



### **WATERHOG® PLUS**



### **Product No. 185**

The WaterHog Plus mat features 100% PET recycled surface with a durable nitrile rubber backing.

- Clean and dry water dam border holds moisture; raised nubs are resistant to crushing and keep dirt below foot level
- Environmentally-friendly constructed with 100% post-consumer PET polyester (made from recycled plastic)
- Safe beveled edges provide a safe transition from mat to floor; certified high-traction by the National Floor Safety Institute
- Durable 90 mil nitrile rubber backing ensures the mat lays flat and remains in place

### SIZES

- 2' x 3' 3' x 4' 3' x 5'
- 3' x 10'
- 4' x 6' 4' x 8'
- 5' x 7'\* 5' x 10'\*
- 6' x 12'
- \*Minimum order of 100 pieces required for select sizes. Sizes are approximate.













Black Smoke

Maroon

**Chestnut Brown** 

**Regal Red** 

Khaki





#### 3/10" Product No. 251

- Guards against slip and falls by keeping floor dry and clean... 80% of slip and fall accidents occur on wet
- Low profile flat borders reduce potential tripping hazards
- Easy to install and maintain. Perfect for permanent and semi-permanent installations.
- Commercial grade polypropylene fabric for high traffic
- Mats feature Anchor Safe Backing made with heavy 100 mil nitrile rubber that keeps mats in place

### SIZES

- 3' x 5' 3' x 10'
- 4' x 6' 4' x 10'

**Anchor Safe** Backing Design

Sizes are approximate.



cocoa brown





granite





















Half Oval Product No. 2246













One End Product No. 2243











### **WATERHOG® ECO GRAND ELITE**

3/8" Half Oval: No. 2246 One End: No. 2243

Two Ends: No. 2244

- Earth friendly 30 oz/sq yd 100% post consumer recycled PET fabric reclaimed from plastic drink bottles
- SBR rubber backing contains 20% recycled rubber from car tires
- Bi-level surface effectively removes and stores dirt and moisture beneath shoe level between cleanings
- Rubber reinforced face nubs prevent pile from crushing, extending the performance life of the
- Unique "Water Dam" allows the Waterhog mat to hold up to 1½ gallons of water per square yard; water and dirt stay on the mat
- Anti-Static and certified slip resistant by National Floor Safety Institute
- Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe backing\* for maximum movement control on hard surfaces
- Recommended for commercial buildings, hotels, restaurants, healthcare facilities, office buildings and more

### SIZES

HALF OVAL 3' x 1.8'	3' x 7.1'
4' x 2.3' 6' x 3.3'	3' x 11.7' 3' x 15.5'
ONE END 3' x 5.5'	3' x 19.4' 3' x 23.2' 4' x 8'
3' x 10' 3' x 13.9' 3' x 17.7'	4' x 12.6' 4' x 16.5'
3' x 21.6' 4' x 5.9'	4' x 20.3' 6' x 10.1'
4' x 10.5' 4' x 14.4'	6' x 14.8' 6' x 18.6' 6' x 22 4'
4' x 18.2' 4' x 22' 6' x 7'	Sizes are approximate.
6' x 11.6' 6' x 15.4'	See price list for additional sizes. Mats up to 40'
6' x 19.3' 6' x 23.1'	are standard Cleated backing and available

in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only  $in \ Smooth \ backing.$ 

\*Note: Anchor Safe backing available with a 30% upcharge. This backing is .100 mil thick



















177 regal red

170 black smoke

174 maroon

175 chestnut brown

176 khaki

171 indigo

172 southern pine







### **WATERHOG® ECO GRAND PREMIER**

Half Oval: No. 2246 Two Ends: No. 2249 One End: No. 22248

- Earth friendly 30 oz/sq yd 100% post consumer recycled PET fabric reclaimed from plastic drink bottles
- SBR rubber backing contains 20% recycled rubber from car tires
- Bi-level surface effectively removes and stores dirt and moisture beneath shoe level between cleanings
- Rubber reinforced face nubs prevent pile from crushing, extending the performance life of the
- Unique "Water Dam" allows the Waterhog mat to hold up to 1½ gallons of water per square yard; water and dirt stay on the mat
- Anti-Static and certified slip resistant by National Floor Safety Institute
- Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe backing\* for maximum movement control on hard surfaces
- Recommended for commercial buildings, hotels, restaurants, healthcare facilities, office buildings and more

### SIZES HALF OVAL

3' x 1.8' 3' x 7.1' 4' x 2.3' 3' x 11.7' 6' x 3.3' 3' x 15.5' 3' x 19.4' ONE END 3' x 23.2' 3' x 5.5' 4' x 8' 3' x 10' 4' x 12.6' 3' x 13.9' 4' x 16.5' 3' x 17.7' 4' x 20.3' 3' x 21.6' 6' x 10.1' 4' x 5.9' 6' x 14.8' 4' x 10.5' 6' x 18.6' 4' x 14.4' 6' x 22.4' 4' x 18.2' Sizes are 4' x 22' approximate. 6' x 7' See price list for 6' x 11.6' additional sizes. 6' x 15.4' Mats up to 40' 6' x 19.3' are standard Cleated backing 6' x 23.1' and available

TWO ENDS

in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only in Smooth backing.

\*Note: Anchor Safe backing available with a 30% upcharge. This backing is .100 mil thick







ENTRANCE/SCRAPER-WIPER/ INDOOR-OUTDOOR





**Fabric Border** 

One End Product No. 22248





















171 indigo

172 southern pine

175 chestnut brown


















- 24 oz./yd. Polypropylene fiber system dries quickly and won't fade or rot
- Green friendly rubber backing has 20% recycled rubber content
- Exclusive rubber-reinforced face pattern prevents pile from crushing, extending performance life
- Unique ridged construction effectively removes and holds dirt & moisture below shoe level
- Exclusive "Water Dam" border allows Waterhog to trap dirt and water
- Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe backing\* for maximum movement control on hard surfaces
- Anti-Static and certified slip-resistant by the National Floor Safety Institute
- Recommended for commercial buildings, hotels, restaurants, healthcare facilities, office buildings and more

HALF OVAL 3' x 1.8' 4' x 2.3' 6' x 3.3' ONE END 3' x 5.5' 3' x 10' 3' x 13.9' 3' x 17.7' 3' x 21.6' 4' x 5.9' 4' x 10.5'	TWO ENDS 3' x 7' 3' x 11.7' 3' x 15.5' 3' x 19.4' 3' x 23.2' 4' x 8' 4' x 12.6' 4' x 16.5' 4' x 20.3' 6' x 10.1' 6' x 14.8'
4' x 14.4' 4' x 18.2'	6' x 18.6' 6' x 22.4'
4' x 22' 6' x 7'	
6' x 11.6' 6' x 15.4'	
6' x 19.3' 6' x 23.1'	

Sizes are approximate. See price list for additional sizes. Mats up to 40' are standard Cleated backing and available in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only in Smooth backing.

\*Note: Anchor Safe backing available with a 30% upcharge. This backing is .100 mil thick Nitrile rubber.



\*These colors are ONLY available in 3' and 4' widths.









### **WATERHOG® ECO ELITE**

3/8" Product No. 2240

### **WATERHOG® ECO ELITE FASHION**

3/8" Product No. 2241

- Earth friendly 30 oz/sq yd 100% post consumer recycled PET fabric reclaimed from plastic drink bottles
- SBR rubber backing contains 20% recycled rubber from car tires
- Bi-level surface effectively removes and stores dirt and moisture beneath shoe level between cleanings
- Rubber reinforced face nubs prevent pile from crushing, extending the performance life of the product
- Unique "Water Dam" allows the Waterhog mat to hold up to 1½ gallons of water per square yard; water and dirt stay on the mat
- Anti-Static and certified slip resistant by National Floor Safety Institute
- Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe backing\* for maximum movement control on hard surface
- Recommended for commercial buildings, hotels, restaurants, healthcare facilities, office buildings and more

### SIZES

2' x 3' 4' x 10' 4' x 12.2' 3' x 4' 3' x 5' 4' x 16' 4' x 20' 3' x 6' 3' x 8.4' 6' x 6' 3' x 10' 6' x 8.4' 3' x 12.2' 6' x 12.2' 3' x 16' 6' x 16'

6' x 20' 3' x 20' 4' x 6' 4' x 8.4'

Sizes are approximate. See price list for additional sizes. Mats up to 40' are standard Cleated backing and available in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only in Smooth backing. \*Note: Anchor Safe backing available with a 30% upcharge. This backing is .100 mil thick Nitrile rubber.









og Eco Elite Fashior







Waterhog Eco Elite Fashion

















176 khaki



170 black smoke

171 indigo

172 southern pine

174 maroon

175 chestnut brown

177 regal red






















### **WATERHOG® ECO PREMIER**

3/8" Product No. 2295

### **WATERHOG® ECO PREMIER FASHION**

Product No. 2297



- SBR rubber backing contains 20% recycled rubber from car tires
- · Bi-level surface effectively removes and stores dirt and moisture beneath shoe level between cleanings
- Rubber reinforced face nubs prevent pile from crushing, extending the performance life of the product
- Unique "Water Dam" allows the Waterhog mat to hold up to 1½ gallons of water per square yard; water and dirt stay on the mat
- Anti-Static and certified slip resistant by National Floor Safety Institute
- Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe backing\* for maximum movement control on hard surfaces
- Recommended for commercial buildings, hotels, restaurants, healthcare facilities, office buildings and more

### SIZES

4' x 8.4'

2' x 3' 4' x 10' 3' x 4' 4' x 12.2' 3' x 5' 4' x 16' 3' x 6' 4' x 20' 3' x 8.4' 6' x 6' 3' x 10' 6' x 8.4' 3' x 12.2' 6' x 12.2' 3' x 16' 6' x 16' 3' x 20' 6' x 20' 4' x 6'

Sizes are approximate. See price list for additional sizes. Mats up to 40' are standard Cleated backing and available in Smooth backing on request, Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only in Smooth backing.

\*Note: Anchor Safe backing available with a 30% upcharge. This backing is .100 mil thick Nitrile rubber.









Rubber reinforced textile













170 black smoke

171 indigo

172 southern pine

173 grey ash

174 maroon

175 chestnut brown

176 khaki



ENTRANCE/SCRAPER-WIPER/ INDOOR-OUTDOOR

### **LEGACY ECO**

3/8"

Product No. 2290

### **LEGACY ECO FASHION**

Product No. 2291

- Same features as Waterhog Eco and Eco Fashion, only with a unique geometric pattern
- Recommended for commercial buildings, hotels, restaurants, healthcare facilities, office buildings and more

SIZES 2' x 3'

3' x 16'

3' x 4' 4' x 4' 6' x 6' 3' x 5' 4' x 6' 6' x 8' 3' x 8' 4' x 8' 6' x 10' 3' x 10' 4' x 10' 6' x 12' 3' x 12' 4' x 12' 6' x 16'

4' x 16'

3' x 20'

4' x 20'

6' x 20

Sizes are approximate. Additional lengths up to 61'.













170 black smoke

171 indigo

172 southern pine

174 maroon

175 chestnut brown


176 khaki

177 regal red











3/8" Product No. 280

- 24 oz/sq yd solution dyed polypropylene fabric is highly stain resistant
- SBR rubber backing contains 20% recycled rubber from car tires
- Bi-level surface effectively removes and stores dirt and moisture beneath shoe level between cleanings
- Rubber reinforced face nubs prevent pile from crushing, extending the performance life of the product
- $\bullet$  Unique "Water Dam" allows the Waterhog mat to hold up to  $1\!\!\!/\!\!\!2$  gallons of water per square yard; water and dirt stay on the mat
- Anti-Static and certified slip resistant by National Floor Safety Institute
- Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe backing\* for maximum movement control on hard surface
- Recommended for commercial buildings, hotels, restaurants, healthcare facilities, office buildings and more


### SIZES

18" x 27" 4' x 8' 4' x 10' 2' x 3' 3' x 4' 4' x 12' 3' x 5' 4' x 16' 4' x 20' 3' x 8' 3' x 10' 6' x 8' 3' x 12' 6' x 12' 3' x 16' 6' x 16' 3' x 20' 6' x 20' 4' x 6'

Sizes are approximate. See price list for additional sizes. Mats up to 40' are standard Cleated backing and available in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only in Smooth backing.

\*Note: Anchor Safe backing available with a 30% upcharge. This backing is .100 mil thick Nitrile rubber.


### WATERHOG® DRAINABLE





Rubber reinforced textile Fabric Border





\*These colors are available in 3' and 4' widths only.















Waterhog Classic Diamo






### WATERHOG® CLASSIC DIAMOND

Product No. 208

### **WATERHOG® FASHION DIAMOND**

Product No. 221 3/8"



- Green friendly rubber backing has 20% recycled rubber content
- Exclusive rubber-reinforced face pattern prevents pile from crushing, extending performance life
- Unique ridged construction effectively removes and holds dirt & moisture below shoe level between cleanings
- Exclusive "Water Dam" border allows Waterhog to trap dirt and water
- Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe

165 solid red\*

166 yellow\*

SIZES 2' x 3' 4' x 8.4' 4' x 10' 3' x 4' 4' x 12.2' 3' x 5' 3' x 6' 4' x 16' 3' x 8.4' 4' x 20' 3' x 10' 6' x 6' 3' x 12.2' 6' x 8.4' 6' x 12.2' 3' x 16' 3' x 20' 6' x 16' 6' x 20'

4' x 6'

Sizes are approximate. See price list for additional sizes. Mats up to 40' are standard Cleated backing and available in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only in Smooth backing.

\*Note: Anchor Safe backing available with a 30% upcharge. This backing is .100 mil thick Nitrile rubber

159 evergreen

168 purple\*

ENTRANCE/SCRAPER-WIPER/ INDOOR-OUTDOOR



163 aquamarine\*

\*These colors are ONLY available in 3' and 4' widths.

167 orange\*

### LEGACY CLASSIC

162 white

Product No. 201

### LEGACY FASHION

Product No. 202

• Same features as Waterhog Classic and Fashion, only with a unique geometric pattern

161 navy

160 bordeaux

· Recommended for commercial buildings, hotels, restaurants. healthcare facilities, office buildings and more

152 dark brown

150 camel

### SIZES

154 charcoal

2' x 3' 3' x 20' 4' x 20' 3' x 4' 4' x 4' 6' x 6' 6' x 8' 3' x 5' 4' x 6' 3' x 8' 4' x 8' 6' x 10' 3' x 10' 4' x 10' 6' x 12' 3' x 12' 4' x 12' 6' x 16' 3' x 16' 4' x 16' 6' x 20' Sizes are approximate. Additional lengths up to 61'.

164 gold\*



160 bordauex









159 evergreen

157 medium grey

161 navy

# WATERHOG® ECO ELITE ROLL GOODS

### 3/8" Product No. 2271\* and 2272\*\*

- Environmentally friendly matting solution is made with 100% post-consumer recycled PET Polyester fiber derived from used plastic bottles
- Rubber backing contains 20% post-consumer recycled tires. Available with smooth backing only.
- Permanently reinforced bi-level Waterhog construction effectively allows dirt and moisture to be filtered at the door and contained in the base of the mat, away from foot traffic
- Every square foot of a Waterhog Eco mat eliminates 4 half liter plastic bottles from the waste stream
- May be purchased pre-seamed and bordered or rolls may be purchased separately and installed on site
- Great for large entrances and custom cut applications in sizes up to 12'x 50'


### \*CUSTOM SIZES

See price list for additional information.

\*\*ROLL SIZE (Does not include nosing) 6' x 67'







# ENTRANCE/SCRAPER-WIPER/INDOOR-OUTDOOR



### **BERBER ROLL GOODS**

3/8" Roll Goods Product No. 2281
3/8" Roll Goods, custom sizes Product No. 2282

- Heavy needle punched fabric has 52 oz/sq yd face weight
- High performance rubber backing
- Polypropylene fabric is naturally stain resistant and easy to clean
- Solution dyed for excellent light & wet fastness
- 17 colors to choose from
- Great for large entrance area installations and custom size applications

### **ROLL SIZES**

(Does not include nosing) 6' x 125' 12' x 125'

### **CUSTOM SIZES**

available in 3' to 12' widths in sizes up to 12' x 50'. Widths over 6' may be seamed based on material availability. See price list for additional information. Sizes are approximate.




\*Available in 12'widths without a seam upon request



### WATERHOG® CLASSIC TILE

### 1/4" and 7/16" No. 210-square, No. 216-diamond, No. 219-diagonal, No. 220-geometric

- Offers the same outstanding cleaning performance and benefits as the Waterhog Classic mat
- Premium 24-ounce anti-static, 100% polypropylene fiber system with SBR rubber backing
- 18" x 18" tiles
- Classic square, diamond, diagonal or geometric pattern
- Designed to be installed in high-traffic areas such as entrances, recessed mat wells, lobbies, vestibules and elevators










18" x 18"









### **WATERHOG® ECO PREMIER TILE**

1/4" or 7/16" Product No. 2215 Geometric 1/4" or 7/16" Product No. 2217 Diagonal 1/4" or 7/16" Product No. 2218 Diamond

- 30 oz, 100% post-consumer recycled PET Polyester fiber derived from used plastic bottles for the face wth a SBR rubber backing
- 18" x 18" tiles
- Diagonal, diamond or geometric pattern. Each pattern may be special ordered with the universal recycle symbol molded into the pattern.
- Permanent rubber reinforced bi-level face will not crush. Provides years of superior dirt and moisture collection.
- Modular flexibility to handle small to large entrances























SIZE

18" x 18"

170 black smoke

171 indigo

172 southern pine

174 maroon


175 chestnut brown

176 khaki

177 regal red









### **WATERHOG® FORKLIFT**

3/8" Product No. 1253 3" x 108" Roll Double Sided Tape Product No. 1049

• Bi-level surface effectively removes moisture and dirt from forklift wheels to improve forklift safety

 Modular mats are easy to install and scalable for the application

 Aggressive adhesive taping system keeps tiles from moving (tape sold seperately)

- Polypropylene carpet is easy to clean and fast drying
- Made in the USA

• Durable rubber backing and polypropylene carpet top

withstands lift truck traffic up to 14,000 lbs

 Recommended for all buildings where forklifts must enter and exit a building to and from the outside













SIZE

4' x 6'

Sizes are approximate.







medium brown

dark brown

charcoal

red/black

navy















### **MELT STEP™**

3/8" One Connector 3/8" Two Connector **Accessories** 

Product No. 886 Product No. 887 Product No. 889

- A convenient and reliable solution for melting snow and ice from walkways to prevent slip and fall accidents
- Unique reversible design permits electrical connection on right or left side of walkway

· Water proof electrical connection system with GFCI switch prevents electrical shock hazard

- 6' power cord (120 volts) with GFCI switch as well as a 6' extension cord are both sold separately
- Up to 4 mats can be connected in sequence
- Durable molded nitrile rubber construction is water proof, UV resistant, and flexible in freezing temperatures









SIZE

3' x 5'

Sizes are

### **SUPERSCRAPE**

#### 3/16" Product No. 5555

- Durable 100% Nitrile rubber mat provides slip-resistant surface
- Molded tread-surface face cleats effectively scrape tough dirt and grime off shoes
- Perfect for use outside of entrances as a scraper mat or as a slip resistant mat in wet areas
- Certified high traction by the National Floor Safety Institute (NFSI)

### **SIZES**

2'6" x 3'


3' x 5' 3' x 10'

4' x 6'

4' x 8' 6' x 6'

6' x 8'

Sizes are approximate.





















### SUPERSCRAPE™ PLUS

3/16" without holes 3/16" with holes

Product No. 5558 Product No. 5559

- Durable 100% Nitrile rubber mat provides slip-resistant surface
- Multi-directional molded tread pattern effectively scrapes tough dirt and grime off shoes
- Drainable border filters water off the mat. Available with or without holes.
- Grease proof
- Perfect for use outside of entrances as a scraper mat or as a slip resistant mat in wet areas

SIZES

2'6" x 3' 3' x 5'

3' x 10'

4' x 6'

Sizes are approximate.

SuperScrape Plus









### WATERHOG® DIAMONDCORD













ENTRANCE/SCRAPER-WIPER/ INDOOR

### 3/8" Product No. 296

- 26 oz Corduroy berber look offers the ultimate in aesthetic appeal
- Manufactured with a permanent rubber reinforced bi-level face that minimizes crushing to provide dirt and moisture collection
- Thick and fine Polypropylene fibers wipe and scrape at the same time
- Rubber backing is 20% post-consumer recycled tire content
- Rubber water dam border keeps moisture and dirt from migrating off the mat
- Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe backing\* for maximum movement control on hard surfaces
- Ideal choice for medium traffic placements


### SIZES

2' x 3' 4' x 6' 3' x 4' 4' x 8.4' 3' x 5' 4' x 10' 3' x 6' 6' x 6' 3' x 8.4' 6' x 8.4' 3' x 10'

Sizes are approximate. See price list for additional sizes. Mats up to 40' are standard Cleated backing and available in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only in Smooth backing.

backing.
\*Note: Anchor Safe
backing available with
a 30% upcharge. This
backing is .100 mil thick
Nitrile rubber.













180 charcoal cord

181 green cord

182 grey cord

183 brown cord



















# WATERHOG® MASTERPIECE SELECT

3/8" Product No. 265

- Construction provides a rubber reinforced bi-level surface for long-term service
- 28 oz Polypropylene face and a SBR rubber backing with 20% post-consumer recycled tire content
- Rubber water dam border keeps moisture and dirt from migrating off the mat
- Available with cleated backing for placement on carpet, smooth backing for hard floor surfaces, or Anchor Safe backing\* for maximum movement control on hard surfaces
- Ideal choice for medium traffic placements

### SIZES

2' x 3' 4' x 6' 3' x 4' 4' x 8' 3' x 5' 4' x 10' 3' x 8' 6' x 8'

3' x 8' 6' x 8 3' x 10'

Sizes are approximate. See price list for additional sizes. Mats up to 40' are standard Cleated backing and available in Smooth backing on request. Anchor Safe backing is available upon request on mats up to 20'. Mats over 40' are available only in Smooth backing.

\*Note: Anchor Safe backing

\*Note: Anchor Safe backing available with a 30% upcharge. This backing is .100 mil thick Nitrile rubber.









235 thunderstorm


























ENTRANCE/SCRAPER/OUTDOOR

**Product No. 385** 3/8"





- 100% high performance solution dyed nylon face won't fade in sunlight
- Green Friendly rubber backing has 20% post consumer recycled car tire content. You may choose from Smooth or Cleated backings
- Turf pile fabric construction of both Brush Hog Plus and Brush Hog filters dirt and moisture away from the mat surface. Brush Hog Plus mats have the added feature of bi-level reinforced rubber construction for improved filtration performance
- Drainable borders
- Recommended for outside applications for all commercial buildings
- Brush Hog and Brush Hog Plus mats are certified Slip resistant by the National Floor Safety Institute

### **BRUSH HOG** SIZES

2' x 3' 4' x 8' 3' x 4' 4' x 10' 3' x 5' 4' x 12' 3' x 6' 4' x 16' 3' x 8' 4' x 20' 3' x 10' 6' x 8' 3' x 12' 6' x 12' 3' x 16' 6' x 16' 3' x 20' 6' x 20' 4' x 6'

Additional lengths up to 60'. See price list for all additional sizes.

### **BRUSH HOG PLUS SIZES**

2' x 3' 4' x 6' 3' x 5' 4' x 8' 3' x 10' 5.4' x 8' Sizes are approximate.











301 charcoal brush

302 navy brush

303 brown brush

304 burgundy brush

305 green brush







### **FLEX TIP™**

### 5/8" Product No. 874

- Two thousand finger-like tips/sq. ft (21,000/m2) aggressively scrape soil from shoes
- Excellent for outdoor use
- OSHA-compliant beveled edges and deep wells hold heavy soil and debris
- Has excellent anti-fatigue capabilities
- Easily cleaned by hosing off or shaking



### SIZES

24" x 32" 32" x 39" 36" x 72"



ENTRANCE/SCRAPER/OUTDOOR







### **FRONTIER**

### 3/8" Product No. 437

- Unbacked vinyl loop scraper mat
- Filters dirt and water at the door
- Use in locker rooms, showers and around pools
- Order with or without edging

### SIZES

2' x 3' 4' x 8' 3' x 5' 3' x 60'

3' x 10' 4' x 60'

4' x 6'

Sizes are approximate. Additional lengths up to 60' in 3' and 4' widths






1 dark grey

2 brown

3 blue









# INTERIOR MAT COLLECTION

SURE STRIDE®

SURE STRIDE® PLUSH

CLEANSHIELD® URINAL MAT

CLEAN STRIDE®

ENVIRO PLUS®

TRI-GRIP™

TRI-GRIP XL™

GREASE HOG™

 $\mathsf{MICROLUXX}^{\scriptscriptstyle{\mathsf{TM}}}$ 

PLUSH™

**IMPRESSIONIST** 

VICTORY

COBBLESTONE



### SURE STRIDE®

3' x 100' Roll Product No. 4450 **Cutting Board** Product No. 4459 **Cutting Knife** Product No. 4460

• **Keeps Floors Dry** – retains up to 1 gallon of water per 10 linear feet (25% more than competitive products); moisture barrier keeps liquids from soaking through to the floor

• Stays in Place — tacki-back adhesive system keeps mat flat in in place, even with cart and buggy traffic

• Quick & Easy to Install – cut individual mats as needed from the roll

• Easy to Clean – polypropylene fabric (10 oz.) is durable and easy to clean

> • Safe – certified high-traction by the National Floor Safety Institute (NFSI)

> > • Will perform up to 3 months under normal use

**Cutting Knife** 

Tacki Back

CUTTING

KNIFE with Each Roll!



INDOOR/SLIP-RESISTANT





### Product No. 4457

• **Keeps Floors Dry** – retains more than 1 gallon of water per 10 linear feet; moisture barrier keeps liquids from soaking through to the floor

SIZE 3' x 30' roll

- Stays in Place tacki-back adhesive system keeps mat flat in in place, even with wheelchair, cart, and buggy traffic
- Anti-microbial fabric is treated with an anti-microbial agent to help prevent odors
- Quick & Easy to Install cut individual mats as needed from the roll
- Easy to Clean recycled PET fabric (15 oz.) is durable and easy to
- Safe certified high-traction by the National Floor Safety Institute (NFSI)
- Will perform for 3 to 6 months under normal use













### CLEANSHIELD® URINAL MAT

with Seep Guard Tacki Back

### Case of Six Product No. 4065



- Anti-Microbial Treated to reduce odors
- Seep Guard Tacki Back eliminates urine seepage to the floor while keeping mat in place
- Easy to read 30 day Timestrip<sup>®</sup> indicates when it is time to replace the mat
- 100% eco friendly post-consumer recycled PET fabric with attractive diamond pattern
- Improves bathroom appearance
  by protecting the floor
  & grout from uric
  acid damage
   SIZE
  17 1/4" x 20 1/2"

### **CLEAN STRIDE®**

3/8" frame only 3/8" frame with carpet inserts Product No. 410 Product No. 411 Product No. 412

- Earth-friendly SBR rubber backing has 20% recycled rubber content. Available in smooth or cleated backing.
- Not recommended for wet areas
- As foot traffic passes over the mat, the WaterHog<sup>TM</sup> surface scrapes larger particles while the adhesive insert captures smaller dust & dirt. With two footsteps on Clean Stride<sup>®</sup> adhesive insert, over 90% of dirt particles are removed.
- Clean Stride<sup>®</sup> mats provide highly effective dirt and dust removal methods for factories, computer rooms, warehouses, school gymnasiums, health care facilities and more

### RUBBER FRAME SIZES


26.5" x 32" 36.5" x 46"

### CARPET/ RUBBER FRAME SIZES

26.5" x 63.5" 36.5" x 92.5" Clean Stride® Mat Frames do not include Clean Stride® Inserts

### **INSERT SIZES**

24" x 30" 34" x 44"













### **ENVIRO PLUS®**

### 1/4" Product No. 2202

- Earth friendly 30 oz/sq yd 100% post consumer recycled PET fabric reclaimed from plastic drink bottles
- Backing is post-consumer recycled tires and EPDM (post-industrial waste rubber); smooth backing only
- Recycled content is 89% of total product weight (76% post-consumer, 13% post-industrial)
- Effective as a wiper mat in entryways. Also use for floor protection and spill control at water fountains, break areas, food counters, hallways, labs and more
- Anti-static
- Recommended for commercial buildings, hotels, restaurants, healthcare facilities, office buildings and more

175 chestnut brown

### **SIZES**

2' x 3' 4' x 10' 3' x 4' 4' x 12' 3' x 5' 4' x 16' 3' x 8' 4' x 20'

3' x 10' 6' x 8' 3' x 12' 6' x 12' 3' x 16' 6' x 16'

3' x 20' 6' x 20' 4' x 6'

4' x 8'

Sizes are approximate. Additional lengths up to 60'. See price list for all additional sizes.

177 regal red



171 indigo



173 grey ash

### TRI-GRIP™/CLASSIC™ MATS/ CLASSIC™ CARPETS

172 southern pine

3/16" Product No. 100 Colors 101, 102, 103, 109, 111, 113, 114, 116, 119, 121, 128, 129, 132, 141 on SBR rubber

> 3/16" Product No. 190 Colors 105, 125, 126, 127, 131 on SBR rubber

Vinyl back available as Stylist: Product No. 872

### TRI-GRIP™XL

### 3/16" Product No. 2100 on nitrile rubber

- Heavy, 100% static dissipative nylon face offers outstanding absorption and durability
- $\bullet$  Tight, heat-set, Ultra-Twist  $^{\text{TM}}$  yarn construction resists packing and crushing
- Earth friendly SBR rubber backing has 20% recycled content. Resists curling and cracking.
- Also available with oil and grease resistant nitrile rubber backing
- Available with cleated backing for placement on carpet or smooth backing for hard floor surfaces. Cleated backing available in 3', 4' and 5' widths only.
- Certified high-traction by the National Floor Safety Institute (NFSI)

### SIZES

174 maroon

2' x 3' 3' x 4'

3' x 5' 3' x 6'

3' x 8' 3' x 10' 4' x 6'

4' x 8' 4' x 10'

Additional lengths up to 40'. See price list for all additional sizes.

### **XL SIZES**

7'- 12' widths are available in lengths up to 30'. See price list for all additional sizes.
Sizes are approximate.



176 khaki







170 black smoke



Grease Hog

### **GREASE HOG™**


### 1/4" Product No. 883

- Solution-Dyed polypropylene fabric will not fade or rot
- Grease proof Nitrile rubber backing
- Permanently molded bi-level pattern on the carpet surface provides an anti-slip surface
- Easy to clean and dry
- Low profile reinforced borders allow carts to cross easily
- Unique disk pattern on back of mat keeps it in place on hard floor surfaces. Available with cleated backing for carpeted surfaces.
- Use in transitions from kitchens to dining areas and plants to office areas to stop tracked in grease and oil

Sizes are approximate.

**SIZES** 3' x 5'

3' x 10'



### **MICROLUXX™**

### Product No. 1201

The MicroLuxx mat features traditional nylon fibers blended with finer denier fibers that work together to absorb high levels of dirt and moisture.

- Superior dust and moisture control absorbs and retains 2.5 times more moisture than standard carpeted mats
- Fade resistant solution-dyed nylon won't fade in sunlight or with repeated washing; impervious to bleach
- Safe beveled edges provide a safe transition from mat to floor; certified hightraction by the National Floor Safety Institute
- Durable nitrile rubber backing (available in 52, 65, or 90 mil)

### **SIZES**

2' x 3' 2.5' x 3'

2.5' x 4'

3' x 4' 3' x 5'

3' x 10' 4' x 6'

4' x 8'

5' x 8' 5' x 10'

5' x 12' 6' x 8'

6' x 10' 6' x 12'

Custom sizes up to 40' Sizes are approximate.

# WIPER/INDOOR









### **PLUSH™**

#### 7/16" Product No. 180

- Heavy, 36 oz./sq. yd. nylon face creates the ultimate wiping surface
- Double thick Nitrile rubber backing keeps mat stable, even with cart traffic
- Solution dyed nylon face will not fade over time
- Available with grippers for placement on carpeted surfaces and smooth backing for hard surfaces
- Can be machine washed and dried or vacuumed and extraction cleaned
- Perfect for use in grocery stores, airports, educational facilities, Class A buildings or any high traffic entrance way


### SIZES

2' x 3' 3' x 4'

3' x 10' 4' x 6'

4' x 8'

See price list for all additional sizes Sizes are



















66 black

48 brown/black

51 deeper navy

67 midnight grey

76 red pepper

65 slate grey

53 dark green





#### 3/8" Product No. 871

- · Continuous filament olefin yarn is colorfast and resists stains
- Smooth non-skid vinyl backing
- Not launderable
- Designed to release dirt easily with daily vacuuming, or can be cleaned with any commercial carpet cleaning system

### SIZES

2' x 3' 3' x 4' 4' x 8' 3' x 5' 3' x 60'

3' x 6' 4' x 60' 3' x 10'

Sizes are approximate. See price list for all additional sizes. 3' and 4' in lengths up to 60'. 6' widths lengths up to 40'.



















20 academy blue

21 burgundy

22 cardinal

23 black

24 forest green

25 navy blue

26 sable

27 salt & pepper





#### **VICTORY**

#### **Product No. 873** 5/16"

- Fast drying polypropylene
- Multi-directional design is absorbent and effective for scraping off soil
- Smooth non-skid vinyl backing
- Not launderable
- Designed to release dirt easily with daily vacuuming, or can be cleaned with any commercial carpet cleaning system

#### SIZES

2' x 3' 4' x 6' 3' x 4' 4' x 8' 3' x 60' 3' x 5' 3' x 6' 4' x 60' 3' x 10'

Sizes are approximate. See price list for all additional sizes. 3' and 4' in lengths up to 60'. 6' widths lengths up to 40'.















30 blue

31 brown

32 burgundy

33 charcoal

34 green





#### **COBBLESTONE**

#### 5/16" Product No. 870

- Sturdy ribbed design scrapes and traps soil within the recessed
- Durable polypropylene face is effective against dust and lighter
- Smooth non-skid vinyl backing
- Not launderable
- Easily cleaned by vacuum, hose or pressure washer

#### SIZES

2' x 3' 4' x 6' 3' x 4' 4' x 8' 3' x 5' 3' x 60' 3' x 6' 4' x 60' 3' x 10'

Sizes are approximate. See price list for all additional sizes. 3' and 4' in lengths up to 60'. 6' widths lengths up to 40'.















10 blue

11 brick


12 brownstone

13 charcoal

14 green

15 silver







# LOGO MAT, SIGN MAT & MESSAGE MAT COLLECTION

WATERHOG IMPRESSIONS HD®

WATERHOG® LOGO INLAY

WATERHOG® ECO ELITE ROLL GOODS LOGO

BERBER ROLL GOODS LOGO

LEGACY INLAY

LEAGACY FASHION INLAY

WATERHOG® SCULPTURES

CLASSIC IMPRESSIONS  $^{\text{\tiny{TM}}}$  HD CUSTOM SHAPE

CLASSIC IMPRESSIONS™ HD LOGO

GRAND IMPRESSIONS HD LOGO

CLASSIC IMPRESSIONS  $^{\text{\tiny{TM}}}$  LOGO

SUPERSCRAPE™ IMPRESSIONS LOGO



#### M+A Matting Logo Mat Program

#### M+A Matting offers numerous types of logo mats.

Each of these logo mat processes result in high quality products your customers will be very proud to use. Pricing is calculated by each individual design number and quantity. Different size logo mats and standard mats may not be combined for quantity discount.

#### Ordering Logo Mats is as easy as 1-2-3:

- 1) Visit www.mamatting.com to submit your logo file using our easy to use web page.
- 2) Log into your account and simply click on "Logo Mats" and then "Submit Design".
- 3) Complete the necessary information on the submit page, attach your logo file and then click on **"Send your design"**. Artwork should be 300 dpi or greater.

Your proof will be emailed back to you within 24 hours. Once your proof arrives by email, please take the following simple steps:

- 1) Approve or make necessary changes to the proof.
- 2) Return the art proof with any changes or approved art proof with purchase order and quantity of mats to artwork5@mamatting.com.

Acceptable	Unacceptable	Marginal
Vector Graphic Files:	Faxes	Color Prints*
AI, EPS, PDF, CDR, SVG	Emblems	Newspaper Ads
Image Files:	Copies of Emblems	Yellow Pages Ads
TIFF (600 DPI/PPI)	Banners	Business Cards
JPG (600 DPI/PPI)	Flags	
PNG (600 DPI/PPI)	Full Size Mats	
Black/White Ad Slicks	Badges	
Letterhead	Shirts	
Brochures	Hats	
Business Literature		

\*Color prints, if available, may be submitted to show color placement for a design.



#### M+A Matting Logo Mat Program

#### **Create your own proofs with M+A Matting Mobile App!**

Visit your app store and search "M+A Matting" to download app.



M+A Matting mobile app provides an easy way for users to search and view existing mat designs as well as create proofs using simple tools. Each user will be able to:

- Create proofs using the mobile device camera or by loading an image from their library
- Have access to a personal dashboard that saves all current and former artwork submissions associated with their account
- Get instant artwork approval using e-signature feature
- Track orders of designs that were created via the mobile app
- Filter search results by product category, size or mat orientation

M+A Matting's user friendly app is compatible with any mobile device. Below is a condensed list of compatible devices:

Android


a

Mobile App - Request Designs

- Android tablets
- iPhone\*
- iPad\*
- iPod Touch\*

<sup>\*</sup>all Apple products require iOS 6.0 or later





Color options

- 57 standard color options
- Bi-level surface effectively removes and stores dirt and moisture beneath shoe level until cleaning
- Rubber reinforced face nubs prevent pile from crushing, extending the performance life of the product
- Molded nitrile rubber backing resists curling and cracking in all types of weather. Available in smooth and cleated backing types
- Available with your choice of classic rubber border or fashion fabric border
- Perfect for high traffic areas
- No set up charge! Free proofs in 24 hrs!

OILLO	
2' x 3'	4' x 6'
3' x 4'	4' x 8'
3' x 5'	6' x 8'
3' x 10'	6' x 10'
3' x 12'	6' x 12'
3' x 16'	6' x 16'
3' x 20'	6' x 20'

Sizes are approximate. See price list for all additional sizes.







3/8" Classic (rubber border) 3/8" Fashion (fabric border)

Product No. 234 Product No. 235

- 100% UV resistant polypropylene fabric for indoor and outdoor placements
- Molded rubber backing resists curling and cracking in all types of weather. Available in smooth and cleated backing types.
- Earth-friendly rubber backing has 20% post-consumer recycled content
- Designs are created using a unique inlay process that can include up to 19 colors per mat at no additional charge
- Available with your choice of classic rubber border or fashion fabric border
- No set up charge! Free proofs in 24 hrs!
- Perfect for high traffic areas


#### **SIZES**

2' x 3' 4' x 10' 3' x 4' 4' x 12' 4' x 16' 3' x 5' 3' x 10' 4' x 20' 3' x 12' 6' x 8' 6' x 12' 3' x 16' 3' x 20' 6' x 16' 4' x 6' 6' x 20' 4' x 8'

> Sizes are approximate. See price list for all additional sizes.




ENTRANCE/SCRAPER-WIPER/INDOOR-OUTDOOR









\*These colors are ONLY available in 3' and 4' widths.



















#### **BERBER ROLL GOODS LOGO**

#### 3/8" Product No. 2283

- Heavy needle punched fabric has 52 oz/sq yd face weight
- High performance rubber backing
- Polypropylene fabric is naturally stain resistant and easy to clean
- Solution dyed for excellent light & wet fastness
- 17 colors to choose from
- No setup charges
- Great for large entrance area installations and custom size applications

#### CUSTOM

SIZES available in 3' to 12' widths in sizes up to 12' x 50'. See price list for additional information. Sizes are approximate.

Widths over 6' will be seamed.











#### **LEGACY INLAY**

3/8" Product No. 261

#### **LEGACY FASHION INLAY**

#### Product No. 262 3/8"

- Same features as Waterhog Logo and Logo Fashion Inlay (page 41), only with a unique geometric pattern
- Recommended for commercial buildings, hotels, restaurants, healthcare facilities, office buildings and more



SIZES 2' x 3' 4' x 10' 3' x 4'

4' x 12' 3' x 5' 4' x 16'

3' x 8' 4' x 20' 3' x 10' 6' x 6' 3' x 12' 6' x 8'

3' x 16' 6' x 10' 3' x 20' 6' x 12'


4' x 4' 6' x 16' 4' x 6' 6' x 20'

4' x 8'

Sizes are approximate.







155 red/black 156 medium blue 157 medium grey

158 bluestone

159 evergreen









161 navy

162 white\*

163 aquamarine\*

165 solid red\*

166 yellow<sup>3</sup>

167 orange\*

168 purple\*

\*These colors are ONLY available in 3' and 4' widths.

#### **WATERHOG® SCULPTURES**

Product No. 355 **Classic Border** 3/8" 3/8" **Fashion Border** Product No. 350

- 100% polypropylene fabric
- Earth-friendly rubber backing has 20% postconsumer recycled content. Resists curling and cracking.
- Solution dyed for excellent colorfastness
- Logo is permanently molded into the material and will not crush
- Affordable logo option when larger quantities of mats are required
- Perfect for home builders, real estate companies, apartment communities and large corporate accounts

161 navy

162 white\*


#### SIZES

2' x 3' 3' x 10' 3' x 4' 4' x 6' 3' x 5' 4' x 8'

Sizes are approximate. Minimum Order Quantity on 1st Order: 100 units. Order Quantity on 2nd Order of a Design: 1 unit



166 yellow\*



164 gold\*



163 aquamarine\*

167 orange\* \*These colors are ONLY available in 3' and 4' widths.

168 purple\*







165 solid red\*

160 bordeaux







#### CLASSIC IMPRESSIONS™ HD CUSTOM SHAPE

#### 3/8" Product No. 733

- Heavy 32 oz/sq yd high twist heat-set nylon face fabric
- Heavy 90 mil rubber backing for added support and durablity
- Rubber backing contains 20% recycled rubber from car tires
- Logos are printed onto carpet face; fine details and 3-D images are achievable
- 4 color process provides unlimited color options. PMS color matching is available with an upcharge.
- No set up charges, art proofs returned in 24 hours and fast ship times

23' maximum length.
3', 4', 5' widths available in cleated and smooth backing.
6' in smooth backing only.
See color chart on page 46 for color availability.
PMS custom color available at an additional charge.







#### **CLASSIC IMPRESSIONS™ LOGO**



#### 3/8" SBR or vinyl backing

Product No. 70

- Long-wearing, 26 oz/sq yd, static-dissipative nylon carpet
- Earth-friendly rubber backing contains 20% post-consumer recycled content resists curling and cracking
- Available with cleated backing (3', 4' and 5' widths only) for placement on carpet or smooth backing for hard floor surfaces
- No set up charge! Fast Service!
- Recommended for commercial buildings, hotels, restaurants, health care facilities, office buildings and more
- Search over a million designs in our logo database at www.mamatting.com

#### SIZES

2' x 3' 4' x 8' 3' x 4' 5' x 8' 3' x 5' 5' x 10' 3' x 10' 6' x 10' 4' x 6' 6' x 12'

Sizes are approximate. See price list for all additional sizes. PMS custom color available at an additional charge.







# SUPERSCRAPE IMPRESSIONS<sup>TM</sup> LOGO

3/16" Product No. 3559

- SuperScrape Impressions Logo Mats offer a superior printing surface for your company logo or promotional message
- Multi-color images are created by molding a digitally printed polymeric material into durable nitrile rubber
- These long-lasting logo mats perform beautifully in all types of environments
- The high-traction surface effectively removes and traps tough dirt, grime and water from shoes
- 150 color options available. Photorealistic images, print ready artwork, tones and shades are all produced with unparalleled detail and clarity.
- SuperScrape Impressions<sup>™</sup> are perfect for any application where colorful logo mats or message mats are needed
- Resistant to oils and chemicals

#### SIZES

2.5' x 3' 3' x 4' 3' x 5'

3' x 10' 4' x 6'

4' x 8' 6' x 6'

6' x 8'

Sizes are approximate. PMS custom color available at an additional charge.











# ANTI-FATIGUE MAT & SLIP RESISTANT MAT COLLECTION

HOG HEAVEN®

HOG HEAVEN PRIME®

HOG HEAVEN PRIME DECOR™

HOG HEAVEN® MARBLE TOP

HOG HEAVEN® PLUSH

HOG HEAVEN® FASHION

GETFIT STANDUP™ MAT

HOG HEAVEN III™ MODULAR TILE COMFORT

HOG HEAVEN III™ LINKABLE MATS COMFORT

HOG HEAVEN III™ WORKSTATION MATS COMFORT

HOG HEAVEN III™ MODULAR TILE TRAFFIC

HOG HEAVEN III™ MODULAR TILE TRAFFIC DRAINABLE

HOG HEAVEN III $^{\scriptscriptstyle{\mathsf{M}}}$  LINKABLE MATS TRAFFIC

HOG HEAVEN III™ LINKABLE MATS TRAFFIC DRAINABLE

HOG HEAVEN III™ MODULAR TILE FASHION

HOG HEAVEN  $\mathsf{III}^{\scriptscriptstyle\mathsf{M}}$  LINKABLE MATS FASHION

HOG HEAVEN III  $^{\scriptscriptstyle{\text{TM}}}$  WORKSTATION MATS FASHION

HOG HEAVEN III™ MODULAR TILE POLY

HOG HEAVEN III™ LINKABLE MATS POLY

HOG HEAVEN III™ WORKSTATION MATS POLY

HAPPY FEET®/HAPPY FEET® LINKABLE

COMPLETE COMFORT $^{\text{\tiny{TM}}}$ 

COMPLETE COMFORT™ II

COMFORT FLOW™/SCRAPE™

COMFORT FLOW™/SCRAPE™ HD MODULAR TILE

COMFORT FLOW™/SCRAPE™ HD LINKABLE MATS

COMFORT FLOW™/SCRAPE™ HD WORKSTATION MATS

WET STEP®

CUSHION STATION  $^{\scriptscriptstyle{\mathsf{TM}}}$ 

CUSHION MAX™

TRACTION TREAD

TRACTION TREAD SOFT

SURE CUSHION RIBBED, TEXTURE,

SURE CUSHION HEAVY DUTY, YELLOW BORDER

SURE TREAD V-GROOVE

KNEELING COMFORT™

SAFETY SCRAPE™



#### The Benefits of ANTI-FATIGUE MATS



Anti-Fatigue mats alleviate stress to the back and legs by providing a cushioned surface to stand on.


Anti-Fatigue mats are perfect for people who have to stand or work in the same place for continual periods of time.

Anti-Fatigue mats are recommended for a wide variety of industries and are commonly placed in various applications such as:

- Production or assembly lines
- Stand Up Desks or Workstations
- Kitchens
- Cashier Desks
- Laboratories and many more

## M+A Matting Anti-Fatigue mats have been shown to do the following:

- REDUCE ENERGY CONSUMPTION BY UP TO 50% in the supporting muscles such as those in the leg and the lower back, when compared to standing on a hard floor
- **REDUCE FATIGUE** by promoting subtle movement in the leg and calf muscles, resulting in increased blood and oxygen flow



#### **BALANCED**

- Improves structural alignment and joint function
- Improves muscular balance and prevents nerve impingement
- Reduces uneven wear and tear on joints
- Body weight evenly distributed
- Efficient natural movement
- Reduced pressure on organs

#### **IMBALANCED**

- Neck pain and headaches
- Shoulder restrictions and pain
- Arm and hand pain nerve entrapment
- Bulging discs/back pain
- Uneven pressure/knee pain
- Uneven weight distribution
- Foot and ankle pain



#### **Safety and Ergonomics**

Mats are used throughout facilities in numerous other capacities where safety is a must and anti-fatigue comfort is essential to the health and well being of employees.

- Slip and falls are the second leading cause of all workplace injuries according to Liberty Mutual Workplace Index.

  As many as 25,000 people a day are victims of slip and fall accidents(NSC)
- Compensation and medical costs associated with employee slip and fall accidents total approximately \$70 Billion annually (NSC)
- The average cost of a slip and fall injury exceeds \$12,000 (Wausau Insurance)
- The average cost to defend a slip and fall lawsuit is \$50,000(NFSI)
- Back injuries account for 25% of all worker compensation claims annually
- Cumulative Standing Trauma(CST) causes billions of dollars of loss annually due to reduced productivity, increased worker compensation, higher insurance rates and absenteeism
- According to the American College of Occupational and Environmental Science, about 38% of workers in the United States suffer from fatigue

Testing shows that Ergonomic Matting can reduce worker fatigue.

#### **ESD Matting**

### ESD Matting is designed to quickly drain static electricity from people to help protect sensitive equipment from damage.

ESD Matting is divided into three classifications:

- **1. Electrically Conductive** is rated 10^1 to 10^5 and accepts static electricity the quickest. This is the most often used ESD matting.
- **2. Static Dissipative** is rated 10^6 to 10^9 and is the middle range of ESD matting.
- **3. Anti-Static** is rated 10^10 to 10^12 and accepts static the slowest.

ESD Matting is rated in ohms, or the measure of resistance. The lower the resistance, the more quickly static is accepted by the matting, i.e., the lower the exponential, the more quickly static is accepted.

#### **Electrically Conductive Mats** HOG HEAVEN HOG HEAVEN. HOG HEAVEN III COMFORT 5/8" black border Product No. 421 Surface to Ground 5/8" striped border Product No. 423 50% Relative Humidity 12% Relative Humidity Product No. 422 7/8" black border 1.7 x 104 Ohms 2.9 x 104 Ohms 7/8" striped border Product No. 424 Surface to Surface HOG HEAVEN™ III COMFORT 12% Relative Humidity 50% Relative Humidity 18" x 18" Modular Tile Comfort 2.6 x 104 Ohms 4.9 x 104 Ohms 36"x36" Modular Tile Comfort No.4472 Linkable Mats Comfort, black border No. 4210 LinkableMatsComfort,yellowborder No.4211 HAPPY FEET **HAPPY FEET™** Surface to Ground 50% Relative Humidity | 12% Relative Humidity **BLACK BORDER** 3.5 x 10<sup>4</sup> Ohms 1.6 x 105 Ohms textured surface Product No. 465 Product No. 475 grip surface Surface to Surface textured surface: end Product No. 467 50% Relative Humidity 12% Relative Humidity textured surface: middle Product No. 469 Product No. 477 grip surface: end 6.9 x 104 Ohms 5.8 x 105 Ohms grip surface: middle Product No. 479 STRIPED BORDER textured surface Product No. 466 TRACTION TREAD Product No. 476 grip surface Surface to Ground textured surface: end Product No. 468

Static Dissipative Mats						
COMFORT FLOW <sup>™</sup> , COMFORT FLOW <sup>™</sup> HD TILE	COMFORT FLOW/SCRAPE,					
Comfort Flow Product No. 420	COMFORT FLOW HD/SCRAPE HD MODULAR TILE & LINKABLE MATS, CUSHION STATION					
Comfort Scrape Product No. 430	Surface to Ground					
Comfort Flow HD Modular Tile No. 401	50% Relative Humidity 12% Relative Humidity 3.7 x 108 Ohms 4.5 x 108 Ohms					
Comfort Scrape HD Modular Tile No. 4431	Surface to Surface					
Comfort Flow HD Linkable Mats No. 4434	50% Relative Humidity 12% Relative Humidity 9.1 x 108 Ohms 9.5 x 108 Ohms					
Comfort Scrape HD Linkable Mats No. 4435						
	TRACTION TREAD SOFT					
<b>CUSHION STATION</b> ™	Surface to Ground					
Without Heles DesdertNe 270	50% Relative Humidity   12% Relative Humidity					
Without Holes Product No. 370 With Holes Product No. 371	3.7 x 10 <sup>8</sup> Ohms 4.5 x 10 <sup>8</sup> Ohms					
	Surface to Surface					
TRACTION TREAD SOFT	50% Relative Humidity   12% Relative Humidity					
Product No. 56	9.1 x 10 <sup>8</sup> Ohms 9.5 x 10 <sup>8</sup> Ohms					

#### Accessorie

12% Relative Humidity

12% Relative Humidity

5.5 x 104 Ohms

2.5 x 104 Ohms

**Ground Cords** are used to allow static electricity to pass more efficiently to a ground and provide a controlled path. Use the cord to connect all ESD floor mats to a building ground. The terminal can be connected to an electrical outlet using the screw in the outlet cover.

50% Relative Humidity

2.2 x 104 Ohms

50% Relative Humidity

5.5 x 10<sup>4</sup> Ohms

Surface to Surface

textured surface: middle Product No. 470

TRACTION TREAD

Product No. 50

grip surface: end

grip surface: middle

Product No. 478

Product No. 480



**Heel Grounders** are made for workers wearing rubber soles and other insulating shoes. They allow static electricity to pass around the shoe into the ESD matting. Fasten the Heel Grounder to the heel of the shoe with the Velcro and allow the fabric strip to touch the sock or skin for best performance.



#### **HOG HEAVEN®**

5/8" Black Border Product No. 421 5/8" Striped Border Product No. 423 **Black Border** Product No. 422 Product No. 424 7/8" Striped Border

- Closed-cell nitrile blended cushion is permanently molded (not glued) to the nitrile rubber surface
- Rubber borders will not crack or curl
- Chemical resistant, grease/oil proof
- Electrically conductive
- Welding safe
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Available in 5/8" and 7/8" thickness; black or OSHA-approved striped border
- Recommended for distribution, manufacturing, and retail facilities for picking lines, assembly lines, workstations, check-out stations, and more

#### **SIZES**

2' x 3' 3' x 5' 3' x 12' 4' x 6' 4.8' x 8' Additional lengths up to 60'. See price list for all additional

sizes.

Sizes are approximate.











02 caution vellow














#### **HOG HEAVEN PRIME®**

3/4" black Product No. 4220 3/4" black w/yellow striped border Product No. 4221

SIZES

2' x 3' 3' x 5'

3' x 10'



- Nitrile rubber molded to a closed cell nitrile cushion for superior comfort and performance
- · Edge-to-edge cushion
- High heel shoe safe, welding safe, and static dissipative
- Anti-microbial treated for lifetime protection against odors and degradation
- Beveled borders
- Chemical resistant, grease/oil proof
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Recommended for use in areas such as distribution, light manufacturing, work stations, check out stations, retail and healthcare environments













#### **HOG HEAVEN** PRIME® DÉCOR









#### 3/4" Product No. 4222

- Six designs in a fashionable black and black/grey color scheme that compliments all decors
- Durable woven PVC top is stain and "high heel" resistant
- Woven PVC top molded to a closed cell nitrile cushion for superior comfort and performance
- Edge-to-edge cushion, beveled borders
- Recommended for use in areas such as distribution, light manufacturing, work stations, check out stations, retail, healthcare, hospitality, and education environments

#### **SIZES**

2' x 3' 3' x 5' 3' x 10' Sizes are




























10 midnight swirl





12 blue merle 13 amber maple

#### **HOG HEAVEN® MARBLE TOP**

5/8" **Product No. 448** 7/8" **Product No. 449** 

- Closed cell nitrile rubber cushion provides long lasting comfort
- Extra thick (.170") PVC/rubber top ensures long life
- Borders will not crack or curl
- Smooth diamond patterned top allows workers to pivot freely
- Surface is easy to clean
- Cushion is not glued on but is permanently molded to rubber top eliminating the possibility of delamination
- Anti-static

#### SIZES

2' x 3' 3' x 5' 3' x 12' 4' x 6' Additional lengths up to 60'. See price list for all additional sizes.







#### **HOG HEAVEN® PLUSH**

5/8" Product No. 446 7/8" Product No. 447

- Anti-static, slip-resistant 100% solution-dyed nylon top surface will not fade
- Closed-cell nitrile rubber cushion backing provides long-lasting comfort without breaking down
- Beveled edges and curved corners create a safer transition from mat to floor
- Designed for maximum worker comfort and striking appearance
- Ideal uses include concierge desk, bellman stand. copier station, registration desk and shipping desk



2' x 3' 3' x 5' 3' x 12' Additional lengths up to 60'. See price list for all additional sizes.

Sizes are approximate.



ANTI-FATIGUE/INDOOR





10 navy spice

11 cinnamon

12 confetti grey

13 forest green

14 brandywine







ANTI-FATIGUE/INDOOR





#### **HOG HEAVEN® FASHION**

Product No. 441 7/8" Product No. 442

- Anti-static, slip-resistant 100% solution-dyed polypropylene top surface will not fade
- Solution-dyed fabric is molded to a solid Nitrile rubber surface for best durability
- Closed-cell nitrile rubber cushion backing is molded to the Nitrile surface, providing a comfortable long-lasting mat
- Beveled border remains flexible for the life of the product and will not crack or curl
- Ideal uses include concierge desk, bellman stand, copier station, registration desk and shipping desk

#### SIZES

2' x 3' 3' x 5' 3' x 12' Additional lengths up to 60'. See price list for all additional sizes.














5/8" Polypropylene Fabric Top Product No. 4443 5/8" Rubber Top Product No. 4447 5/8" Polyester Designer Top Product No. 4448

- Designed for use at stand up desks and provide workers with a comfortable surface to stand on for hours
- Standing at work helps you burn more calories and can actually help you lose weight
- Nitrile blended cushion for maximum comfort while standing long hours
- Edge-to-edge foam
- Available with a polypropylene fabric top in 6 colors or a polyester designer top in 2 colors to match your office décor or a black rubber top for maximum durability
- Multiple sizes are available to fit the needs of your employees and their workspaces





SIZES

22" x 32" 22" x 50" 22" x 60"

34" x 47"

34" x 60"

















#### HOG HEAVEN III **MODULAR TILE** COMFORT



**HOG HEAVEN III LINKABLE MATS** COMFORT



#### HOG HEAVEN III™ **MODULAR TILE COMFORT** and HOG HEAVEN III™ LINKABLE MATS COMFORT

18" x 18" x 3/4" Modular Tile 36" x 36" x 3/4" Modular Tile 3/4" Linkable Mats black border 3/4" Linkable Mats yellow border

Product No. 4471 Product No. 4472 Product No. 4497 Product No. 4498

- Wedge-locking mechanism
- Outstanding anti-fatigue qualities for dry areas
- Solid 20% recycled nitrile rubber top surface has excellent chemical and oil resistance
- Closed cell nitrile rubber cushion provides long lasting comfort
- Welding safe
- Nitrile rubber surface is molded to the cushion backing (not glued) so the surface will not delaminate
- Rubber surface remains flexible for the life of the product and will not curl or crack
- Borders available in black or yellow striped
- Electrically conductive and certified high-traction by the National Floor Safety Institute (NFSI)
- Recommended for distribution, manufacturing and retail facilities for picking lines, assembly lines, work stations, check-out stations and more

#### HOG HEAVEN III™ **WORKSTATION MATS** COMFORT

Black border Yellow border Product No. 4493 Product No. 4494

#### **MODULAR TILE** SIZES

18" x 18" Middle-01 18" x 18" x 3/4" Side Black-02 18" x 21.875" x 3/4" Corner Black-03 21.875" x 21.875" x 3/4" Side Yellow-04 18" x 21.875" x 3/4" Corner Yellow-05 21.875" x 21.875" x 3/4"

#### 36" x 36"

Middle-01 36" x 36" x 3/4" Side Black-02 36" x 39.875" x 3/4" Corner Black-03 39.875" x 39.875" x 3/4" Side Yellow-04 36" x 39.875" x 3/4" Corner Yellow-05 39.875" x 39.875" x 3/4"

Color: Black with Black border or Yellow border NOTE: Hog Heaven III Modular Tile Comfort is designed for square or rectangle installations only.

#### LINKABLE MAT SIZES

Mat End 39.875 x 43.75" x 3/4" Mat Middle 36" x 43.75" x 3/4"

Color: Black with Black border or Yellow border

#### WORKSTATION MAT SIZE

43.75 x 43.75" x 3/4"

US Patent 8,919,054







Hog Heaven III

vellow border




















**Black Border** 















**HOG HEAVEN III MODULAR TILE TRAFFIC** 



vellow border



Hog Heaven III Modular Tile Traffic Drainable Middle

#### HOG HEAVEN III™ **MODULAR TILE TRAFFIC &** HOG HEAVEN III™ MODULAR TILE TRAFFIC DRAINABLE

18"x 18"x 5/	8" Modular Tile	Product
36"x 36"x 5/	8" Modular Tile	Product
18"x 18"x 5/8	8" Modular Tile drainabl	e Product
36"x 36"x 5/8	8" Modular Tile drainabl	e Product

#### t No. 4480 HOG HEAVEN III™

5/8" Linkable Mats black border Linkable Mats yellow border

Product No. 4491 Product No. 4492

No. 4477 No. 4478 t No. 4479

#### **HOG HEAVEN III™ LINKABLE MATS TRAFFIC DRAINABLE**

LINKABLE MATS TRAFFIC

Linkable Mats black border 5/8" Linkable Mats yellow border Product No. 4488 Product No. 4489

- Wedge-locking mechanism
- Firm ergonomic tile for workstations that require cart traffic
- Interlocks with Hog Heaven III Modular Tile Comfort to create a complete ergonomic flooring system
- 15% recycled high density closed cell nitrile rubber
- Borders available in black or yellow striped
- · Chemical resistant, grease/oil proof
- Welding Safe
- Static Dissipative

#### **MODULAR TILE** SIZES

18" x 18"

Middle-01 18" x 18" x 5/8" Side-02 18" x 21.875" x 5/8" Corner-03 21.875" x 21.875" x 5/8"

36" x 36"

Middle-01 36" x 36" x 5/8" Side-02 36" x 39.875" x 5/8" Corner-03 39.875" x 39.875" x 5/8"

#### LINKABLE **MAT SIZES**

Mat End 39.875 x 43.75"x 5/8" Mat Middle 36" x 43.75" x 5/8"

US Patent 8,919,054











#### **HOG HEAVEN III™ MODULAR TILE FASHION & LINKABLE MATS FASHION**

18"x 18"x 3/4" **Modular Tile** 36"x 36"x 3/4" Modular Tile 3/4" Linkable Mats

Product No. 4484 Product No. 4485 Product No. 4476

- Wedge-locking mechanism
- Anti-static, slip-resistant 100% solution-dyed polypropylene top surface will not fade
- Solution-dyed fabric is molded to a solid nitrile rubber surface for best durability
- Closed-cell nitrile rubber cushion backing keeps standing workers comfortable all day long
- Beveled border remains flexible for the life of the product and will not crack or curl
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Ideal uses include concierge desk, bellman stand, copier station, registration desk, pharmacies and labs

#### HOG HEAVEN III™ WORKSTATION **MATS FASHION**

3/4" Product No. 4475

#### MODULAR TILE SIZES

18" x 18"

Middle-01 18" x 18" x 3/4" Side-02 18" x 21.875" x 3/4" Corner-03 21.875" x 21.875" x 3/4"

36" x 36"

Middle-01 36" x 36" x 3/4" Side-02 36" x 39.875" x 3/4" Corner-03 39.875" x 39.875" x 3/4" NOTE: Hog Heaven III Modular Tile Fashion is designed for square or rectangle installations

#### LINKABLE MAT SIZES

Mat End 39.875 x 43.75" x 3/4" Mat Middle 36" x 43.75" x 3/4"

#### WORKSTATION MAT SIZE

43.75 x 43.75" x 3/4" US Patent 8,919,054











**HOG HEAVEN III MODULAR TILE FASHION** 







HOG HEAVEN III **LINKABLE MATS FASHION** 







Hog Heaven III Modular Tile Fashior








323 coal black





320 granite





# HOG HEAVEN III™

Product No. 4482 Product No. 4483

#### HOG HEAVEN III™ **LINKABLE MATS POLY**

# **WORKSTATION MATS POLY**

- Wedge-locking mechanism
- Black Woven PVC topping that is easy for sweeping and cleaning
- Fabric is molded to a solid nitrile rubber surface for best durability
- Outstanding anti-fatigue qualities for dry areas
- Closed cell nitrile rubber cushion provides long lasting comfort
- Versatile modular tile design allows for larger custom installations
- 3/4" thickness
- Perfect for use in retail facilities, check-out stations, work stations and more



US Patent 8,919,054



18" Corner





#### **HAPPY FEET®**

<b>DI</b>		20	-	
KI.	ACK	КII	KH	FK.
DЫ	1UN	υU	ND	ыΝ

1/2"textured surfaceProduct No. 4651/2"grip surfaceProduct No. 475

Linkable

1/2" textured surface: end Product No. 467
1/2" textured surface: middle Product No. 469
1/2" grip surface: end Product No. 477
1/2" grip surface: middle Product No. 479

#### STRIPED BORDER

1/2" textured surface Product No. 466
1/2" grip surface Product No. 476

Linkable
1/2" textured surface: end Product No. 468
1/2" textured surface: middle Product No. 470
1/2" grip surface: end Product No. 478
1/2" grip surface: middle Product No. 480

- Constructed with a dense cushion encapsulated within oil/grease proof nitrile rubber
- Green friendly, nitrile rubber has 20% recycled content
- Electrically conductive. Safe for use in computer rooms and electrical part manufacturing areas.
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Can be autoclave sterilized
- Specific applications include grates, heavy chemicals, heavy oils and welding areas
- Available in 2 surface types— Textured Surface: For dry/damp areas where traction is unnecessary. Grip Surface: For wet areas where maximum traction and/or scraping is needed.

#### **MAT SIZES**

2' x 3' 3' x 5' Sizes are approximate.

#### LINKABLE SIZES

Linkable End 34" x 59.875"

Linkable Middle 34" x 61.25"









02 caution yellow

black







opy Feet Linkable

(enlarged view)

#### **COMPLETE COMFORT™**

without holes 5/8" with holes

Product No. 494 Product No. 496

- Ergonomically superior anti-fatigue mat
- 100% closed-cell nitrile rubber construction with anti-microbial properties
- Beveled edges for easier floor-to-mat transition
- Slip resistant surface is oil/grease proof and chemical resistant
- Lightweight and easy to clean
- Color: Black
- Recommended for wet and dry areas such as kitchens or industrial areas

#### SIZES

2' x 3'

3' x 4'

3' x 5'

3' x 10'

4' x 6'

4' x 8' 3' and 4' widths

available in lengths up to 75'. See price list for all additional sizes.

Sizes are approximate.



ANTI-FATIGUE/DRY OR WET ENVIRONMENTS/INDOOR
























#### **COMPLETE COMFORT™II**

5/8" Product No. 594



• Chemical resistant, grease/oil proof

• Welding safe and static dissipative

• Beveled edges for safe transition from mat to floor

• Lifetime anti-microbial treatment to prevent odors and degradation

• Can be autoclave sterilized

• Certified high-traction by the National Floor Safety Institute (NFSI)

 Recommended for use in wet or dry environments for healthcare, foodservice and industrial application

**SIZES** 

2' x 3' 3' x 4'

3' x 5'

4' x 6'

Sizes are approximate.

Complete Comfort I










www.sweeperland.com









3/8" Comfort Flow 3/8" Comfort Scrape Product No. 420 Product No. 430

- High-density, closed-cell nitrile rubber cushion has 15% recycled content
- Grease/oil proof, chemical resistant
- Welding safe and static dissapitive
- Beveled edges for safe transition from mat to floor
- Lifetime anti-microbial treatment to prevent odors and degradation of the mat
- Comfort Flow has drainage holes to allow liquids to flow through. Comfort Scrape has non-draining surface
- Lightweight and flexible for easy handling and cleaning
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Recommended for kitchens and industrial applications

#### SIZES

2' x 3'

3' x 5'

4' x 6'

3' x 9'







# COMFORT FLOW™ HD MODULAR TILE & LINKABLE MATS COMFORT SCRAPE™ HD MODULAR TILE & LINKABLE MATS

5/8"Comfort Flow HD Modular TileProduct No. 44305/8"Comfort Scrape HD Modular TileProduct No. 44315/8"Comfort Flow HD Linkable MatsProduct No. 44345/8"Comfort Scrape HD Linkable MatsProduct No. 4435

- High-density, closed-cell nitrile rubber cushion has 15% recycled content
- Comfort Flow Modular Tiles can be custom fit in any work station configuration
- · Lightweight and flexible for easy handling
- Welding safe

Comfort Flow HD Modular Tile

- Grease/oil proof, chemical resistant
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Beveled edges for safe transition from mat to floor
- Lifetime anti-microbial treatment to prevent odors and degradation of the mat
- Comfort Flow has drainage holes to allow liquids to flow through
- Comfort Scrape has non-draining surface
- Recommended for industrial and kitchen applications

#### COMFORT FLOW™ HD & COMFORT SCRAPE™ HD WORKSTATION MATS

5/8" Comfort Flow HD Workstation Mat Product No. 4439 5/8" Comfort Scrape HD Workstation Mat Product No. 4440



Corner tile 19.125" x 19.125" x 5/8" 37.375" x 37.375" x 5/8"

Side tile 18" x 19.125" x 5/8" 36" x 37.375" x 5/8" Middle tile 18" x 18" x 5/8" 36" x 36" x 5/8"


#### LINKABLE MAT SIZES

Mat End 37.125" x 39" x 5/8" Mat Middle 36" x 39" x 5/8"

#### WORKSTATION MAT SIZES

39" x 39" x 5/8"






ANTI-FATIGUE/SLIP RESISTANT/DRY OR WET ENVIRONMENTS/INDOOR-OUTDOOR







Comfort Scrape HD














- Unique design provides excellent slip resistance and anti-fatigue properties
- Soft to walk on with bare feet
- Perfect for use in wet areas. Drain holes allow water to freely drain away.
- Anti-microbial treated for lifetime protection against odors and degradation
- Durable closed cell nitrile rubber cushion is UV resistant and will last for years
- Can be autoclave sterilized for health care use
- Recommended for use in locker rooms, showers, spas and around pools and hot tubs. Also recommended for use in operating rooms and medical scrub areas.

#### SIZES

2' x 3' 3' x 5'

3' x 10' 3' x 20'

Additional lengths up to 20'. See price list for all additional sizes.










#### **CUSHION STATION™**

7/16" without holes 7/16" with holes

Product No. 370 Product No. 371



- Grease/oil proof, chemical resistant
- Static dissipative
- Welding safe
- Designed for use in wet or dry areas. Available with and without holes
- Anti-microbial treated for lifetime protection against odors and degradation
- Available in standard sizes up to 20' long
- Flexible nitrile cushion construction can be cleaned easily
- · Can be autoclave sterilized
- Cushion Station mats are ideal for use in machine shops, work stations or other heavy industrial applications, medical facility environments (i.e., operating rooms, delivery rooms, etc.) kitchens, showers, and locker rooms

SIZES 2' x 3.2' 3.2' x 5.3' 3.2' x 8.3' 3.2' x 12.3' 3.2' x 16.1' 3.2' x 20.1' 4' x 5.92' 4' x 8.3'

4' x 12.3'

4' x 16.1'

4' x 20.1'





**Cushion Station with holes** 

Sizes are approximate.











ANTI-FATIGUE/DRY OR WET



#### **CUSHION MAX™**

5/8" with holes 5/8" without holes Product No. 414

Product No. 413

- · Closed-cell nitrile blended cushion
- Grease/oil proof, chemical resistant
- Certified high-traction by the National Floor Safety Institute (NFSI)
- Lasts 3 times longer than traditional 100% PVC foam
- Tapered border provides a safe transition from the mat to the floor

#### SIZES

2' x 3' 3' x 5' 3' x 12' 4' x 6'

Additional lengths up to 45'. See price list for all additional sizes

Sizes are approximate.



**Cushion Max** 



#### TRACTION TREAD

#### 1/8" Product No. 50

- Slip-resistant floor protection matting made from chemical-resistant Nitrile rubber
- 20% post-consumer recycled rubber content
- UV protected, grease/oil-proof, welding safe and electrically conductive
- Designed for various applications including laboratories, locker rooms, parts departments, and other commercial and industrial applications

#### SIZES

33" x 40' Roll 44" x 40' Roll 58" x 40' Roll

See price list for all additional sizes.

Sizes are approximate.



























#### **TRACTION TREAD SOFT**

Traction Tread

#### 1/4" Product No. 56


- Slip-resistant floor protection matting made from chemical-resistant, high density Nitrile rubber foam
- Contains 15% post-consumer recycled rubber content
- UV protected, grease/oil-proof, welding safe and static dissipative
- Anti-microbial treated
- Ideal for numerous production locations, walkways, gym floor protection, parts counters, lab areas and food service applications

#### SIZES

SLIP RESISTANT/DRY OR WET ENVIRONMENTS/INDOOR

33" x 40' Roll 44" x 40' Roll 58" x 40' Roll

See price list for all additional sizes.











#### **SURE CUSHION** RIBBED

#### 3/8" Product No. 415

Ribbed PVC foam\*

SIZES

2' x 3' 2' x 60' 3' x 5' 3' x 60' 3' x 12' 4' X 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

#### **SURE CUSHION TEXTURE**

#### 3/8" Product No. 425

• Textured PVC foam\*

**SIZES** 

2' x 3' 3' x 12' 3' x 5' 3' x 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

#### **SURE CUSHION HEAVY DUTY**

#### 1/2" Product No. 428

- PVC foam for heavy use areas\*
- 80 mil solid vinyl surface combined with a non-closed cell vinyl cushion back
- · Beveled on all sides for safety

#### SIZES

2' x 3' 3' x 12' 3' x 60' 3' x 5'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

#### **SURE CUSHION** YELLOW BORDER

#### 3/8" Product No. 427

 PVC foam with yellow border on two sides\*

SIZES

2' x 3' 3' x 12' 3' x 5' 3' x 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

#### **SURE TREAD V-GROOVE**

#### 1/8" Product No. 505

- Solid vinyl
- Chemical resistant
- Provides protection for all types of floors from abuse due to chairs, tables and foot traffic
- Great for walkways, inclines and ramps
- Can be rolled for easy storage

#### SIZES

3' x 105' 4' x 105' Additional

lengths available. Sizes are approximate.







#### **KNEELING COMFORT™**

#### 7/8" Product No. 433

 Closed-cell blended nitrile rubber cushion with nitrile rubber base

• Electrically conductive, grease/oil proof

- Will not absorb liquids
- Reduces knee trauma and low back stress
- Built-in handle is convenient to carry & store
- Cleans easily with soap and water
- Ideal for occupations that require kneeling such as construction workers, technicians, mechanics, engineers, utility workers, manufacturers or anyone who moves from place to place to perform work tasks

SIZES

12" x 22" 18" x 30"

Sizes are approximate.



#### **SAFETY SCRAPE™**

#### 1/8" Product No. 545

- Molded grip-surface effectively scrapes tough dirt and grime off shoes and provides an excellent anti-slip surface
- Durable rubber construction
- UV stable
- Available in cleated backing
- Recommended for use in locker rooms, outside of entrances and grocery store produce areas

#### SIZES

2' x 3' 3' x 5'

3' x 10'

4' x 6'

4' x 10'







#### M+A Matting is Committed to Environmental Responsibility

M+A Matting believes that businesses are responsible for achieving good environmental practices and operating in a sustainable manner.

We are therefore committed to reducing our environmental impact and continually improving our environmental performance as an integral and fundamental part of our business strategy and operating methods.

#### Our Policy is to:

- Wholly support and comply with or exceed the requirements of current environmental legislation
- Minimize our waste and then reuse or recycle as much of it as possible

# M+A Matting ENVIRONMENTAL POLICY

- Minimize energy and water usage in our buildings and processes in order to conserve supplies, and minimize our consumption of natural resources, especially where they are non-renewable
- Apply the principles of continuous improvement in respect of air, water, noise and light pollution from our premises and reduce any impacts from our operations on the environment and local community
- As much as possible, purchase products and services that do the least damage to the environment and encourage others to do the same

- Assess the environmental impact of any new processes or products we intend to introduce in advance
- Ensure that all employees understand our Environmental Policy and conform to the high standards it requires
- Address complaints about any breach of our Environmental Policy promptly and to the satisfaction of all concerned
- Update our Environmental Policy annually in consultation with staff, associates and customers

#### LAST YEAR WE RECYCLED...

- 90% of our waste steam
- 1,686,030 lbs of recycled rubber into our products, keeping over 57,000 car tires out of our landfills
- Over 18 million (949,028 lbs) 20 oz recycled drink bottles (PET Polyester) in the manufacturing of our Waterhog Eco products. If you placed these bottles end to end they would reach from Atlanta to San Francisco.
- Over 32,000 mats (220,847 lbs). If placed in one stack of 3' x 5' mats, the stack would be taller than an 80 story building.



# We have over 50 products with recycled content. ENVIRO PLUS has over 85% total recycled content! Enviro Plus

#### MAT RECYCLING PROGRAM



M+A Matting is pleased to offer our customers the capabilities of recycling all obsolete or worn out rubber backed

mats. We certify that none of the mats returned are placed in a landfill. The obsolete or worn out mats will be ground up to be used either in manufacturing other mats or used for boiler fuel.

For more information, call us at 1-800-241-4696 or e-mail customerservice5@mamatting.com



