

Full Line Matting & Flooring Catalog



Welcome to Durable

Durable patented the original tire link mat in 1923. Since then we have been recycling tires and producing these mats in the same high quality way; proving that a really good idea never goes out of style!

You will find outstanding products in this catalog, designed to meet all of your industrial and entrance needs. Our mats will help keep your floors looking great and provide extra safety. We have a variety of textures and colors available to match any décor. No matter which Durable mat you choose, you will appreciate their exceptional quality and value.

If you are looking for a mat that we do not offer in the catalog contact Customer Service to see if we have it available. We have chosen the most popular products to offer.



Durite 108™

Provides excellent drainage, foot comfort, and traction. Easily rolled for cleaning and storage.

Material: Recycled rubber links from recycled tires woven on galvanized wires with open mesh surface

Thickness: 5/8"

Color: Black

Size: 14" x 22", 17" x 25", 20" x 30", 24" x 36", 24" x 48", 24" x 60", 24" x 72", 30" x 48", 30" x 60", 36" x 60", 36" x 72"

Options: Black or Yellow beveled nosing



Dura-Rug 400

Carpet like nap and open mesh construction absorb moisture and traps dirt from foot traffic.

Material: Pile top rubberized fabric links from recycled tires woven on galvanized steel rods with open mesh surface

Thickness: 3/4"

Color: Natural

Size: 14" x 22", 17" x 25", 20" x 30", 24" x 36", 30" x 48", 30" x 60", 36" x 72"

Options: Beveled or squared nosing available

Note: All Durite 108™ and Dura-Rug 400 sizes are approximate. The only way to guarantee size is to add square or bevel nosing.

Dura-Tile II



Environmentally friendly, made from post-consumer bias-ply bus and truck tires. Attractive carpet-like surface provides a touch of luxury in areas of frequent foot traffic. Traps dirt, absorbs moisture, and protects floors. Suitable for any entrance, wall to wall floor covering, or areas where a durable high traffic glue down tile is required.*

Material: Surface – Rubberized fabric strips manufactured from bias-ply bus and truck tires.
Backing – Spunbond polyester or Vulcanized rubber. (NEW)

Thickness: 3/8"

Color:** Earthtone*

Size: 12" x 12"

Designer Dura-Tile II

NEW

Environmentally friendly, made from post-consumer bias-ply bus and truck tires. The attractive carpet-like surface traps dirt, absorbs moisture, and protects floors while providing a touch of luxury in areas of frequent foot traffic. Suitable for any entrance or as wall to wall floor covering. The one square foot triangular tile can be made into a two piece 17" x 17" tile or a four piece 24" x 24" tile. Combine with standard Dura-Tile, Rolls or Colored Dura-Tile to create custom designs and layouts.*

Material: Surface – Rubberized fabric strips manufactured from bias-ply bus and truck tires.
Backing – Spunbond polyester or Vulcanized rubber. (NEW)

Thickness: 3/8"

Color:** Earthtone

Size: 1 square foot triangle 12" x 12" x 17",
16 square feet per case, sold in full cases only

Dura-Tile II Colors

Environmentally friendly, made from post-consumer bias-ply bus and truck tires. The attractive carpet-like surface traps dirt, absorbs moisture, and protects floors while providing a touch of luxury in areas of frequent foot traffic. Suitable for any entrance or as wall to wall floor covering. Engineered coloring process will not transfer to other surfaces and will hold up for years with proper cleaning.*

Material: Surface – Rubberized fabric strips manufactured from bias-ply bus and truck tires.
Backing – Spunbond polyester or Vulcanized rubber. (NEW)

Thickness: 3/8"

Color:** Blue Tone, Red Tone, Green Tone, Charcoal Tone, Brown Tone

Size: Dura-Tile II, Designer Dura-Tile and Rolls can be colored.
Minimum order 250 square feet. Full case orders only.

Dura-Tile II Rolls

Environmentally friendly, made from post-consumer bias-ply bus and truck tires. The attractive carpet-like surface traps dirt, absorbs moisture, and protects floors while providing a touch of luxury in areas of frequent foot traffic. Suitable for any entrance or as wall to wall floor covering.*

Material: Surface – Rubberized fabric strips manufactured from bias-ply bus and truck tires.
Backing – Spunbond polyester or Vulcanized rubber. (NEW)

Thickness: 3/8"

Color:** Earthtone


Size: 12" x 25'; Special Sizes – 12" up to 30'

Dura-Tile II Accessories

Dura-Tile II in all styles is a glue-down product. See price book for adhesive, bevel nosing, and aluminum recess frame options.

***Special Note:** Meets or exceeds Federal flammability regulations CPSC-FF 1-70, 16 CFR, and ASTM D 2859-96. Recycled content <95% post-consumer. Dura-Tile II with polyester backing is shipped unless specified.

****Color:** Colors will vary from tile to tile due to tile strips



NEW

Easy-Stand® Anti-Fatigue Flooring System

Patent: US 8,171,699 B2

Turn the ordinary into the extraordinary with this anti-fatigue flooring system. Built directly into the flooring, it provides comfort to workers and can be used with multiple styles of flooring. The Easy-Stand has a uniform and attractive appearance, simpler floor maintenance, and an overall reduced cost. Great for use in banks, pharmacies, salons, cashier stations, or anywhere people stand.



NEW

Safety Message Mats

When a safety message is needed there is no better place than at the door. A polymeric material is molded into our Niagara Carpet Entrance mat or a Heavy Duty Scraper Entrance mat in four specific messages. Part of our SAFE-ZONE family of products.

- Material:** Niagara – Polypropylene fiber with rubber gripper backing
Scraper – Nitrile rubber with molded tread surface
- Thickness:** Niagara – $\frac{3}{8}$ "; Scraper – $\frac{3}{16}$ "
- Color:** Niagara – Charcoal, Walnut; Scraper – Black
- Size:** Mats 3' x 5', 4' x 6'
- Logo:** 7.5" x 13" placed in lower right corner
- Logos:** "No Smoking," "Caution," "Please Wipe Your Feet," "Employees Only"
- Note:** Specify horizontal or vertical mat placement. Specify rubber or fabric border on Niagara mats.



SAFE DTM ZONE High-Visiblity Mats

Promote safety and comfort with high visibility matting. Our exclusive formulated high visibility yellow color clearly identifies work areas where safety is a must. Combine that with three of our most popular anti-fatigue mats and you have the best safety mat available today.

Diamond-Dek Sponge-HV **NEW**

Diamond surface provides sure footing in a variety of applications while sponge base reduces fatigue on legs and back.

Material: ½" vinyl diamond surface bonded to a heavy duty sponge base
Thickness: ¾"
Color: Hi-Viz Yellow
Size: 24" x 36", 36" x 60"
Rolls – 3' x 75'
Special Cuts – 3' wide up to 75'

Sof-Spun ¾"-HV **NEW**

Helps ease foot, leg, and back fatigue. Sponge pebble surface traps dirt, resists oil and grease, and will not absorb water.

Material: Sponge vinyl core with a pebble surface
Thickness: ¾"
Color: Hi-Viz Yellow
Size: 36" x 60"
Rolls – 2' x 60', 3' x 60', 4' x 60'
Special Cuts – 2', 3', and 4' wide up to 60'

Workmaster II-HV **NEW**

Tough industrial mat with Hi-Viz beveled edges creates an ultra-safe work area.

Material: Open circular grease resistant rubber compound with PVC edging
Thickness: ¾"
Color: Black with Hi-Viz Yellow Edging
Size: Edging 3 sides – 26" x 40", 38" x 52", 38" x 64", 38" x 124"
Edging 4 sides – 28" x 40", 40" x 52", 40" x 64", 40" x 124"

Anti-Slip Tape-HV **NEW**

Self-adhesive, abrasive non-skid tape is perfect for inclines and most wet areas. Applies easily to most surfaces.

Surface: Non-skid texture
Color: Hi-Viz Yellow
Size: 1" x 60', 2" x 60', 4" x 60', 6" x 60'

Grand-Stand Vinyl™

Tough wearing smooth marbleized vinyl with sponge base is a less expensive alternative to rubber surface mats.

- Material:** 1/8" smooth vinyl surface with a 3/8" thick sponge base
- Thickness:** 1/2"
- Color:** Marble – Gray, Black/White, Blue, Charcoal
- Size:** 24" x 36", 36" x 60"
Special Cuts – 2', 3', and 4' wide up to 60'

NEW

Grand-Stand Vinyl HD

Extra thick PVC sponge base is bonded to a marbleized vinyl top surface. Bevel edge on all sides provides added safety.

- Material:** 1/8" vinyl surface bonded to a 3/4" vinyl sponge base
- Thickness:** 7/8" approximately
- Color:** Marble Black, Blue, Gray, Charcoal
- Size:** 24" x 36", 36" x 60"
Rolls – 3' x 75', 4' x 75'
Special Sizes – 3' and 4' up to 75'

Grand-Stand Textured™

Textured rubber surface with resilient rubber foam base is excellent for reducing worker fatigue. Ideal for industrial applications and areas where limited welding occurs.

- Material:** 1/8" textured rubber surface with a 3/8" rubber sponge base
- Thickness:** 1/2"
- Color:** Black
- Size:** 2' x 3', 3' x 5'
Rolls – 2' x 75', 3' x 75', 4' x 75'
Special Cuts – 2', 3', and 4' wide

Grand-Stand Deluxe™

Natural rubber foam base provides excellent comfort.
Beveled edges on all sides add extra measure of safety.

Material: 3/32" Thermoset Vulcanized Rubber (SR) smooth surface bonded to a 3/8" resilient rubber foam base

Thickness: 1/2"

Size: 18" x 30", 24" x 36", 18" x 48", 36" x 64"
Cuts up to 60' – 18", 24", 36", and 48" wide

Available In Three Unique Color Schemes

Marble: White/Beige, Gray, French Gray, Blue, Green, Hunter Green, Black & White, Charcoal Solid – Light Gray, Black

Creative Elements: White/Black, Charcoal/Black, Red/White, Blue

Wood

Elements: Oak, Maple, Cherry, Pecan

Grand-Stand 3/8"™

Natural rubber foam base provides excellent comfort.
Beveled edges on all sides add extra measure of safety.

Material: 3/32" Thermoset Vulcanized Rubber (SR) smooth surface bonded to a 1/4" resilient rubber foam base

Thickness: 3/8"

Color: Marble – White/Beige, Gray, French Gray, Blue, Green, Hunter Green, Black & White, Charcoal Solid – Light Gray, Black
Wood Elements – Oak, Maple, Cherry, Pecan
Creative Elements – White/Black, Charcoal/Black, Red/White, Blue

Size: 18" x 30", 24" x 36", 18" x 48", 36" x 60"
Cuts up to 60' – 18", 24", 36", and 48" wide

Grand-Stand Corrugated™

Corrugated surface with sponge back is excellent for reducing worker fatigue. Ideal for industrial applications.

Material: 1/8" fine rib corrugated surface with 3/8" sponge back

Thickness: 1/2"

Color: Black

Size: 24" x 36", 36" x 60"
Special Cuts – 2', 3', and 4' wide up to 75'

Note: Grand-Stand Deluxe, Grand-Stand 3/8", and Beauty Barber mat color offerings are subject to change. Please contact Customer Service for color availability.

Salon Mats

Grand-Stand Beauty & Barber™

Custom made mats feature a long wearing rubber surface bonded to a resilient rubber foam base. Built-in beveled edge base adds an extra measure of safety and virtually eliminates tripping.

- Material:** $\frac{3}{32}$ " Thermoset Vulcanized Rubber (SR) smooth surface bonded to a foam base
- Thickness:** Standard Deluxe Foam Base $\frac{1}{4}$ " & $\frac{3}{8}$ " Overall $\frac{5}{8}$ " & $\frac{1}{2}$ "
- Shapes:** Circular or Rectangular
- Size:** Standard: Rectangular or Circular – 36" x 54", 36" x 60"
Rectangular – Only 36" x 52"
Deluxe: Rectangular – 36" x 54", 36" x 60"
Circular – 36" x 64", 36" x 72"

Available In Three Unique Color Schemes

- Marble:** White/Beige, Gray, French Gray, Blue, Green, Hunter Green, Black & White, Charcoal
Solid – Light Gray, Black

- Creative Elements:** White/Black, Charcoal/Black, Red/White, Blue

- Wood Elements:** Oak, Maple, Cherry, Pecan

NEW

Grand-Stand Vinyl Beauty & Barber

Durable $\frac{1}{8}$ " PVC marble surface bonded to a resilient $\frac{3}{8}$ " sponge base. Available in standard sizes and four attractive colors to compliment any decor. All standard sizes have recess for chair to sit. Cut-outs available at no additional charge. Custom size available upon request.

- Material:** $\frac{1}{8}$ " PVC marble smooth vinyl surface with $\frac{3}{8}$ " thick sponge base
- Thickness:** Approximately $\frac{1}{2}$ "
- Color:** Marble Black, Blue Gray, Charcoal
- Size:** Standard: 24" x 36", 36" x 60"
Standard Sizes with cut-out or recess rectangular or circular 36" x 48", 36" x 52", 36" x 54", 36" x 60", 36" x 72"
Custom lengths 36" and 48" wide up to 60'

Note: Grand-Stand Deluxe, Grand-Stand $\frac{3}{8}$ ", and Beauty Barber mat color offerings are subject to change. Please contact Customer Service for color availability.

Diamond-Dek Sponge

Heavy duty matting provides sure footing in a variety of applications. Beveled edges and colored safety borders promote safety while reducing fatigue on the legs and back.

- Material:** 5/32" vinyl diamond treaded surface bonded to a heavy duty foam
- Thickness:** 3/16"
- Color:** Black, Gray, Black with Yellow Border
- Size:** 24" x 36", 36" x 60"
Rolls – 2' x 75', 3' x 75', 4' x 75'
Special Cuts – 2', 3', and 4' wide up to 75'

Diamond-Dek Sponge HD™

Extra thick industrial grade foam on a diamond tread surface provides sure footing, superior comfort, and anti-fatigue for workers.

- Material:** 5/32" vinyl Diamond-Dek surface bonded to a resilient 3/4" thick foam
- Thickness:** 7/8"
- Color:** Solid Black, Black with Yellow Border
- Size:** 24" x 36", 36" x 60"
Special Cuts – 2', 3', and 4' wide up to 75'

Diamond-Dek Sponge Supreme **NEW**

The ultimate in durability and comfort. Diamond tread surface bonded to a heavy grade PVC sponge base. The specially formulated sponge is ideal for areas where standing long periods of time is required.

- Material:** 5/32" vinyl diamond tread surface is bonded to a 3/16" heavy duty blue vinyl sponge base
- Thickness:** 3/4" approximately
- Color:** Solid Black, Black with Yellow borders
- Size:** 24" x 36", 36" x 60"
Rolls – 2' x 75', 3' x 75', 4' x 75'
Special Cuts – 2', 3', and 4' wide up to 75'



NEW Blue Vinyl
Sponge Base

Metallic Diamond-Dek Sponge

Highly reflective, heavy duty, vinyl top is ideal for showrooms, garages, behind counters, industrial assembly line or anywhere comfort, durability and style are needed.

- Material:** Metallic vinyl diamond treaded surface bonded to a heavy duty foam
- Thickness:** 3/16"
- Color:** Silver/Metallic
- Size:** 24" x 36", 36" x 60"
Rolls – 3' x 75'
Special Cuts – 3' wide up to 75'

Industrial Mats

Sof-Spun $\frac{3}{8}$ "

Sponge vinyl cushioned mat helps ease foot, leg, and back fatigue at standing workstations. The corrugated sponge vinyl surface traps dirt, resists oil and grease, and will not absorb water.

Material: Sponge vinyl core with a wide ribbed corrugated surface
Thickness: $\frac{3}{8}$ "
Color: Black, Gray
Size: Standard – 27" x 36", 27" x 60", 36" x 60"
Rolls – 2' x 60', 3' x 60', 4' x 60', 6' x 60'
Special Cuts – 2', 3', 4', and 6' wide up to 60' (Cut Lengths available in black only.)

NEW

Sof-Spun $\frac{5}{8}$ "

Durable, economical PVC sponge helps ease foot, leg, and back fatigue at standing workstations. Corrugations trap dirt and provide added traction.

Material: Sponge vinyl with a wide corrugated surface
Thickness: $\frac{5}{8}$ "
Color: Black
Size: Standard – 24" x 36", 36" x 60"
Rolls – 2' x 60', 3' x 60', 4' x 60', 6' x 60'
Custom Lengths – 2', 3', 4', and 6' wide up to 60'

Diamond-Dek Sof-Spun

Ideal for use in factories and warehouses at workstations and assembly lines. Resists oil and grease and will not absorb water.

Material: Sponge vinyl core with a diamond tread surface
Thickness: $\frac{3}{8}$ "
Color: Black
Size: Rolls – 2' x 60', 3' x 60', 4' x 60'
Special Cuts – 2', 3', and 4' wide up to 60'

Safety Spun™

Anti-fatigue mat with beveled edges and OSHA Yellow borders makes any area a safer place to work.

Material: Sponge vinyl core with a wide ribbed corrugated surface
Thickness: $\frac{3}{8}$ "
Color: Charcoal with safety yellow border
Size: Rolls – 3' x 60', 4' x 60'
Special Cuts – 3' and 4' wide up to 60'

Ultra Safe

Polyurethane top coated mat provides improved resistance to abrasion. Pebble surface for easy cleaning.

- Material:** Sponge vinyl core with a pebbled polyurethane coated surface
- Thickness:** $\frac{3}{8}$ "
- Color:** Charcoal Black Pebble with Yellow border
- Size:** Rolls – 3' x 60', 4' x 60'
Special Cuts – 3' and 4' wide up to 60'

Diamond-Dek Ultra Safe

Diamond tread surface with a polyurethane top coating provides outstanding resistance to abrasion.

- Material:** Sponge vinyl core with polyurethane coated diamond tread surface
- Thickness:** $\frac{3}{8}$ "
- Color:** Black with Yellow border
- Size:** Rolls – 3' x 60', 4' x 60'
Special Cuts – 3' and 4' wide up to 60'

Sof-Stand Supreme™

IMPROVED
FORMULA

Sof-Stand Supreme provides more superior comfort than traditional vinyl sponge mats. Pebble embossed vinyl surface is integrated with a moisture resistant closed cell vinyl foam base.

- Material:** Dual density vinyl sponge with a pebble surface
- Thickness:** $\frac{1}{2}$ "
- Color:** Black
- Size:** 24" x 36", 36" x 60"
Rolls – 3' x 60', 4' x 60'
Special Cuts – 3' and 4' wide up to 60'

Comfort Stand **NEW**

Added comfort in a single layer sponge. Comfort Stand is 2-3 times more resilient than standard vinyl sponge mats.

- Material:** Cross link Vinyl/Nitrile sponge with textured surface
- Thickness:** $\frac{3}{8}$ "
- Color:** Black
- Size:** 2' x 3' and 3' x 5' bevel edges all sides
Rolls – 2', 3', and 4' x 60' bevel all sides
Custom – 2', 3', and 4' wide up to 60' bevel edge on long sides only

Comfort Stand HD **NEW**

The ultimate in comfort from a single layer sponge. Comfort Stand HD is ideal in industrial, commercial, and retail applications where standing for long periods of time is required.

- Material:** Cross link vinyl/nitrile sponge with textured surface
- Thickness:** $\frac{7}{8}$ "
- Color:** Black
- Size:** 2' x 3', 3' x 4', 3' x 5', and 4' x 6' bevel edges all sides
Rolls – 2', 3', and 4' x 30' bevel all sides
Custom – 2', 3', and 4' wide up to 30' bevel edge on long sides only

Industrial Mats

Workstation Plus™

Extra-tough lightweight matting, ideally suited for workstations in restaurants, kitchens, and industrial applications. Built in beveled edges provide safety, while the open circular mesh surface provides a non-slip footing in wet or oily areas.

Material: Black – Grease-resistant rubber compound
Red – Grease-proof rubber compound
Thickness: ½"
Color: Red, Black
Size: 3' x 5', 3' x 10', 3' x 15', 3' x 20'

Workstation

Interlocking system available in solid or open mesh design. Mat has built-in interlocking system that can be connected to extend length and width. Beveled edges available.

Material: Black – Grease-resistant rubber compound
Open – Circular; Solid – Texture
Thickness: ⅝"
Color: Black
Size: 36" x 36"

Workmaster

Durable ¾" heavy duty mat is made for industrial, commercial, and kitchen applications. Drain holes and knob back construction make drainage easy.

Material: High quality rubber compound with an open circular surface
Thickness: ¾"
Color: General Purpose Black
Size: 36" x 60"

Workmaster II

Tough industrial mat with safety orange beveled edge creates an ultra safe work environment at all types of workstations.

Material: Grease-resistant rubber with an open circular surface
Thickness: ¾"
Color: Black, Nosing Color: OSHA Safety Orange (standard), Yellow, Red, Black
Size: Color Border All Sides – 28" x 40", 40" x 52", 40" x 64", 40" x 124"
Color Border 3 Sides – 26" x 40", 38" x 52", 38" x 64", 38" x 124"

Workstation Light

Economical lighter weight ½" standard duty general purpose mat with built in bevel edge.

Material: General purpose rubber compound
Thickness: ½"
Color: Black
Size: 3' x 5'

Rx Mat®

This unique multidimensional non-skid Nitrile Rubber tile is excellent for areas where safety is a must. Highly chemical-resistant and easily configured to fit any workstation.

Material:	Grease proof 100% Nitrile rubber with a raised multi-dimensional surface
Thickness:	¾"
Styles:	Solid, Circular for drainage, Grit surface Circular for Drainage
Color:	Black
Size:	18" x 18"

MBoss®

MBoss anti-fatigue matting offers a unique raised multidimensional slip-resistant surface.

Material:	High quality rubber compound with a raised multi-dimensional surface
Thickness:	¾"
Color:	Black
Size:	36" x 36"

Workstation Nitrile **NEW**

Identical to our standard Workstation mat in solid or open style but made with 100% nitrile rubber for the harshest applications. Built in connectors on two sides allows custom sizes to be made in widths and lengths.

Material:	100% nitrile rubber compound
Thickness:	⅝"
Color:	Black
Size:	Mat – solid surface 36" x 36", open surface 36" x 36" Bevel Edges (optional) – 2" x 36" Corners (optional) – 2" x 40"

Kitchen Grid

Ideal slip resistant and anti-fatigue matting for the food processing industry.

Material:	Specially formulated animal fat resistant vinyl with an open circular, slip resistant surface
Thickness:	⅝"
Color:	Terra Cotta
Size:	Rolls – 2' x 33', 3' x 33', 4' x 33' Special Cuts – 2', 3', and 4' wide up to 33'

Work Flow Plus **NEW**

Lightweight reversible anti-fatigue mat made from a 100% nitrile compound has excellent anti-slip and drainage properties.

Material:	100% nitrile rubber compound
Thickness:	¼"
Color:	Black
Size:	3' x 5', 3' x 10', 3' x 15', 3' x 20'

Industrial Mats



Cushion Tile

Either indoors or outdoors, cushioned matting eases worker fatigue, guards against damage from vibration or slipping. Grease and moisture resistant. Interlocking 12" square tiles can be assembled to meet any dimensional requirements.

Material: Recycled flexible vinyl with open mesh waffle grid surface
Thickness: 3/4"
Color: Tile – Black; Edging – Black, Yellow
Size: 12" x 12"



Grit Cushion Tile

Cushion Tile's modular design allows for easy installation into an area of any size or shape. Grit top surface adds extra anti-slip protection.

Material: Recycled flexible vinyl with gritted, open mesh, waffle grid surface
Thickness: 3/4"
Color: Tile – Black with Grit Surface (Standard)
Edging – Black, Yellow
Size: 12" x 12"



Color Cushion Tiles

Safe, sanitary "Cushion Tiles" provide maximum protection from slippery surfaces. Raises foot traffic above wet floors. Open grid design prevents moisture, odor build-up and slows infectious mold, mildew, and bacteria growth.

Material: 100% recycled PVC plastic with an open mesh surface
Thickness: 3/4"
Color: Blue, Green, Gray, Pool Blue, Red, White, Yellow
Size: 12" x 12"



Cushion Tile Workstation Cushion Tile Eyewash Mat

Open grid design raises foot traffic above wet floors and helps prevent slipping. Beveled ramps on three sides provide extra safety.

Material: 100% recycled PVC plastic with an open mesh surface
Thickness: 3/4"
Color: Workstation – Black with Yellow Safety Borders, Grit Top with Yellow Safety Borders; Eyewash Mat – Green Tile with Yellow Safety Border, Red Tile with Yellow Safety Border
Size: Workstation – 26.5" x 41", 38.5" x 65"
Eyewash Mat – 26.5" x 29", 38.5" x 41"

Bubble Mat

Designed for comfort and durability. Holds up to the toughest conditions.

Material: SBR/NR non-staining, non-marking with a raised bubble surface
Thickness: 1/2"
Color: Black, Black with Yellow Border
Size: 24" x 36", 36" x 48"

Vynagrip

The ultimate non-skid drainage mat. Vynagrip offers a "diamond tread" pattern surface on the top and bottom of the matting for increased slip resistance.

Material: Extruded PVC
Thickness: $\frac{5}{8}$ "
Color: Black, Blue, Red, Black with Yellow Border
Size: 2' x 33', 3' x 33', 4' x 33'
Special Cuts – 2', 3', and 4' wide up to 33'

Tread-Grid

Vinyl duckboard matting with high grid surface for super grip and sure footing. Resilient cushion construction eases worker fatigue and reduces damage from dropped parts and equipment.

Material: All vinyl construction with an open tread surface
Thickness: $\frac{1}{2}$ "
Color: Red, Blue, Black
Size: Rolls 2' x 40', 3' x 40', 4' x 40'
Special Cuts – 2', 3', and 4' wide up to 40'

Heronair **NEW**

Two layer open grid construction matting provides excellent comfort and drainage. The hollow tube construction makes it a less expensive alternative.

Material: Extruded PVC
Thickness: Approximately $\frac{3}{8}$ "
Color: Black
Size: Rolls – 2' x 40', 3' x 40', 4' x 40'
Special Cuts – 2', 3', and 4' wide up to 40'

Heronrib

Ideal self draining safety matting for sports and leisure applications, indoors or outdoors.

Material: Extruded PVC
Thickness: $\frac{3}{8}$ "
Color: Oxford Blue, Blue, Black, Buff
Size: 2' x 33', 3' x 33', 4' x 33'
Special Cuts – 2', 3', and 4' wide up to 33'

Cushion Grid

Cushion Grid: Hollow tube construction with tread surface provides air-cushioned comfort. Ideal for use on wet floors. Compound resists oil, grease, fats, alkalis, and acids.

Material: All vinyl construction with an open smooth surface
Thickness: $\frac{1}{2}$ "
Color: Red, Blue, Black
Size: Rolls – 2' x 40', 3' x 40', 4' x 40'
Special Cuts – 2', 3', and 4' wide up to 40'

Static Eaze™

Heavy Duty non-skid rubber surface with $\frac{3}{8}$ " sponge base provides excellent comfort. Surface resistivity is 10^5 .

Material: $\frac{1}{8}$ " thick rubber tile top and a resilient $\frac{3}{8}$ " thick foam base with a smooth surface

Thickness: $\frac{1}{2}$ "

Color: Black

Size: 18" x 30", 18" x 48", 24" x 36", 36" x 64"
Special Cuts – 18", 24", and 36" wide up to 60'

Switchboard

ASTM D178 Switchboard Matting with corrugated surface is the premier insulating matting to protect workers. Each roll is proof tested at the specified voltage over the entire surface.

Material: Specially compounded material with fine rib corrugated surface

Thickness: $\frac{1}{4}$ "

Color: Black

Size: Rolls – 2' x 25 yds., 3' x 25 yds., 4' x 25 yds.
Special Cuts – 2', 3', and 4' wide up to 25 yds.

Diamond Switchboard

ASTM D178 Switchboard Matting with diamond surface is the premier insulating matting to protect workers. Each roll is proof tested, at the specified voltage over the entire surface.

Material: Specially compounded material with diamond surface

Thickness: $\frac{1}{4}$ "

Color: Black, Black with Yellow border

Size: 2' x 25 yds., 3' x 25 yds., 4' x 25 yds.
Special Cuts – 2', 3', and 4' wide up to 25 yds.

Note: Black with Yellow border available in 3' wide only

Military Switchboard

The MIL-DTL 15562 specifications for insulating, Switchboard Matting.

Material: Specially formulate PVC

Size: Type II Black $\frac{1}{8}$ " x 3' x 25 yds. roll
Type II Blue $\frac{1}{8}$ " x 3' x 25 yds. roll
Type III Diamond Top Gray $\frac{3}{16}$ " x 25 yds. roll

Note: Full roll sales only

Conductive Diamond-Dek Sponge™

Diamond pattern Conductive 10^6 ohms* of surface resistivity bonded to a heavy duty sponge base.

Material: Vinyl top bonded to a vinyl sponge with a diamond tread surface

Thickness: $\frac{5}{16}$ "

Color: Black

Size: 36" x 60", 24" x 36"
Rolls – 3' x 75', 4' x 75'
Special Cuts – 3' and 4' wide up to 75'

Options: 10' Ground cord

*Measured from surface to surface and surface to ground per EOS/ESD test method DS7.1-1991.

Corrugated Rubber™

Economical and functional general service matting provides protection for carpeting and floors.

Material: Rubber fine rib top with fabric impression base
Thickness: 1/8"
Color: Black
Size: Rolls – 2' x 25 yds., 2' x 50 yds. 3' x 25 yds.,
3' x 50 yds. 4' x 25 yds., 4' x 50 yds.
Special Cuts – 2', 3', and 4'
wide up to 50 yds.

Heavy Duty Corrugated Rubber™



Industrial grade 1/4" thick Heavy Duty Corrugated is excellent where extra floor protection is needed. The fiber reinforced recycled rubber compound is spike resistant and can be used outdoors to protect surfaces from shoe cleats and spikes.

Material: Recycled rubber compound with a wide rib corrugated surface
Thickness: 1/4"
Color: Black
Size: Rolls – 2' x 25 yds., 3' x 25 yds., 4' x 25 yds.,
Special Cuts – 2', 3', and 4'
wide up to 25 yds.

Heavy Duty Corrugated Rubber Fine Rib

Industrial grade Heavy Duty Corrugated Rubber effectively prevents slips and falls. The 1/4" thickness is excellent for floor protection and is spike resistant.

Material: Rubber fine rib top with fabric impression back
Thickness: 1/4"
Color: Black
Size: Rolls – 2' x 75', 3' x 75', 4' x 75'
Special Sizes – 2', 3', and 4' wide up to 75'

Diamond-Dek Runner

Deep embossed Diamond Tread pattern with a textured impression back effectively provides traction in wet areas. Multi-directional surface is easy to clean.


Material: High Grade Vinyl
Thickness: 5/32"
Color: Black, Gray, Black with Yellow Safety Border
Size: Rolls 2' x 75', 3' x 75', 4' x 75'
Special Sizes – 2', 3', and 4' wide up to 75'

E-Z Kleen Vinyl™

All purpose matting features round rib corrugations that prevent dirt and debris from clogging the surface.

Material: 100% Koroseal™ vinyl with wide round ribbed surface
Thickness: 1/8"
Color: Black
Size: Rolls – 2' x 35 yds., 3' x 35 yds., 4' x 35 yds.
Special Cuts – 2', 3', and 4'
wide up to 35 yds.

Runner Matting



Metallic Diamond-Dek Runner

Metallic steel appearance in a lightweight, flexible vinyl runner.

Material: High grade vinyl with metallic film surface
Thickness: $\frac{5}{32}$ "
Color: Silver, Blue, Red, Black, Green, Gold
Size: 36" x 96", 36" x 180"
Rolls – 3' x 75'
Special Cuts – 3' wide up to 75'

Diamond-Dek Runner Color

Customize any area with a deep embossed diamond tread pattern commercial grade runner. Choose from several standard colors. Minimum orders do apply. Some colors are available out of stock with one roll minimum.

Material: High grade vinyl
Thickness: $\frac{5}{32}$ "
Color: Custom
Size: Rolls – 3' x 75'

Flip Over™

Anti-fatigue, low maintenance runner mat with raised knobs and round perforations for excellent drainage and reduced slippage.

Material: Heavy duty rubber with an open-raised knob surface
Thickness: $\frac{3}{8}$ "
Color: Red, Black
Size: Rolls – 3' x 36'
Special Cuts – 3' up to 36'

Textured Rubber

Economical general purpose rubber runner with non-directional abrasive non-skid surface.

Material: Textured rubber top with fabric impression back
Thickness: $\frac{1}{8}$ "
Color: Black
Size: Rolls – 3' x 26 yds.
Special Cuts – 3' up to 26 yds.

Recycled Rubber Runner

A heavy duty recycled rubber runner. Rough surface provides excellent traction in wet or dry areas.

Material: Post consumer recycled rubber made from tires
Thickness: $\frac{5}{32}$ "
Color: Black
Size: Rolls – 4' x 49'6"
Special Sizes – 4' up to 49'6"

Impact Sports Mat™

Superior quality, thick mat protects against floor damage from dropped weights and spiked shoes. The textured non-skid surface provides added traction for sure footing.

Material: Rubber with a pebbled surface
Thickness: ½", ¾"
Color: Black
Size: 48" x 72"

Dura-Speck Sports Floor



A multi-functional rubber recreational flooring, designed for commercial, residential, industrial, and fitness applications. Ideal usage in play areas, golf shops, fitness centers, home gyms, daycares, locker rooms, cardio areas, ice arenas, and retail flooring.

Material: Recycled rubber compound obtained as post consumer recycled waste. Color chips are EPDM rubber. Surface is smooth.
Thickness: ¼", ¾"
Color: Solid Black
Color Chips Black with Blue, Gray, Green, Ivory, Red, White, or Yellow
Size: 36" x 36"
Rolls – 48" x 49.5'
Options: Interlocking tile or straight edge tile


Interlocking Sports Floor

Covers large areas with ease. The 24" x 24" interlocking tile and beveled edges and corners make any area a safe, protective, non-skid area. Ideal for weight rooms, sports arenas, cardio rooms, ski resorts, and locker rooms.

Material: SBR rubber with a pebble grain surface
Thickness: ¾"
Color: Black
Size: 24" x 24"
Edge – 12" x 24"
Corner – 12" x 24"
Options: Beveled edges and corners

Specialty Products

Anti-Slip Tape



Self-adhesive, abrasive non-skid rolls and standard sizes. Perfect for inclines and most wet areas. Applies to most surfaces easily and maintenance free.

Surface: Non-skid texture
Color: Black, Yellow, Black & Yellow Striped
Size: Rolls – 1" x 60', 2" x 60', 4" x 60', 6" x 60'
Pieces – (sets of 50) 5.5" x 5.5"
(black only) 6" x 24"

Dura-Kote



Heavy Duty non-skid paint. Ideal for large floor areas, boat docks, indoors or outdoors.

Material: Rubber-based pigmented enamel containing coarse silica grit
Color: Gray, Yellow
Size: 1 gallon
Note: Single coat application covers approximately 80 square feet per gallon, depending on thickness

Clear Vinyl

Heavy gauge clear vinyl mat protects carpets from wear and soil. Pointed grippers keep mat in place.

Material: Clear commercial gauge vinyl with linear pattern and gripper back
Thickness: $\frac{3}{16}$ "
Color: Clear
Size: Rolls – 27" x 60', 36" x 60', 48" x 60'
Special Cuts – 27", 3', and 4' wide up to 60'

NEW

Clear Vinyl Diamond Surface

Protects floors while the diamond pattern helps clean shoes. Smooth back makes it ideal for almost any hard surface. Commercial grade clear surface allows your floor to still be seen while remaining attractive.

Material: Clear commercial grade vinyl with diamond pattern surface and smooth back
Thickness: Approximately $\frac{3}{32}$ " (2mm)
Color: Clear
Size: 3' x 60', 4' x 60'
Special cuts 3', 4' wide up to 60'

NEW

Dura-Pro

Durable and attractive gym floor cover in the form of easy to handle tiles. Giant-sized mats protect athletic flooring during non-sports events and activities. Dura-Pro tiles lie flat on top of the wood gym flooring and there are no unsightly wrinkles or ripples to cause potential tripping hazards. Easy to set up and break down, this gym floor cover does not require tape or special accessories.

Material: 100% solution dyed polypropylene with polyolefin backing
Thickness: $\frac{1}{4}$ "
Color: Blue, Gray
Size: 39 $\frac{3}{8}$ " x 78 $\frac{3}{4}$ "

Entrance and Carpet Matting

Vylon 500C

Colorful, stain-resistant vinyl link mat provides good traction under foot and captures dirt from shoes. Close weave surface construction ideal for applications where high-heeled shoe traffic is present. Mat available with custom logos and lettering.

Material:	Extruded vinyl links, ½" wide x 2" long on galvanized steel wires
Thickness:	¾"
Color:	Brown, White, Red, Light Blue, Brick Red, Black, Yellow, Blue, Tan, Green, Gray, Burgundy
Size:	Custom
Nosing:	Beveled (BN), Square (SN) or a combination of both

Frontrunner **NEW**

Aggressive open grid entrance matting with tread surface traps dirt and allows moisture to drain through with ease. Heel and wheel proof system available in rolls for larger areas.

Material:	Extruded PVC
Thickness:	.55" (14mm)
Color:	Black, Blue, Brown, Gray
Size:	2' x 33', 3' x 33', 4' x 33' Special Cuts – 2', 3', and 4' wide up to 33'

Legacy Pin **NEW**

Patented hybrid product installs like a carpet and performs like a foot grille. Can be cut to measure in any direction without fraying. Combines top-of-the-line fibers that both scrape dirt and absorb moisture.

Material:	100% polypropylene base grid with high density anti-slip rubber backing
Thickness:	¾"
Color:	Black/Walnut, Charcoal, Gray/Black
Size:	Rolls – 6'7" x 65'5" approximate Special Sizes – all billed at 6'7" wide by length up to 65'5"
Special Note:	Mat can be glued down or loose lay. Available with bevel edging.

Recessed Cocoa Matting

Tough natural fibers remove grit from shoes and absorb and retain tracked in moisture. Fiber yarn is imbedded in heavy vinyl backing. Dries rapidly to prevent mildew or rot.

Material:	Cocoa fiber yarn bonded to solid vinyl backing
Thickness:	⅝", ¾", 1", 1¼"
Color:	Natural tan
Size:	Custom

Entrance and Carpet Matting

NEW Enforcer

Custom floor covering for entrances where oversized or wall to wall coverage is needed. The Heavy Duty Needlepunch (HDNP) 43 ounce fiber is the perfect commercial high traffic floor covering product.

Material: 100% solution dyed UV stable polypropylene fiber pin surface
Thickness: $\frac{7}{16}$ "
Color: Natural, Sable Brown, Midnight Blue, Sapphire, Spruce, Tweed Brown, Autumn Red, Black Walnut, Charcoal, Dark Gray
Size: Rolls – 6'7" x 82' and 13'2" x 68'8"
Special sizes available up to 13'2" wide
Bevel edging available



Carpet Tile Diagonal

Heavy duty diagonal carpet tile provides excellent scraping and dirt removal. Tile contains 52.05% post consumer content.

Material: 100% polypropylene nylon yarn on bitumen backing
Thickness: $\frac{3}{8}$ "
Color: Beige, Blue, Gray, Charcoal
Size: 19 $\frac{1}{16}$ " x 19 $\frac{1}{16}$ "
Special Note: Sold in full cases of 20 tile only



Carpet Tile Pin

Heavy duty pin top tile is excellent for heavy traffic applications. UV stable pin surface scrapes dirt and moisture from feet. Tile contains 53.89% post consumer content.

Material: Polypropylene fiber surface with a pin design on bitumen backing
Thickness: $\frac{7}{16}$ "
Color: Sable Brown, Midnight Blue, Black Walnut, Tweed Brown, Charcoal, Autumn Red, Dark Gray, Spruce, Natural, Sapphire
Size: 19 $\frac{1}{16}$ " x 19 $\frac{1}{16}$ "
Special Note: Sold in full cases of 16 tile only

NEW

Carpet Tile Journey

Bold regency stripe design for stylish interiors. Dual fiber construction scrapes off dirt and absorbs moisture. Class 1 fire rating. Developed for medium to heavy traffic commercial applications.

Material: Nylon 6 textured tufted loop surface with vinyl composite reinforced with fiberglass backing
Thickness: $\frac{5}{16}$ "
Color: Blue, Gray, Green, Brown
Size: 24" x 24" Tile
Note: Sold in full cases of 18 tile only

NEW

Cushion Tile ENT

Our modular cushion tile with carpet inserts is ideal for entrances where drainage and cleaning shoes is a must. Charcoal polypropylene carpet set in a durable PVC tile can be installed linear or parquet for an attractive appearance indoors or out.

Material: Recycled flexible PVC with polypropylene carpet inserts
Thickness: $\frac{1}{2}$ "
Color: Tile – Black or Red; Carpet – Charcoal
Edging/Corners – Black
Size: Tiles 12" x 12"

Entrance and Carpet Matting

DuraLoop

Excellent scraping action and multidirectional walking surface. UV stabilized to resist fading. Use in exterior or interior applications. Stain and mildew resistant and resistant to most chemicals.

- Material:** Extruded vinyl with looped surface
Thickness: Standard Duty – .47" (12mm) with vinyl backing
Heavy Duty – .59" (15mm) NO backing
Color: Blue, Red, Green, Brown, Gray, Black
Size: Standard Duty – 2' x 3', 3' x 5', 4' x 6'
Rolls – 3' x 40', 4' x 40',
Special Cuts – 3' and 4' wide up to 40'
Heavy Duty Rolls – 3' x 40', 4' x 40'
Special Cuts – 3' and 4' wide up to 40'

Fingertip

Brushing action of thousands of resilient rubber fingertips wipe off dirt and moisture from footwear. All four sides have beveled edging to improve safety at the facility entrance.

- Material:** Top quality molded rubber with a fingertip surface
Thickness: 5/8"
Color: Black
Size: 16" x 24", 24" x 32", 28" x 46",
32" x 39", 36" x 60", 36" x 72"

Brush-N-Scrape **NEW**

100% solution dyed UV resistant nylon cut pile fabric outdoor entrance mat filters dirt and moisture away from the surface. Premium cleated rubber backing and ramped edges will not crack or curl.

- Material:** Solution dyed nylon carpet with rubber backing. Rubber backing has 20% post-consumer recycled car tire content.
Thickness: 3/8" approximate
Color: Blue, Brown, Burgundy, Charcoal
Size: Standard 2' x 3', 3' x 4', 3' x 5', 3' x 6', 3' x 8',
3' x 10', 3' x 12', 3' x 16', 3' x 20', 4' x 6', 4' x 8',
4' x 10', 4' x 12', 4' x 16', 4' x 20', 6' x 8', 6' x 12',
6' x 16', 6' x 20'; Special cuts 3', 4', and 6' wide up to 60'. **Sold in one foot increments only.**

Par-K **NEW**

Parquet pattern outdoor entrance mat provides excellent multi-directional cleaning performance.

- Material:** High quality 96% recycled rubber compound
Thickness: 3/8"
Color: Black
Size: 2' x 3' (23" x 36"), 3' x 5' (36" x 57"),
4' x 6' (45" x 67")

Cocoa Entry

Natural cocoa fibers are woven into a dense high pile mat. The rough absorbent fibers effectively trap dirt and moisture and hold up under busy foot traffic.

- Material:** Imported natural cocoa fiber, woven edges and backing
Thickness: 38mm approximately
Color: Natural
Size: 14" x 24", 16" x 27", 18" x 30", 22" x 36",
24" x 39", 26" x 42", 30" x 48", 36" x 48",
36" x 60", 36" x 72", 48" x 72"

Entrance and Carpet Matting

Niagra

Surface gives superb absorption and wearability. Holds up to 1½ gallons of water per square yard.

- Material:** Polypropylene Needle-punch fiber surface with a reinforced nitrile rubber gripper backing
- Thickness:** ¾" **Border:** Available in black rubber or fabric. If no border is specified, black rubber will be sent.
- Color:** Gray, Walnut, Burgundy, Charcoal, Blue, Green, Red, Beige
- Size:** 2' x 3', 3' x 4', 3' x 5', 3' x 10', 4' x 6'
Special Sizes: 3', 4', and 6' wide up to 40'

Ridge-Way

The raised fabric covered pattern removes dirt and moisture from feet. Beveled edging and recessed grooves help to prevent falls and collect moisture.

- Material:** Polypropylene needle punch fiber surface with a reinforced Nitrile rubber gripper backing.
- Thickness:** ¾"
- Color:** Beige, Blue, Walnut, Charcoal, Green, Red, Burgundy, Gray
- Size:** 2' x 3', 3' x 5', 3' x 10', 4' x 6'
- Border:** Available in black rubber or fabric. If no border is specified, black rubber will be sent.

Stop-N-Dry

Economical quick drying and excellent for harsh climates. Will not wrinkle, mildew, or shrink.

- Material:** Raised polyester carpet fiber with SBR/NR non-staining/non-marking anti-skid rubber backing
- Thickness:** ½"
- Color:** Gray, Brown, Red, Blue, Green, Charcoal
- Size:** 2' x 3', 3' x 4', 3' x 5', 4' x 6'

NEW Cross Ridge

Needle-punch carpet with coarse surface and protective coating is an excellent indoor or outdoor scraper mat. The non-directional scraping pattern offers outstanding performance with a decorative appearance. Surface is stain and fade resistant while its double border traps dirt and moisture from floor.

- Material:** Coated needle-punch carpet with recycled rubber base made from scrap tires and plastic bottles
- Thickness:** ¾"
- Color:** Blue, Charcoal, Chocolate, Gray
- Size:** 2' x 3', 3' x 5', 4' x 6'

Wipe-N-Walk

Value plus service reliability are provided by absorbent Olefin nap matting.

- Material:** 100% olefin fiber on vinyl backing
- Thickness:** Approximately ¼"
- Color:** Brown, Charcoal
- Size:** 2' x 3', 3' x 4', 3' x 5', 3' x 6', 4' x 6', 4' x 8'

Entrance and Carpet Matting

Spectra-Rib

Ribbed polypropylene fibers effectively traps moisture.

Material: 100% polypropylene backing with ribbed surface
Thickness: $\frac{3}{8}$ "
Color: Brown, Gray, Charcoal, Red
Size: 2' x 3', 3' x 4', 3' x 5', 3' x 6', 4' x 6', 4' x 8'
Rolls – 3', 4', and 6' wide x 60'
Special Cuts – 3', 4', and 6' wide up to 60'

Spectra-Olefin

Plush olefin high quality mat.

Material: 100% Olefin pile on vinyl backing with plush surface
Thickness: $\frac{3}{8}$ "
Color: Brown, Charcoal, Red, Blue
Size: 2' x 3', 3' x 4', 3' x 5', 3' x 6', 4' x 6', 4' x 8'
Rolls – 3', 4', and 6' wide x 60'
Special Cuts – 3', 4', and 6' wide up to 60'

Spectra-Pin

A medium to heavy traffic wiper and scraper mat with raised berber design.

Material: Polypropylene fiber on vinyl backing
Thickness: Approximately $\frac{3}{8}$ "
Color: Charcoal, Brown, Gray, Green, Burgundy
Size: 2' x 3', 3' x 4', 3' x 5', 3' x 6', 4' x 6', 4' x 8'
Rolls – 3' x 60', 4' x 60', 6' x 60'
Special Cuts – 3', 4', and 6' wide up to 60'

Chevron

Vivid, non-fading needle punch wiper/scraper mat featuring chevron-patterned surface.

Material: 100% polypropylene chevron fiber with vinyl backing.
Thickness: $\frac{3}{8}$ "
Color: Charcoal, Burgundy, Green, Blue, Brown
Size: 2' x 3', 3' x 4', 3' x 5', 3' x 6', 4' x 6', 4' x 8'
Rolls – 3' x 60', 4' x 60', 6' x 60'
Special Cuts – 3', 4', and 6' wide up to 60'

Spectra Plush **NEW**

Plush heavy 36 oz./sq. yd. nylon carpet surface with double thick rubber backing is ideal for high traffic entrances. Nylon carpet will not fade. Machine wash and dry, vacuum and extraction clean.

Material: 36 oz./sq. yd. nylon carpet with nitrile rubber gripper backing
Thickness: $\frac{3}{8}$ "
Color: Black, Brown/Black, Navy, Golden Brown, Midnight Gray, Red Pepper, Slate Gray
Size: 2' x 3', 3' x 4', 3' x 5', 3' x 10', 4' x 6', 4' x 8'
Special Cuts – 3', 4', 5', and 6' wide up to 40' in one foot increments only

Entrance and Carpet Matting

Nylon Carpet Logo

Promote your company brand in an attractive and economical way. Solution dyed to ensure precise replica of graphics and logo.

Material: Solution dyed nylon plus twist carpet with smooth nitrile rubber backing
Thickness: $\frac{3}{8}$ "
Color: Call for chart
Size: 2' x 3', 3' x 4', 3' x 5', 3' x 10', 4' x 6', 4' x 8', 5' x 8', 5' x 10', 6' x 10', 6' x 12'
Special Sizes – available

Vylon Logo

Colorful, stain-resistant vinyl link mat provides good traction under foot and captures dirt from shoes.

Material: Extruded vinyl links, $\frac{1}{2}$ " wide x 2" long on galvanized steel rods
Thickness: $\frac{7}{16}$ "
Color: Brown, White, Red, Light Blue, Brick Red, Black, Yellow, Blue, Tan, Green, Gray, Burgundy
Size: Custom
Nosing: Beveled (BN), Square (SN) or a combination of both

Niagra Custom Inlay

100% UV resistant polypropylene fiber with inlay process with up to 18 colors per mat. Molded rubber gripper backing traps dirt and moisture. No set up or art charges.

Material: Polypropylene needlepunch surface with a reinforced rubber gripper backing
Thickness: $\frac{3}{8}$ "
Color: 18
Size: 2' x 3', 3' x 4', 3' x 5', 3' x 10', 4' x 6', 4' x 8', 4' x 10', 6' x 8', 6' x 12' custom sizes 3', 4', and 6' wide up to 60'. Most colors available.
Border: Black rubber or fabric.
If not specified rubber will be supplied.

DuraLoop Custom Inlay

Extruded Vinyl multi-directional surface with custom inlay process with up to 20 colors. No set-up or art charges.

Material: Extruded vinyl with loop surface
Thickness: $\frac{3}{8}$ "
Color: 20
Size: 3' x 4', 3' x 5', 3' x 10', 4' x 6', 4' x 8', 4' x 10'
Border: Flat edge. Bevel available upon request with surcharge.

Aluminum Pre-Sized Recessed Frames

Item No.	Position	Application
340C0000A	"A"	Marble or Terazzo
340C0000B	"B"	$\frac{3}{8}$ " Resilient Floors
340C0000C	"C"	$\frac{1}{8}$ " Resilient Floors
340C0000H	"H"	Flush Wall Recessed
340C0000RV	"H-Reverse" depth over $\frac{5}{8}$ "	Reverse Miter for Recess

Note: H Frame also available in bronze
Surface frames also available.

Quick Reference Guide

PRODUCT NAME	Material	Thickness	Recycled Content	Warranty	Size options				Glue Down Title
					Standard	Rolls	Custom Widths	Custom Lengths	
Durite 108	Rubber	5/8"	x	1 year	x		x	x	
Dura-Rug	Rubber	3/4"	x	1 year	x		x	x	
Dura-Tile II (all styles)	Rubber	3/8"	x	Durable		x			x
Easy-Stand									
SAFE-ZONE HIGH VISIBILITY MATTING									
Safety Message Mats	Rubber/Carpet	3/8"		Durable	x				
Diamond-Dek Sponge-HV	Vinyl	3/8"		3 year	x	x	x	x	
Soft-Spun HV	Vinyl	3/8"		1 year	x		x	x	
Workmaster II HV	Rubber	3/4"		1 year	x		x	x	
Anti-Slip Tape HV	Taper					x			
INDUSTRIAL MAT-DRY AREA									
Grand-Stand Vinyl	Vinyl	1/2"	x	1 year	x	x	x	x	
Grand-Stand Vinyl HD	Vinyl	1 1/8"	x	1 year	x	x	x	x	
Grand-Stand Textured	Rubber	1/2"	x	2 year	x	x	x	x	
Grand-Stand Deluxe	Rubber	1/2"	x	2 year	x	x	x	x	
Grand-Stand 3/4"	Rubber	3/8"	x	2 year	x	x	x	x	
Grand-Stand Corrugated	Rubber	1/2"	x	2 year	x	x	x	x	
Grand-Stand Beauty & Barber	Rubber	3/8", 1/2"	x	2 year	x	x	x	x	
Grand-Stand Vinyl Beauty & Barber	Vinyl	1/2", 1 1/8"	x	2 year	x	x	x	x	
Diamond-Dek Sponge	Vinyl	3/8"	x	3 years	x	x	x	x	
Diamond-Dek Sponge-HD	Vinyl	1 1/8"	x	3 years	x	x	x	x	
Diamond-Dek Sponge SUPREME	Vinyl	3/4"	x	3 years	x	x	x	x	
Metallic Diamond-Dek Sponge	Vinyl	3/8"	x	1 year	x	x	x	x	
Soft-Spun	Vinyl	1/4", 3/8"	x	1 year	x	x	x	x	
Soft-Spun 5/8"	Vinyl	5/8"	x	1 year	x	x	x	x	
Diamond-Dek Soft-Spun	Vinyl	3/8"	x	1 year	x	x	x	x	
Safety Spun	Vinyl	3/8"	x	1 year	x	x	x	x	
Ultra Safe	Vinyl	3/8"	x	1 year	x	x	x	x	
Diamond-Dek Ultra Safe	Vinyl	3/8"	x	1 year	x	x	x	x	
Soft-Stand Supreme	Vinyl	1/2"	x	1 year	x	x	x	x	
Comfort Stand	Vinyl	3/8"	x	1 year	x	x	x	x	
Comfort Stand HD	Vinyl	7/8"	x	1 year	x	x	x	x	
INDUSTRIAL MAT-WET AREA									
Workstation Plus	Rubber	1/2"	x	1 year	x		x	x	
Workstation Open/Solid	Rubber	5/8"	x	1 year	x		x	x	
Workmaster	Rubber	3/4"	x	1 year	x		x	x	
Workmaster II	Rubber	3/4"	x	1 year	x		x	x	
Workstation Light	Rubber	1/2"	x	1 year	x		x	x	
RdMat	Rubber	3/4"	x	3 years		x	x	x	
Moss	Rubber	5/8"	x	3 years		x	x	x	
Workstation Nitrile	Rubber	5/8"	x	3 years		x	x	x	
Kitchen Grid	Vinyl	5/8"		3 years		x			
Work Flow Plus	Rubber	1/4"		3 years	x				
Cushion Tile	Vinyl	3/4"	x	1 year					x
Grit Cushion Tile	Vinyl	3/4"	x	1 year					x
Color Cushion Tile	Vinyl	3/4"	x	1 year	x				
Cushion Tile Workstation/Eyewash	Rubber	5/8"	x	1 year		x			
Bubble Mat	Vinyl	5/8"	x	4 years		x			x
Vynagrip	Vinyl	5/8"	x	1 year		x			x
Tread-Grid	Vinyl	1/2"	x	1 year		x			
Heronair	Vinyl	9/8"	x	2 years		x			
Heronrib	Vinyl	3/8"	x	3 years		x			
Cushion Grid	Vinyl	1/2"	x	1 year		x			
CONDUCTIVE/ANTI-STATIC									
Static Ease	Rubber	1/2"	x	2 years	x				x

Size Chart

PRODUCT NAME	Material	Thickness	Recycled Content	Warranty	Size options				Glue Down Title
					Standard	Rolls	Custom Widths	Custom Lengths	
Switchboard	Vinyl	1/4"		1 year	x				x
Diamond Switchboard	Vinyl	1/4"		1 year	x				x
Military Switchboard	Vinyl	1/6"		1 year	x				x
Conductive Diamond-Dek Sponge	Vinyl	1/8"		3 years	x	x	x	x	
RUNNER MATTING									
Corrugated Rubber	Rubber	1/8"		1 year	x				x
Heavy Duty Corrugated Rubber	Rubber	1/4"		1 year	x				x
Heavy Duty Corrugated Rubber Fine Rib	Rubber	1/4"		1 year	x				x
Diamond-Dek Runner	Vinyl	5/16"	x	1 year	x				x
EZ Klean	Vinyl	1/8"	x	1 year	x				x
Metallic Diamond-Dek Runner	Vinyl	5/16"		1 year	x				x
Diamond-Dek Runner Color	Vinyl	1/8"		1 year	x				x
Flip Over	Rubber	3/8"	x	1 year	x				x
Textured Rubber	Rubber	1/8"		1 year	x				x
Clear Vinyl	Vinyl	3/16"		1 year	x				x
Recycled Rubber Runner	Rubber	5/16"	x	1 year	x				x
HIGH ACTIVITY MATTING									
Impact Sports Mat	Rubber	1/2", 3/4"	x	3 years	x				x
Dura-Speck Sports Floor	Rubber	1/4", 3/8"	x	3 years	x				x
Interlocking Sports Floor	Rubber	3/8"	x	1 year	x				x
SPECIALTY									
Anti-Slip Tape	Tape	n/a		1 year	x				
Dura-Kote	Paint	n/a							
Clear Vinyl	Vinyl	3/16"		1 year					x
Clear Vinyl Diamond Surface	Vinyl	3/16"		1 year					x
Dura Pro	Polypropylene	1/4"		1 year	x				
ENTRANCE									
Vylon 500C	Vinyl	7/16"		Durable			x	x	
Frontrunner	Vinyl	.55" (14mm)	x	4 years			x	x	
Legacy Pin	Polypropylene	9/16"	x	1 year			x	x	
Recessed Cocoa	Cocoa	5/8", 1", 1 1/4"		1 year			x	x	
Enforcer	Polypropylene	7/16"	x	1 year			x	x	
Carpet Tiles Diagonal	Polypropylene	3/8"	x	3 years					x
Carpet Tile Pin	Polypropylene	3/8"	x	3 years					x
Carpet Tile Journey	Nylon	5/16"	x	1 year					x
DuraLoop	Vinyl	3/4", 1/2"		1 year		x	x	x	
Fingerrip	Rubber	3/8"	x	1 year		x			
Brush-N-Scrape	Nylon	3/8"	x	Durable					x
Par-K	Rubber	3/8"	x	1 year		x			
Cocoa Entry	Cocoa	1 1/2"		1 year		x			
Niagra	Polypropylene	3/8"	x	Durable					x
Ridge-Way	Polypropylene	3/8"	x	Durable					
Stop-N-Dry	Polyester	3/8"	x	Durable					
Cross Ridge	Polypropylene	3/8"	x	1 year		x			
Wipe-N-Walk	Olefin	1/4"		1 year		x			
Spectra-Rib	Polypropylene	3/8"	x	1 year		x			x
Spectra-Olefin	Olefin	3/8"	x	1 year		x			x
Spectra-Pin	Polypropylene	3/8"		1 year		x			x
Chevron	Polypropylene	3/8"		1 year		x			x
Spectra Plush	Nylon	3/8"		Durable		x			x
Nylon Carpet Logo	Nylon	3/8"		Durable		x			
Vylon Logo	Vinyl	3/16"		Durable			x		
Niagra Custom Inlay	Polypropylene	3/8"		Durable				x	
DuraLoop Custom Inlay	Vinyl	3/8"		Durable					
Aluminum Pre-Sized Beveled Frames	Aluminum	n/a							x

Terms & Conditions

Standard Warranty

All Durable Corporation floor covering products are guaranteed to be free of defects in material and workmanship under normal conditions of usage, provided our recommended installation and maintenance instructions are followed. Any defective material will be replaced at our expense if a claim is reported to us in writing, and if our examination shows that the product has failed under the terms of this Warranty. The maximum period of responsibility under this Warranty is one (1) year from the date of shipment.

Verbal Quotations

All verbal quotations must be documented with our quotations number. No verbal quotation will be valid without such documentation.

Terms

Terms are 1% 10, net 30 days, subject to credit approval. A ½% finance charge may be applied to accounts past 30 days.

Pricing

All prices are FOB shipping point. Prices are subject to change without notice. When price changes are necessary, we will make every effort to provide advance notification, allowing reasonable time for customers to make their price adjustments.

Shipping Charges

All orders are FOB shipping point. Unless specifically requested otherwise, all shipments sent by motor freight will be sent prepaid and added to invoice when shipping from Norwalk, Ohio, and other locations. When necessary, shipment may be sent prepaid with transportation charges sent directly to customer, and a service charge may apply. Orders will be shipped via United Parcel Service (UPS) or Federal Express whenever possible. When UPS limits are exceeded, we will always ship the least expensive, most direct way, unless otherwise specified by customer. All weights shown in this catalog are approximate and may vary from one production run to another. Durable reserves the right to ship product via its desired carriers. If other carriers are specified, special handling charges may apply.

Product Stability

Every effort has been made to accurately describe our products and to define their general usage. Determination of the suitability of any product and any application contemplated by the Buyer is the sole responsibility of the Buyer or User. In the event of improper product selection by the Buyer, Durable Corporation makes no warranty or guarantee of results to be obtained since use and application by the Buyer are beyond our control. If in doubt as to the suitability of a particular product application, please contact our Sales Department. We will not be liable for damages in excess of the purchase price of the product.

Product Specifications

Specifications for all products are subject to change without prior written notice, when such changes are made to achieve improved product appearance, design or performance.

Color Specifications

Product colors are reproduced in our catalog as accurately as possible. Colors represent average production runs and may vary in shade from time to time, depending upon dye lot and compound variations.

Image Proportions

Because of this catalog's design, images may not be proportional from one mat to the next. Visit www.durablecorp.com for more photographs "on location."

Returned Goods

Every effort will be made to accommodate requests for returned merchandise. Please contact our Customer Service Department for assistance in making arrangements for returns. When return authorization is granted, merchandise must be returned to us freight Prepaid and side marked with the assigned return authorization number. Merchandise must be packaged properly. A restocking charge of up to 30% will be enforced on ALL standard stock items returned. Special size, special run, special color, or custom made materials are not returnable. Authorizations to return merchandise are valid for sixty (60) days.


Damaged Goods/Shortages

To protect your interests, it is imperative to inspect and count articles before accepting shipment. Damages or shortages should be documented on the delivery receipt. If damage or shortage occurs, contact our Customer Service Department for assistance in filing a claim. Filing claims with freight carriers is the responsibility of the consignee. Claims for lost or damaged goods cannot be honored after six (6) months from the date of shipment.

Ordering Instructions

Each product description in this catalog includes ordering instructions which specify the information required for ordering that particular item. These instructions will vary according to the different product characteristics. It is essential to provide all the information specified in Ordering Instructions to assure shipment of the desired item without delays that might result from incomplete information. For items where Width and Length are to be specified, it is important to note that Width is the measurement from left to right as you approach the mat; and Length is the distance over which you travel (front to back).

Measuring Diagram



(800) 626-7835
contact@sweeperland.com

4713 Gettysburg Rd
Mechanicsburg, PA 17055

www.sweeperland.com