

USB-USA
2018/19 Catalog



USB-USA

1-800-626-7835 | info@sweeperland.com

Generations of Craftsmanship

USB Duesen GmbH a family owned, and operated German manufacturing business partnered with Patrick Savio in the United States to form USB-USA LLC. Strategically located in metro Atlanta, GA., USB-USA services municipalities, contractors and distributors across North, South and Central America. USB-USA specializes in providing high-quality stainless-steel sewer and pipe cleaning nozzles with 3D fluid mechanics, Turbo Chain Cutters and accessories.

USB Duesen is ISO 9001:2015 certified and has been manufacturing high-grade stainless-steel sewer cleaning equipment for over 25 years. These valuable years of experience combined with endless field tests, scientific evidence and patented protected ideas produce innovative, long lasting, durable equipment. State-of-the art 5 axil CNC machines are maintained at the highest quality standard to ensure the output is consistent and precise. USB Duesen strives to continually improve and develop their products for success in the field across the globe!



ALL PRODUCTS

Bottom Cleaner



Storm Surge 3D
Page 08



Bagger Max 3D
Page 09



3D Flounder Nozzle
Page 10



Speed Power 3D
Page 11



Venturi Nozzle
Page 12

Cleaning Nozzles



Cycle Nozzle 3D
Page 13



Super Cycle 3D
Page 14



Combinator 3D
Page 15



Rocket Large 3D
Page 16



3D Radial Clean Nozzle
Page 17



Tri-Jet 3D
Page 18



3D Cleaning Nozzle
Page 19



Rocket Nozzle 3D
Page 20



Radi 70 3D
Page 21



Egg Nozzle 3D
Page 22



FS Nozzle 3D
Page 23



Super 12
Page 24



Standard Nozzle
Page 25



Chisel Nozzle
Page 26



Radial Chisel Nozzle
Page 27



3D Extreme
Page 28



FD2 Nozzle 3D
Page 29



Digger Nozzle
Page 30

Rotating/Vibrating Nozzles



Primus HD
Page 31



Primus Nozzle I
Page 31



Primus Nozzle II
Page 31



Primus Nozzle III
Page 31



Primus Antiblaster II 3D
Page 32



Primus Antiblaster III 3D
Page 32



Rotor Nozzle
Page 33



Front Push Rotor
Page 34



T-Hammer
Page 35



V-Hammer
Page 36

Root Cutters



Mini T-Cutters
Page 37



Turbo 0
Page 38



Turbo I
Page 40



Turbo II Rigid
Page 42



Turbo II
Page 44



Turbo S400
Page 46



Turbo III
Page 48



Turbo S-200
Page 50



Turbo S-600
Page 52



Turbo IV
Page 54



Turbikit 3D
Page 56



Pipe Wolf Nozzle 3D
Page 57



Diamond Face Cutter
Page 58



Rotor Wolf
Page 59

XL Profile Pipes



Radial Flex Skid
Page 60



Handy Cart
Page 61



Elbow Flex Skid
Page 62

Speciality Nozzles



Spin-Jet
Page 63



Steering Nozzle
Page 64



Antiblaster
Page 65

Accessories



High Pressure Swivel
Page 66



Crown Nozzle
Page 67



Uni-Flex Skid
Page 68



Reducers / Collars
Page 69




Tools / Accessories
Page 70

Nozzle Inserts



Nozzle Inserts
Page 71

APPLICATIONS



Large and Special Profile

| | |
|------------------|---------|
| Handy Cart | Page 61 |
| Radial Flex Skid | Page 60 |
| Eibow Flex Skid | Page 62 |



Large Debris, Rocks, Mud, Sand, Silt

| | |
|--------------------|---------|
| Storm Surge 3D | Page 08 |
| Bagger Max 3D | Page 09 |
| 3D Flounder Nozzle | Page 10 |
| Speed Power 3D | Page 11 |
| Venturi Nozzle | Page 12 |

| | |
|------------------|---------|
| Rocket Nozzle 3D | Page 20 |
| Rocket Large 3D | Page 16 |
| Cycle Nozzle 3D | Page 13 |
| Super Cycle 3D | Page 14 |



Roots

| | |
|---------------------|------------|
| Primus HD | Page 31 |
| Turbos | Page 38-54 |
| Turbikit | Page 56 |
| Pipe Wolf Nozzle 3D | Page 57 |
| Rotor Wolf | Page 59 |



Grease, Fats

| | |
|--------------------|---------|
| Primus I | Page 31 |
| Primus II | Page 31 |
| Primus III | Page 31 |
| Primus Antiblaster | Page 32 |


| | |
|------------------------|---------|
| 3D Radial Clean Nozzle | Page 17 |
| Radi 70 3D | Page 21 |
| Radial Chisel Nozzle | Page 27 |



Preventative Maintenance

| | |
|--------------------|---------|
| Primus I | Page 31 |
| Primus II | Page 31 |
| Primus III | Page 31 |
| Primus Antiblaster | Page 32 |
| Rotor Nozzle | Page 33 |

| | |
|--------------------|---------|
| Combinator 3D | Page 15 |
| Radial Clean 3D | Page 17 |
| Tri-Jet 3D | Page 18 |
| 3D Cleaning Nozzle | Page 19 |
| Egg Nozzle 3D | Page 22 |
| Cycle Nozzle 3D | Page 13 |
| Super Cycle 3D | Page 14 |



Manholes

Spin-Jet

Page 63



Half or completely open Drain Pipes

FD2 Nozzle 3D

Page 29



Mineral Deposits, Calcium, Scale

Diamond Face Cutter Page 58
Turbikit Page 56
Turbos Page 38-55

T-Hammer Page 35
V-Hammer Page 36



Protruding Laterals or Pipes

Turbo Flexible Page 44-55
w/ barrel cutter



Toilet safe

Antiblaster

Page 65

STORM SURGE 3D



3006



3008











3010



3012




3014

|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 3006 | ¾" - 1" | 30 | 12" - 15" | 20.80" x 8.10" | 39 | 6 | --- | --- | 3 |
| 3008 | 1" - 1¼" | 40 | 15" - 30" | 20.80" x 9.00" | 49 | 8 | --- | --- | 3 |
| 3010 | 1" - 1¼" | 60 | 18" - 40" | 20.80" x 11.3" | 59 | 10 | --- | --- | 3 |
| 3012 | 1" - 1¼" | 80 | 20" - 80" | 20.80" x 11.8" | 69 | 12 | --- | --- | 3 |
| 3014 | 1" - 1¼" | 80 | 20" - 96" | 20.80" x 11.8" | 79 | 14 | --- | --- | 3 |

Outstanding excavation, traction and transportation

A highly efficient floor cleaner made of hardened stainless steel, the **Storm Surge 3D** nozzle has a built-in power manifold with fixed jets and 3D fluid mechanics that produce an intense and forceful jet pattern resulting in outstanding excavation, traction and transportation of material—even under water! Roll-over bars enable this nozzle to return to its correct position every time. One-piece ceramic inserts and a high-pressure swivel come standard on this nozzle.

BAGGER MAX 3D













1015



1012



1013

|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 1012 | 1", 1 1/4" | 80 | 32" - 120" | 30.00" x 12.00" | 115 | 12 | --- | --- | 3 |
| 1013 | 1", 1 1/4" | 80 | 24" - 72" | 22.80" x 10.00" | 66 | 10 | --- | --- | 3 |
| 1015 | 1" | 40 | 15" - 48" | 19.68" x 8.66" | 53 | 8 | --- | --- | 3 |
| 1017 | 1" | 40 | 10" - 30" | 15.74" x 7.87" | 46 | 6 | --- | --- | 3 |
| 1018 | 3/4" | 35 | 10" - 30" | 15.74" x 7.87" | 33 | 6 | --- | --- | 3 |

Forceful jet pattern and adjustable nozzle block

A high efficiency floor cleaner made of hardened stainless steel, the **Bagger Max 3D** nozzle includes an adjustable nozzle block that can be positioned vertically between 0° - 30° depending on your application. The power manifold has built in 3D fluid mechanics that produce an intense and forceful jet pattern resulting in outstanding excavation, traction and transportation of material—even under water! Roll over bars enable this nozzle to return to its correct position every time. One-piece ceramic inserts and a high-pressure swivel come standard on this nozzle.

FLOUNDER 3D













1377



1381



1378

|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 1377 | 1", 1 1/4" | 80 | 15" - 60" | 10.62" x 7.08" | 37,47 | 10 | --- | --- | 3 |
| 1378 | 1" | 50 | 12" - 40" | 8.66" x 5.90" | 20,94 | 8 | --- | --- | 3 |
| 1380 | 3/4" | 30 | 10" - 24" | 7.08" x 3.93" | 9,5 | 6 | --- | --- | 3 |
| 1381 | 1/2" | 12 | 4" - 12" | 5.90" x 3.54" | 6,61 | 4 | --- | --- | 3 |
| 1382 | 3/8" | 6 | 2" - 4" | 3.93" x 2.75" | 2,2 | 4 | --- | --- | 3 |











Ideal for cleaning sand, mud and gravel

Flat, compact, heavy and wedge-shaped, the **Flounder 3D** nozzle is ideal for cleaning sand, dirt, mud, gravel and other material at the bottom of the pipe. The overall design, in combination with the 3D fluid mechanics, makes the cleaning process fast and effective.

SPEED POWER 3D



1038











|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 1030 | 1", 1 1/4" | 80 | 15" - 60" | 19.68" x 7.87" | 106 | 8 | --- | --- | 3 |
| 1035 | 1", 1 1/4" | 80 | 12" - 40" | 16.53" x 6.29" | 66 | 8 | --- | --- | 3 |
| 1038 | 1" | 60 | 10" - 32" | 13.77" x 5.51" | 49 | 6 | --- | --- | 3 |

Perfect for oval and egg-shaped pipes

The **Speed Power 3D** is a heavy spherical and ellipsoid-shaped high-efficiency floor cleaner for oval or egg-shaped pipes. The 3D fluid mechanics create a powerful jet pattern that is mainly directed towards the pipe bottom to move heavy debris. The nozzle is constructed of hardened stainless steel and comes standard with one-piece ceramic inserts and a high-pressure swivel.

VENTURI NOZZLE



|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 2704 | 1", 1 1/4" | 80 | 48" and 120" | 27.16" x 15.74" | 101,41 | 2 | — | — | 2 |
| 2702 | 1", 1 1/4" | 80 | 32" - 60" | 27.55" x 15.74" | 92,59 | 1 | — | — | 2 |
| 2700 | 1" | 60 | 32" - 48" | 25.59" x 11.81" | 59,52 | 1 | — | — | 2 |

Clean large sewer pipes with continuous flow

USB has designed a specialized nozzle to clean large sewer pipes with continuous flow. The **Venturi Nozzle** creates a constriction within the pipe that varies the flow of fluids (the Venturi effect), enabling it to clean and move large volumes of sand, mud, sludge, gravel and other debris out of the pipe. The Venturi nozzle comes standard with a high-pressure swivel. Available in two models.

NOTE: The nozzle must be completely submerged in water when operating.











CYCLE NOZZLE 3D



3002



3002











|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 3001 | 3/4" | 50 | 8" - 20" | 7.00" x 3.8" | 11 | 8 | --- | --- | 3 |
| 3002 | 1" | 60 | 8" - 20" | 7.00" x 3.8" | 11 | 8 | --- | --- | 3 |
| 3003 | 1 1/4" | 80 | 8" - 20" | 7.00" x 3.8" | 11 | 8 | --- | --- | 3 |

Spray angles for pipe cleaning and maintenance (12°/20°)

Produced from hardened stainless steel, the **Cycle Nozzle 3D** includes 3D fluid mechanics and two different rear spray angles of 12°/20°. These spray angles are ideal for general pipe cleaning and preventative maintenance work. This nozzle comes standard with one-piece ceramic inserts.

SUPER CYCLE NOZZLE 3D



|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 3000 | 1" | 60 | 10" - 40" | 7.80" x 4.20" | 17,5 | 12 | --- | --- | 3 |
| 2999 | 1 1/4" | 80 | 10" - 40" | 7.80" x 4.20" | 17,5 | 12 | --- | --- | 3 |

12 rear jets ideal for large pipes











The **Super Cycle Nozzle 3D** is a large, heavy-weight nozzle constructed from hardened stainless steel with 12 rear jets. Set at spray angles of 12° and 28°, the rear jets make this nozzle ideal for cleaning sewer, storm or other large pipes. Its powerful jet pattern and 3D fluid mechanics are excellent for flushing dirt from roots before cutting or general cleaning. This nozzle comes standard with one-piece ceramic inserts.

COMBINATOR 3D



1187

1182

|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 1182 | 1", 1 1/4" | 80 | 15" - 48" | 7.87" x 4.72" | 23,14 | 12 | --- | --- | 3 |
| 1186 | 1" | 60 | 10" - 32" | 7.08" x 4.33" | 17,63 | 10 | --- | --- | 3 |
| 1187 | 1" | 60 | 8" - 20" | 6.10" x 3.93" | 12,12 | 8 | --- | --- | 3 |
| 1188 | 3/4" | 35 | 8" - 20" | 6.10" x 3.93" | 12,12 | 8 | --- | --- | 3 |

Spray angles for pipe cleaning and maintenance (15° /25°)

The **Combinator 3D** nozzle is produced from hardened stainless steel and includes 3D fluid mechanics and two different rear spray angles of 15° /25°. These spray angles are ideal for general pipe cleaning and preventative maintenance work. This nozzle comes standard with one-piece ceramic inserts.











ROCKET LARGE 3D



1157



1154











|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 1152 | 1½" | 110 | 16" - 48" | 10.23" x 6.29" | 44,09 | 12 | --- | --- | 3 |
| 1154 | 1", 1¼" | 80 | 12" - 32" | 7.87" x 4.72" | 20,94 | 10 | --- | --- | 3 |
| 1156 | 1" | 60 | 10" - 24" | 7.08" x 4.33" | 17,63 | 8 | --- | --- | 3 |
| 1157 | 1" | 60 | 8" - 20" | 6.10" x 3.93" | 11,46 | 8 | --- | --- | 3 |
| 1158 | ¾" | 35 | 8" - 15" | 6.10" x 3.93" | 11,46 | 8 | --- | --- | 3 |

Rocket-like power!

The tight spray angle of 7° combined with one piece-ceramic inserts and 3D fluid mechanics produce incredible results. Constructed from hardened stainless steel, the **Rocket Nozzle 3D Large** has a powerful jet pattern can flush dirt, mud, rocks and other large or heavy material found in sewer or storm pipes.

3D RADIAL CLEAN NOZZLE













|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 1191 | 1½" | 110 | 12" - 24" | 12.40" x 7.48" | 79,36 | 6 | --- | 12 | 3 |
| 1190 | 1", 1¼" | 80 | 10" - 20" | 7.87" x 4.72" | 20,94 | 5 | --- | 10 | 3 |
| 1194 | 1" | 60 | 8" - 15" | 6.10" x 3.93" | 12,12 | 6 | --- | 6 | 3 |
| 1195 | ¾" | 30 | 6" - 12" | 4.92" x 3.14" | 6,17 | 5 | --- | 5 | 3 |

Powerful spray pattern leaves no streaks behind

Streaks are a thing of the past with the **3D Radial Clean Nozzle**! 3D fluid mechanics deliver smooth water to the rear 45° fan jets, creating a powerful 360° spray pattern capable of removing grease, scale, dirt and sand from pipe walls—without leaving streaks behind. The additional rear 15° propulsion jets move the nozzle up the line and help transport material back to the manhole. This high-performing nozzle is perfect before CCTV inspection.

TRI-JET 3D



|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 1225 | 1½" | 110 | 16" - 48" | 10.23" x 6.29" | 44,09 | 15 | --- | --- | 3 |
| 1220 | 1", 1¼" | 80 | 11.81" - 40" | 7.87" x 4.72" | 23,14 | 15 | --- | --- | 3 |
| 1218 | 1" | 80 | 10" - 32" | 7.08" x 4.33" | 17,63 | 15 | --- | --- | 3 |
| 1213 | 1" | 60 | 8" - 20" | 6.10" x 3.93" | 12,12 | 12 | --- | --- | 3 |
| 1213AL | 1" | 60 | 8" - 20" | 6.10" x 3.93" | 12,12 | 12 | --- | --- | 3 |
| 1210 | ¾" | 50 | 4" - 12" | 4.92" x 2.75" | 4,85 | 12 | --- | --- | 3 |

A high-performance nozzle with options

The **Tri-Jet 3D**, available in aluminum or stainless steel, makes use of three different optimal rear spray angles, 7°/14°/21°. As an option, one of the spray angles can be blocked off all the way around the nozzle to focus the cleaning process on pulling, flushing or cleaning with the remaining two spray angles. This nozzle comes standard with one-piece ceramic inserts.

3D CLEANING NOZZLE













1055



1071




1075

|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 1052 | 1" | 60 | 8" - 24" | 7.08" x 3.14" | 8,81 | 10 | 1 | ---- | 3 |
| 1055 | 1" | 60 | 8" - 24" | 4.72" x 3.14" | 6,17 | 10 | 1 | ---- | 3 |
| 1060 | 1" | 50 | 6" - 15" | 4.92" x 2.75" | 4,85 | 8 | 1 | ---- | 3 |
| 1063 | 3/4" | 30 | 6" - 10" | 4.13" x 2.75" | 3,96 | 8 | 1 | ---- | 3 |
| 1070 | 3/4" | 30 | 6" - 10" | 3.74" x 2.36" | 2,64 | 8 | 1 | ---- | 3 |
| 1062 | 1/2" | 18 | 4" - 8" | 4.13" x 2.75" | 3,96 | 6 | 1 | ---- | 3 |
| 1071 | 1/2" | 18 | 4" - 8" | 3.74" x 2.36" | 2,64 | 6 | 1 | ---- | 3 |
| 1075 | 1/2" | 12 | 4" - 8" | 2.36" x 1.57" | 0,66 | 6 | 1 | ---- | 3 |

Rear-spraying angles and a forward-spraying jet

Hardened stainless steel construction with 3D fluid mechanics and two different rear-spraying angles of 15° /25° make this **3D Cleaning Nozzle** ideal for general pipe cleaning and preventative maintenance work. A forward-spraying jet is also included. This nozzle comes standard with one-piece ceramic inserts.

ROCKET NOZZLE 3D



|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 1121 | 1" | 50 | 6" - 24" | 4.92" x 3.14" | 7.27 | 10 | --- | ---- | 3 |
| 1120 | 1" | 50 | 6" - 15" | 4.92" x 2.75" | 4.85 | 8 | --- | ---- | 3 |
| 1120AL | 1" | 50 | 6" - 15" | 4.92" x 2.75" | 2.00 | 8 | --- | ---- | 3 |
| 1126 | 3/4" | 30 | 6" - 12" | 3.74" x 2.36" | 2.64 | 8 | 1 | ---- | 3 |
| 1128 | 1/2" | 12 | 4" - 8" | 2.36" x 1.57" | 0.66 | 6 | 1 | ---- | 3 |

Small but powerful

The **Rocket Nozzle 3D** has a tight spray angle of 7°. This combined with the one piece-ceramic inserts and 3D fluid mechanics, produces incredible pulling power. Constructed from hardened stainless steel, the powerful jet pattern can flush dirt, mud, rocks and any other large heavy material you may find in sewer or storm pipes. "The 1" Rocket nozzle is also available in aluminum for hilly difficult terrain".

RADI 70 3D













1112



1114



1117

|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 1112 | 1" | 80 | 10" - 32" | 7.08" x 3.14" | 9,70 | 10 | 1 | 10 | 3 |
| 1114 | 1" | 60 | 6" - 24" | 5.11" x 2.75" | 4,85 | 8 | 1 | 8 | 3 |
| 1115 | ¾" | 30 | 6" - 12" | 3.74" x 2.36" | 2,64 | 8 | 1 | 8 | 3 |
| 1117 | ½" | 18 | 4" - 8" | 2.36" x 1.57" | 0,66 | 6 | 1 | 6 | 3 |

Multiple spray angles blast materials away

3D fluid mechanics and multiple spray angles, including jets that are 70° perpendicular to the interior wall of the pipe, enable the **RADI 70 3D** to blast material off the pipe wall. The two remaining two spray angles of 15°/25° effectively propel the nozzle and clean the pipe. This nozzle comes standard with one-piece ceramic inserts.

EGG NOZZLE 3D













1081



1082



1083

|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 1081 | 1" | 50 | 6" - 12" | 4.13" x 2.75" | 3,74 | 8 | 1 | ---- | 3 |
| 1082 | 3/4" | 30 | 6" - 10" | 2.75" x 1.96" | 1,76 | 8 | 1 | ---- | 3 |
| 1083 | 1/2" | 12 | 4" - 8" | 2.16" x 1.57" | 0,44 | 6 | 1 | ---- | 3 |
| 1084 | 3/8" | 8 | 4" - 6" | 1.96" x 1.37" | <0,44 | 5 | 1 | ---- | 2 |
| 1085 | 1/4" | 6 | 2" - 4" | 1.57" x 1.18" | <0,44 | 6 | 1 | ---- | 2 |
| 1086 | 1/8" | 3 | 2" - 4" | 0.78" x 0.62" | <0,44 | 3 | 1 | ---- | 1 |
| 1087 | 1/8" | 3 | 2" - 4" | 0.78" x 0.62" | <0,44 | 3 | 1 | ---- | 1 |

Designed for easy mobility and powerful cleaning

With its contoured egg-shaped design and 20° rear propulsion jets, the **Egg Nozzle 3D** is designed to slide easily down the pipe. 3D fluid mechanics and one-piece ceramic inserts deliver water that efficiently and effectively cleans while propelling the nozzle.

FS NOZZLE 3D













1172



1173



1174

|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 1172 | 1" | 60 | 6" - 15" | 4.13" x 2.75" | 3,74 | 8 | 4 | ---- | 3 |
| 1173 | 3/4" | 30 | 6" - 12" | 2.95" x 1.96" | 1,54 | 8 | 4 | ---- | 3 |
| 1174 | 1/2" | 14 | 4" - 8" | 2.36" x 1.57" | 0,66 | 6 | 4 | ---- | 3 |
| 1175 | 3/8" | 8 | 2" - 4" | 1.96" x 1.37" | 0,44 | 5 | 4 | ---- | 2 |
| 1176 | 1/4" | 6 | 2" - 4" | 1.57" x 1.18" | 0,22 | 6 | 4 | ---- | 2 |











A penetrating nozzle that opens tough blockages and slides with ease

Designed to penetrate pipes with tough blockages, the **FS Nozzle 3D** is made from hardened stainless steel and features 3D fluid mechanics and four forward-facing one-piece ceramic inserts at 0° /15°. The 20° rear propulsion jets combined with the smooth egg shape enables the nozzle to slide easily down the pipe.

SUPER 12



1205

|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 1205 | 1/2" | 14 | 2" - 4" | 1.96" x 1.18" | <1.0 | 12 | 1 | ---- | 2 |

A small nozzle that packs a punch—and navigates tight corners

Don't be fooled by its small size, the **Super 12** gets the job done. The 12 rear propulsion jets are more than any other 1/2" nozzle in our inventory. And the 15° spray angle makes this nozzle ideal for use around tight corners.

STANDARD NOZZLE



1256













1260



1255



1262











|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 1251 | 1 1/4" | 80 | 8" - 12" | 3.14" x 2.36" | 2,2 | 10 | 1 | ---- | 2 |
| 1256 | 1" | 50 | 6" - 12" | 3.14" x 2.16" | 1,76 | 10 | 1 | ---- | 2 |
| 1255 | 1" | 50 | 6" - 12" | 2.04" x 2.28" | 1,5 | 12 | 4 | ---- | 2 |
| 1257 | 3/4" | 30 | 6" - 8" | 2.55" x 1.69" | 0,88 | 8 | 1 | ---- | 2 |
| 1259 | 3/4" | 30 | 6" - 8" | 2.55" x 1.69" | 0,88 | 6 | 1 | ---- | 2 |
| 1260 | 1/2" | 12 | 4" - 6" | 1.18" x 1.96" | 0,22 | 6 | 1 | ---- | 1 |
| 1262 | 1/2" | 12 | 2" - 6" | 1.06" x 1.25" | 0,22 | 6 | 1 | ---- | 2 |
| 1268 | 3/8" | 8 | 2" - 4" | 1.37" x 0.98" | <0,22 | 6 | 1 | ---- | 1 |
| 1273 | 1/4" | 3 | up to 4" | 0.78" x 0.78" | <0,22 | 6 | 1 | ---- | 1 |
| 1274 | 1/4" | 3 | up to 4" | 0.78" x 0.78" | <0,22 | 6 | 1 | ---- | 1 |

A nozzle that sets new standards for cleaning smaller pipes

Compact, lightweight and inexpensive are three words that sum up the **Standard Nozzle**. Made from hardened stainless steel with a rear spray angle of 20°, this nozzle is perfect for cleaning smaller pipes. A front jet for penetration is also available.

CHISEL NOZZLE



|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 1316 | 1¼" | 100 | 8" - 24" | 7.08" x 3.34" | 9,70 | 6 | 5 | ---- | 2 |
| 1317 | 1¼" | 80 | 8" - 20" | 6.29" x 2.95" | 5,51 | 6 | 5 | ---- | 2 |
| 1318 | 1" | 60 | 8" - 20" | 6.29" x 2.95" | 5,51 | 6 | 5 | ---- | 2 |
| 1319 | 1¼" | 80 | 8" - 20" | 3.93" x 2.36" | 1,76 | 10 | 4 | ---- | 2 |
| 1320 | 1" | 60 | 8" - 15" | 3.74" x 2.36" | 1,50 | 8 | 4 | ---- | 2 |
| 1323 | ¾" | 30 | 6" - 12" | 2.95" x 1.96" | 0,66 | 6 | 4 | ---- | 2 |
| 1326 | ½" | 12 | 4" - 8" | 2.36" x 1.18" | 0,33 | 6 | 4 | ---- | 1 |
| 1328 | ⅜" | 12 | 2" - 4" | 1.57" x 0.98" | <0,22 | 6 | 4 | ---- | 1 |
| 1330 | ¼" | 6 | 2" - 4" | 1.18" x 0.78" | <0,22 | 6 | 4 | ---- | 1 |

Reliable, powerful and effective at tough blockages

The **Chisel Nozzle** is a reliable sewer cleaning nozzle that is a must have! Sharp edges and multiple forward jets deliver powerful penetration to effectively open tough total blockages. A drill point can be added to the front of the Chisel as well.











RADIAL CHISEL NOZZLE



1313



1314

|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 1313 | 1" | 80 | 8" - 20" | 6.29" x 2.95" | 5,51 | 6 | 5 | 6 | 2 |
| 1314 | 3/4" | 30 | 6" - 12" | 4.13" x 2.36" | 2,42 | 6 | 5 | 6 | 2 |

Greater penetrating power that restores flow

The **Radial Chisel Nozzle** uses sharp edges, multiple forward-penetrating jets and radial spray jets at 70° to break up blockages from within. This nozzle is designed for ultimate penetrating power.











3D EXTREME



1136



1136

|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 1136 | 1" | 60 | 6" - 15" | 8.74" x 2.75" | 9,47 | 8 | 1 | ---- | 3 |
| 1136,75 | 3/4" | 30 | 6" - 15" | 8.74" x 2.75" | 9,47 | 8 | 1 | ---- | 3 |

Exceptional cleaning and pulling power

Ideal for pipes that may have holes in the bottom or offsets, the **3D Extreme** nozzle is a worthy tool to have in your tool box. 3D fluid mechanics and one-piece ceramic inserts create a strong jet pattern with a spray angle of 11°, resulting in exceptional cleaning and pulling power. One forward jet offers a penetration option as well.











FD2 NOZZLE 3D



1279



1279

|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 1278 | 1 1/4" | 100 | 12" | 7.87" x 3.54" | 14,33 | 8 | --- | --- | 3 |
| 1279 | 1" | 80 | 12" | 7.87" x 3.54" | 14,33 | 8 | --- | --- | 3 |
| 1280 | 1" | 60 | 8" | 6.29" x 2.95" | 8,37 | 8 | --- | --- | 3 |
| 1282 | 3/4" | 30 | 6" | 5.51" x 2.36" | 3,96 | 8 | --- | --- | 3 |
| 1290 | 1/2" | 12 | 4" | 4.72" x 1.96" | 2,64 | 6 | --- | --- | 3 |

Power meets control

The **FD2 Nozzle 3D** was designed to clean half open or completely open drain pipes! The hardened stainless steel nozzle includes 3D fluid mechanics that provide excellent cleaning and pulling power. At the same time, the one-piece ceramic inserts spray at an angle, preventing water from splashing upwards out of the channel.











DIGGER NOZZLE



1140



1140 + 1144 Digger Nozzle with Holder

|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 1140 | 1/2" | 12 | 2" - 8" | 1.57" x 1.18" | 0,22 | --- | --- | 7 | 2 |
| 1142 | 1/4" | 6 | Up to 3" | 1.18" x 0.78" | <0,22 | --- | --- | 7 | 2 |
| 1144 | Digger Nozzle Holder | | | 0.98" x 1.96" | 0,22 | --- | --- | --- | N/A |











A front-focused nozzle

Used as is or together with a special push rod attachment, the **Digger Nozzle** is strictly made for pushing material out of small pipes. The absence of rear jets focus all the water to the front of the nozzle, enabling it to clean effectively.











PRIMUS













PRIMUS HD (high pressure, up to 10K)

|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 5000 | 1/2" | 12 | 4" - 8" | 6.12" x 2.36" | 4 | 3 | 1 | 4 | 3 |











PRIMUS I

|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 5005 | 1/2" | 12 | 4" - 8" | 5.36" x 2.36" | 3 | 3 | 1 | 4 | 3 |

PRIMUS II

|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 5010 | 3/4" | 30 | 6" - 10" | 9" x 4.72" | 8 | 5 | 1 | 4 | 3 |
| 5013 | 1" | 60 | 6" - 15" | 9" x 4.72" | 8 | 5 | 1 | 4 | 3 |

PRIMUS III

|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 5020 | 1", 1 1/4" | 80 | 12" - 24" | 11.63" x 5.90" | 20,94 | 5 | 1 | 4 | 3 |

A user-friendly, innovative nozzle that flushes out debris

Designed for controlled rotation and use with recycled water, the innovative **Primus** requires no lubrication or replacement of internal parts for at least one year. The nozzle is built from hardened stainless steel. A rotating head removes grease, light scale and roots. And the 3D fluid mechanics in the propulsion unit flush out debris, providing outstanding results.

PRIMUS ANTIBLASTER 3D













5013AB













5020AB

PRIMUS ANTIBLASTER II 3D

|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 5010AB | 3/4" | 30 | 6" - 10" | 9" x 4.72" | 8 | 5 | 1 | 4 | 3 |
| 5013AB | 1" | 60 | 6" - 15" | 9" x 4.72" | 8 | 5 | 1 | 4 | 3 |

PRIMUS ANTIBLASTER III 3D

|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 5020AB | 1, 1 1/4" | 80 | 12" - 24" | 11.63" x 5.9" | 20,94 | 5 | 1 | 4 | 3 |

Controlled rotation for shallow sewer lines

Designed to reduce the chances of blowing toilets, the **Primus Antiblaster Nozzle 3D** is a controlled rotating nozzle that is also low maintenance. The nozzle is built from hardened stainless steel and requires no maintenance or replacement of internal parts for at least one year. A rotating head removes grease, light scale and roots while the wide 42° rear spray angles in the propulsion unit clean / flush out debris.

ROTOR NOZZLES



1350













1351



1357



1364

|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 1345 | 1 1/4" | 100 | 10" - 20" | 7.08" x 3.54" | 14,1 | 6 | --- | 3 | 2 |
| 1350 | 1" | 80 | 6" - 15" | 5.51" x 3.14" | 9,25 | 6 | --- | 3 | 2 |
| 1351 | 1" | 40 | 6" - 12" | 4.13" x 2.36" | 3,30 | 6 | --- | 3 | 2 |
| 1352 | 3/4" | 30 | 6" - 10" | 3.74" x 1.96" | 3,30 | 6 | --- | 3 | 2 |
| 1357 | 1/2" | 12 | 4" - 8" | 2.95" x 1.57" | 1,10 | 3 | --- | 3 | 2 |
| 1360 | 3/8" | 6 | 2" - 6" | 2.16" x 1.18" | 0,66 | 3 | --- | 3 | 2 |
| 1362 | 1/4" | 6 | 2" - 6" | 2.16" x 1.18" | 0,66 | 3 | --- | 3 | 2 |
| 1364 | 1/4" | 6 | Up to 4" | 1.57" x 0.78" | 0,33 | 3 | --- | --- | 1 |
| 1365 | 1/8" | 3 | Up to 4" | 1.33" x 0.62" | 0,22 | 3 | --- | --- | 1 |

Multi-angled inserts and rear propulsion jets remove and flush debris

Rotor Nozzles feature three one-piece ceramic inserts in the middle rotating section with spray angles of 90° /75° /60°, effectively removing grease, dirt and light roots from pipes. Rear propulsion jets help flush the debris. Constructed of hardened stainless steel, the nozzles include non-corrosive, low-maintenance rotating centers.











FRONT PUSH ROTOR



1308



1309 | 1310











|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 1308 | ½" | 14 | 4" - 8" | 2.75" x 1.57" | 0.88 | 3 | 4 | 3 | 2 |
| 1309 | ¾" | 8 | up to 6" | 2.16" x 1.18" | 0.66 | 3 | 4 | 3 | 2 |
| 1310 | ¼" | 8 | up to 6" | 2.16" x 1.18" | 0.66 | 3 | 4 | 3 | 2 |

A front-pushing nozzle designed for laterals and small pipes

The stainless steel **Front Push Rotor nozzle** is designed for effective cleaning of laterals and other small pipes. Rear jets propel the nozzle in the pipe, front rotating jets move material forward and additional rotating radial jets thoroughly clean the interior circumference of the pipe.

T-HAMMER




|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 1334 | 1", 1 1/4" | 80 | 8" - 20" | 7.08" x 3.54" | 14,33 | 6 | 3 | 3 | 2 |
| 1335 | 1" | 80 | 6" - 15" | 5.51" x 3.14" | 8,81 | 6 | 3 | 3 | 2 |











Controlled force for plastic pipes

The **T-Hammer**'s middle rotor section generates vibration in plastic pipes to break up deposits and other hard materials. Turbine technology controls the agitation. This stainless steel nozzle can be used with recycled water and comes standard with one-piece ceramic inserts.

WARNING: Use in thick plastic pipes only!! NEVER use in clay, concrete or thin plastic pipes

V-HAMMER



|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 1337 | 1" | 40 | 6" - 12" | 4.13" x 2.36" | 3.08 | 6 | --- | 3 | 2 |
| 1338 | ¾" | 30 | 6" - 10" | 3.62" x 1.96" | 1.76 | 6 | --- | 3 | 2 |
| 1339 | ½" | 12 | 4" - 8" | 2.75" x 1.57" | 1.32 | 3 | --- | 3 | 2 |
| 1340 | ¼" | 6 | up to 4" | 2.16" x 1.18" | 0.33 | 3 | --- | 3 | 2 |
| 1341 | ⅜" | 6 | up to 4" | 2.16" x 1.18" | 0.33 | 3 | --- | 3 | 2 |










Powerful impact for plastic pipes

The V-Hammer's middle rotor section generates vibration in plastic pipes to break up deposits and other hard materials that can then be flushed out. Less aggressive options for the top cap section are also available.

WARNING: Use in thick plastic pipes only!! NEVER use in clay, concrete or thin plastic pipes.

MINI T-CUTTERS



|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Turbine Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|
| 1979 | 1/2" | 8 | 2" - 4" | 3.38" x 1.37" | 0.88 | 6 | 3 | 2 |
| 1995 | 1/2" | 8 | 2" - 4" | 3.07" x 1.37" | 0.88 | 6 | 3 | 2 |
| 1997 | 1/2" | 8 | 2" - 4" | 3.54" x 1.37" | 0.88 | 6 | 3 | 2 |

Mini turbine tools perfect for slight bends and lower pump outputs

Made from hardened stainless steel and designed for small pipes, **Mini T Cutters** are high-efficiency turbine tools that effectively remove roots and deposits and open blockages. Their small size enables the Mini T Cutters to navigate around slight bends. Most uniquely, the cutters can be reduced to 3/8 " and 1/4" for lower pump outputs.










TURBO 0



TURBO 0

A small chain cutter with multiple attachments

One of the smallest chain cutters offered by USB, the **Turbo 0** utilizes turbine technology and 3D fluid mechanics to deliver supreme cutting and cleaning power. Multiple chain attachments, and rigid guide skids 4" to 6" make the removal of roots, grease and mineral deposits much easier. This cutter is constructed from hardened stainless steel, comes standard with one-piece ceramic nozzle inserts and is capable of use with recycled water.

|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Turbine Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|
| 2000 | 1/2" | 12 | 4" - 6" | 3.39" x 1.96" | 0,88 | 3 | 3 | 3 |

TURBO 0 - SPECIAL CASE



P/N

2050

Turbo 0 CASE KIT

Includes:
4" Guide Skid
4" Chain retainer w/chain and bits
6" Guide Skid
6" Chain retainer w/chain and bits
Tools for cutter

TURBO 0 - ACCESSORIES



- 2001** Guide skid 4"
- 2003** Guide skid 6"



- 2010M** Chain retainer w/ chain and bits 4"
- 2012M** Chain retainer w/ chain and bits 6"



- 2010S** Chain w/ blocks 4"
- 2012S** Chain w/ blocks 6"



- 2035** Slide-thru chain retainer



- 2038** Block for chain



- 2020** 4ft Replacement chain










TURBO I



Outmatched cutting performance with 4"-6" rigid skids*

The **Turbo I** rigid chain cutter was engineered to be powerful, durable, user friendly and require low maintenance. This cutter uses turbine technology in combination with 3D fluid mechanics to deliver outmatched cutting performance in its operating range. Roots, grease and mineral deposits do not stand a chance against the Turbo I. Rigid guide skids are available from 4" to 6". The cutter comes standard with one-piece ceramic inserts and a high-pressure swivel and is capable of use with recycled water.

*Skids sold separately

|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Turbine Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|
| 2100 | 1/2", 3/4" | 14 | 4" - 6" **** | 5.51" x 2.36" | 2,64 | 3 | 3 | 3 |

TURBO I - SPECIAL CASE



2150

Turbo I CASE KIT

Includes:

- 4" Guide Skid
- 4" Chain retainer w/chain and bits
- 6" Guide Skid
- 6" Chain retainer w/chain and bits
- Tools for cutter

TURBO I - ACCESSORIES



- 2101** Guide skid 4"
- 2103** Guide skid 6"



- 2110M** Chain retainer w/ chain and bits 4"
- 2112M** Chain retainer w/ chain and bits 6"



- 2110S** Chain w/ blocks 4"
- 2112S** Chain w/ blocks 6"



- 2136** Slide-thru chain retainer



- 2138** Block for chain



- 2120** 4ft Replacement chain



- 2160** Diamond face cutter 4"
- 2164** Diamond face cutter 6"












- 2168** Center cap for face cutter



- 2170** Diamond barrel cutter 4"
- 2172** Diamond barrel cutter 5"
- 2175** Cap for barrel

TURBO II RIGID



| | | |
|---|---------------|---|
|  | P/N | 2250 - chain cutter w/one guide skid, tool box, one set of chains w/bits and tools for the cutter |
|  | Hose Con. | 3/4", 1" |
|  | Minimum/GPM | 30 |
|  | Dimensions | 9.05" x 5.31" |
|  | Weight | 6,61 |
|  | Pipe Diameter | 6" - 12" - Guide Skids sold separately |
|  | Rear Jets | 3 |
|  | Turbine Jets | 3 |
|  | Tier | 3 |

Outmatched cutting performance with 6"-12" rigid skids

The **Turbo II Rigid** chain cutter was engineered to be powerful, durable, user friendly and require low maintenance. This cutter uses turbine technology in combination with 3D fluid mechanics to deliver outmatched cutting performance in its operating range. Roots, grease, and mineral deposits do not stand a chance against the Turbo II. Rigid guide skids are available from 6" - 12". The cutter comes standard with one-piece ceramic inserts and a high-pressure swivel and is capable of use with recycled water.

TURBO II RIGID - ACCESSORIES



- 2251** Guide skid 6"
- 2252** Guide skid 8"
- 2253** Guide skid 10"
- 2254** Guide skid 12"



- 2210M** 3 Piece set of chain w/bits 6"
- 2211M** 3 Piece set of chain w/bits 8"
- 2212M** 3 Piece set of chain w/bits 10"
- 2213M** 3 Piece set of chain w/bits 12"



- 2210S** 3 Piece set of chain w/T-Hammer bits 6"
- 2211S** 3 Piece set of chain w/T-Hammer bits 8"
- 2212S** 3 Piece set of chain w/T-Hammer bits 10"
- 2213S** 3 Piece set of chain w/T-Hammer bits 12"



- 2238** T-Hammer bit



- 2210D** 3 Piece set of chain w/diamond bits 6"
- 2211D** 3 Piece set of chain w/diamond bits 8"
- 2212D** 3 Piece set of chain w/diamond bits 10"
- 2213D** 3 Piece set of chain w/diamond bits 12"










- 2220** 6ft Replacement chain



- 9005-TII** Quick change chain retainer

TURBO II



| | | |
|---|---------------|---|
|  | P/N | 2200 - chain cutter w/tool box, one set of chains w/bits and tools for the cutter |
|  | Hose Con. | 3/4", 1" |
|  | Minimum/GPM | 40 |
|  | Dimensions | 16.92" x 5.31" |
|  | Weight | 16,09 |
|  | Pipe Diameter | 6" - 12" |
|  | Rear Jets | 3 |
|  | Turbine Jets | 3 |
|  | Tier | 3 |

An impressive cutter with flexible guide skid (6" - 12")

The **Turbo II** flexible chain cutter was engineered to be powerful, durable, user friendly and require low maintenance. Made from high quality stainless steel and aluminum, this cutter uses turbine technology in combination with 3D fluid mechanics to deliver unmatched cutting performance in its operating range. Roots, grease, mineral deposits and protruding taps don't stand a chance against this impressive cutter. The flexible guide skid is adjustable between 6"-12" within 1/16", making it capable of handling offsets in the pipe. The cutter comes standard with one-piece ceramic inserts, a high-pressure swivel and is capable of use with recycled water.

TURBO II - ACCESSORIES



- 2210M** 3 Piece set of chain w/ bits 6"
- 2211M** 3 Piece set of chain w/ bits 8"
- 2212M** 3 Piece set of chain w/ bits 10"
- 2213M** 3 Piece set of chain w/ bits 12"



- 2210S** 3 Piece set of chain w/ T-Hammer bits 6"
- 2211S** 3 Piece set of chain w/ T-Hammer bits 8"
- 2212S** 3 Piece set of chain w/ T-Hammer bits 10"
- 2213S** 3 Piece set of chain w/ T-Hammer bits 12"



- 2210D** 3 Piece set of chain w/ diamond bits 6"
- 2211D** 3 Piece set of chain w/ diamond bits 8"
- 2212D** 3 Piece set of chain w/ diamond bits 10"
- 2213D** 3 Piece set of chain w/ diamond bits 12"



- 2220** 6ft Replacement chain



- 9000-TII** Slide-thru chain retainer



- 2260** Diamond face cutter 6"
- 2262** Diamond face cutter 8"



- 2265** Center cap for face cutter 6"
- 2268** Center cap for face cutter 8"



- 2270** Diamond tap cutter 6"
- 2272** Diamond tap cutter 8"
- 2275** Cap for barrel



- 2295** Pulling eye swivel



- 9005-TII** Quick change chain retainer

TURBO S 400



| | | |
|--|---------------|---|
| | P/N | 2500 - chain cutter w/tool box, one set of chains w/bits and tools for the cutter |
| | Hose Con. | 3/4", 1" |
| | Minimum/GPM | 50 |
| | Dimensions | 21.15" x 7.08" |
| | Weight | 26,45 |
| | Pipe Diameter | 8" - 16" up to 24" w/extension kit sold separate |
| | Rear Jets | 3 |
| | Turbine Jets | 3 |
| | Tier | 3 |

A heavy-duty cutter that leaves nothing in its path (flexible guide skid 8" - 16")

The **Turbo S400** flexible chain cutter was engineered to be powerful, durable, user friendly and require low maintenance. Made from high quality stainless steel and aluminum, this heavy-duty cutter uses turbine technology in combination with 3D fluid mechanics to deliver unmatched cutting performance in its operating range. Roots, grease, mineral deposits and protruding taps don't stand a chance against this impressive cutter. The flexible guide skid is adjustable between 8" - 16" within 1/16", making it capable of handling offsets in the pipe. An extension kit increases the cutters operation up to 24". The cutter comes standard with one-piece ceramic inserts and a high-pressure swivel and is capable of use with recycled water.

TURBO S-400 - ACCESSORIES



| | |
|--------------|----------------------------------|
| 2510M | 3 Piece set of chain w/ bits 8" |
| 2511M | 3 Piece set of chain w/ bits 10" |
| 2512M | 3 Piece set of chain w/ bits 12" |
| 2513M | 3 Piece set of chain w/ bits 15" |
| 2514M | 3 Piece set of chain w/ bits 18" |
| 2515M | 3 Piece set of chain w/ bits 21" |
| 2516M | 3 Piece set of chain w/ bits 24" |



| | |
|--------------|--|
| 2510D | 3 Piece set of chain w/ diamond bits 8" |
| 2511D | 3 Piece set of chain w/ diamond bits 10" |
| 2512D | 3 Piece set of chain w/ diamond bits 12" |
| 2513D | 3 Piece set of chain w/ diamond bits 15" |
| 2514D | 3 Piece set of chain w/ diamond bits 18" |
| 2515D | 3 Piece set of chain w/ diamond bits 21" |
| 2516D | 3 Piece set of chain w/ diamond bits 24" |



| | |
|--------------|---|
| 2510S | 3 Piece set of chain w/ T-Hammer bits 8" |
| 2511S | 3 Piece set of chain w/ T-Hammer bits 10" |
| 2512S | 3 Piece set of chain w/ T-Hammer bits 12" |
| 2513S | 3 Piece set of chain w/ T-Hammer bits 15" |
| 2514S | 3 Piece set of chain w/ T-Hammer bits 18" |
| 2515S | 3 Piece set of chain w/ T-Hammer bits 21" |
| 2516S | 3 Piece set of chain w/ T-Hammer bits 24" |



2538 T-Hammer bit



9002-TS400 Slide thru chain retainer



2520 6ft Replacement chain



2548 Pulling eye swivel












9005-TS400 Quick change chain retainer



| | |
|-------------|------------------------|
| 2571 | Diamond tap cutter 8" |
| 2572 | Diamond tap cutter 10" |
| 2573 | Diamond tap cutter 12" |

TURBO III



| | | |
|---|---------------|---|
|  | P/N | 2300 - chain cutter w/tool box, one set of chains w/bits and tools for the cutter |
|  | Hose Con. | ¾", 1", 1¼" |
|  | Minimum/GPM | 50 |
|  | Dimensions | 28.34" x 9.25" |
|  | Weight | 44,09 |
|  | Pipe Diameter | 10" - 20" up to 32" w/extension kit sold seperate |
|  | Rear Jets | 3 |
|  | Turbine Jets | 3 |
|  | Tier | 3 |

A heavy-duty cutter that leaves nothing in its path (flexible guide skid 10" - 20")

The **Turbo III** flexible chain cutter was engineered to be powerful, durable, user friendly and require low maintenance. Made from high quality stainless steel and aluminum, this heavy-duty cutter uses turbine technology in combination with 3D fluid mechanics to deliver unmatched cutting performance in its operating range. Roots, grease, mineral deposits and protruding taps do not stand a chance against this impressive cutter. The flexible guide skid is adjustable between 10" - 20" within 1/16", making it capable of handling offsets in the pipe. An extension kit increases the cutters operation up to 32". The cutter comes standard with one-piece ceramic inserts and a high-pressure swivel and is capable of use with recycled water.

TURBO III - ACCESSORIES



| | |
|--------------|---------------------------------|
| 2310M | 3 Piece set of chain w/bits 10" |
| 2311M | 3 Piece set of chain w/bits 12" |
| 2312M | 3 Piece set of chain w/bits 15" |
| 2313M | 3 Piece set of chain w/bits 18" |
| 2314M | 3 Piece set of chain w/bits 20" |
| 2315M | 6 Piece set of chain w/bits 24" |
| 2316M | 6 Piece set of chain w/bits 28" |
| 2317M | 6 Piece set of chain w/bits 30" |
| 2318M | 6 Piece set of chain w/bits 32" |



| | |
|--------------|---|
| 2310D | 3 Piece set of chain w/diamond bits 10" |
| 2311D | 3 Piece set of chain w/diamond bits 12" |
| 2312D | 3 Piece set of chain w/diamond bits 15" |
| 2313D | 3 Piece set of chain w/diamond bits 18" |
| 2314D | 3 Piece set of chain w/diamond bits 20" |
| 2315D | 3 Piece set of chain w/diamond bits 24" |
| 2316D | 3 Piece set of chain w/diamond bits 28" |
| 2317D | 3 Piece set of chain w/diamond bits 30" |
| 2318D | 3 Piece set of chain w/diamond bits 32" |



| | |
|--------------|--|
| 2310S | 3 Piece set of chain w/T-Hammer bits 10" |
| 2311S | 3 Piece set of chain w/T-Hammer bits 12" |
| 2312S | 3 Piece set of chain w/T-Hammer bits 15" |
| 2313S | 3 Piece set of chain w/T-Hammer bits 18" |
| 2314S | 3 Piece set of chain w/T-Hammer bits 20" |
| 2315S | 3 Piece set of chain w/T-Hammer bits 24" |
| 2316S | 3 Piece set of chain w/T-Hammer bits 28" |
| 2317S | 3 Piece set of chain w/T-Hammer bits 30" |
| 2318S | 3 Piece set of chain w/T-Hammer bits 32" |



| | |
|-------------|----------------------------|
| 2336 | Slide -thru chain retainer |
|-------------|----------------------------|



| | |
|-------------|---------------------------|
| 2320 | 6ft Replacement chain 16B |
|-------------|---------------------------|



| | |
|-------------|---------------------------|
| 2330 | 6ft Replacement chain 12B |
|-------------|---------------------------|



| | |
|-------------|-------------------------------------|
| 2604 | Extension skids up to 32" |
| 2370 | Extension skids for Egg Shaped Pipe |












| | |
|-------------|---|
| 2362 | Chain retainer wheel small w/6 tabs for 12B and 16B up to 32" |
|-------------|---|



| | |
|-------------|------------------------|
| 2344 | Diamond tap cutter 10" |
| 2345 | Diamond tap cutter 12" |
| 2346 | Cap for barrel cutter |

TURBO S-200



| | | |
|---|---------------|--|
|  | P/N | 2750 - chain cutter w/tool box and one set of chains w/bits and tools for the cutter |
|  | Hose Con. | 1", 1 1/4" |
|  | Minimum/GPM | 80 |
|  | Dimensions | 29.52" x 10.23" |
|  | Weight | 77,16 |
|  | Pipe Diameter | 8" - 15" |
|  | Rear Jets | 3 |
|  | Turbine Jets | 6 |
|  | Tier | 3 |

A heavy-duty cutter that leaves nothing in its path (flexible guide skid 8" - 15")

The **Turbo S200** flexible chain cutter was engineered to be powerful, durable, user friendly and require low maintenance. Made from tempered stainless steel and aluminum, this heavy-duty cutter uses turbine technology in combination with 3D fluid mechanics to deliver unmatched cutting performance in its operating range. Roots, grease, mineral deposits and protruding taps do not stand a chance against this impressive cutter. The flexible guide skid is adjustable between 8" - 15" within 1/16" making it capable of handling offsets in the pipe. The cutter comes standard with one-piece ceramic inserts, a high-pressure swivel and is capable of being used with recycled water.

TURBO S-200 - ACCESSORIES



- 2751M** 3 Piece set of chain w/bit 8"
- 2752M** 3 Piece set of chain w/bit 10"
- 2753M** 3 Piece set of chain w/bit 12"
- 2754M** 3 Piece set of chain w/bit 15"



- 2755S** 3 Piece set of chain w/blocks 8"
- 2756S** 3 Piece set of chain w/blocks 10"
- 2757S** 3 Piece set of chain w/blocks 12"
- 2758S** 3 Piece set of chain w/blocks 15"



- 2759D** 3 Piece set of chain w/diamond bits 8"
- 2760D** 3 Piece set of chain w/diamond bits 10"
- 2761D** 3 Piece set of chain w/diamond bits 12"
- 2762D** 3 Piece set of chain w/diamond bits 15"



- 2720** 6ft Replacement chain



- 9002-TS200** Slide thru chain retainer



- 2738** Block for chain



- 2740** Hex Bit (outside link)



- 2741** Hex Bit (inside link)



- 2739** Diamond bit













- 9005-TS200** Quick change chain retainer



- 2798** Pulling eye swivel

TURBO S-600



| | | |
|---|---------------|---|
|  | P/N | 2650 - chain cutter w/one set of chains w/bits and tools for the cutter |
|  | Hose Con. | 1", 1 1/4" |
|  | Minimum/GPM | 80 |
|  | Dimensions | 29.52" x 10.23" |
|  | Weight | 77,16 |
|  | Pipe Diameter | 12" - 24" |
|  | Rear Jets | 3 |
|  | Turbine Jets | 6 |
|  | Tier | 3 |

A heavy-duty cutter that leaves nothing in its path (flexible guide skid 12" - 24")

The **Turbo S600** flexible chain cutter was engineered to be powerful, durable, user friendly and require low maintenance. Made from high quality stainless steel and aluminum, this heavy-duty cutter uses turbine technology in combination with 3D fluid mechanics to deliver unmatched cutting performance in its operating range. Roots, grease, mineral deposits and protruding taps do not stand a chance against this impressive cutter. The flexible guide skid is adjustable between 12" - 24" within 1/16", making it capable of handling offsets in the pipe. The cutter comes standard with one-piece ceramic inserts, a high-pressure swivel and is capable of being used with recycled water.

TURBO S-600 - ACCESSORIES



- 2610M** 3 Piece set of chain w/bits 12"
- 2611M** 3 Piece set of chain w/bits 15"
- 2612M** 3 Piece set of chain w/bits 18"
- 2613M** 3 Piece set of chain w/bits 20"
- 2614M** 3 Piece set of chain w/bits 24"



- 2610S** 3 Piece set of chain w/blocks 12"
- 2611S** 3 Piece set of chain w/blocks 15"
- 2612S** 3 Piece set of chain w/blocks 18"
- 2613S** 3 Piece set of chain w/blocks 20"
- 2614S** 3 Piece set of chain w/blocks 24"



- 2610D** 3 Piece set of chain w/diamond bits 12"
- 2611D** 3 Piece set of chain w/diamond bits 15"
- 2612D** 3 Piece set of chain w/diamond bits 18"
- 2613D** 3 Piece set of chain w/diamond bits 20"
- 2614D** 3 Piece set of chain w/diamond bits 24"



- 2620** 6ft Replacement chain



- 9002-TS600** Slide thru chain retainer



- 2638** Block for chain



- 2639** Diamond bit












- 9005-TS600** Quick change chain retainer



- 2698** Pulling eye swivel

TURBO IV



| | | |
|---|---------------|---|
|  | P/N | 2350 - chain cutter w/one set of chains w/bits and tools for the cutter |
|  | Hose Con. | 1", 1 1/4" |
|  | Minimum/GPM | 80 |
|  | Dimensions | 39.37" x 14.96" |
|  | Weight | 99,2 |
|  | Pipe Diameter | 15" - 36" |
|  | Rear Jets | 3 |
|  | Turbine Jets | 6 |
|  | Tier | 3 |

A heavy-duty cutter that leaves nothing in its path (flexible guide skid 15" - 36")

The **Turbo IV** flexible chain cutter was engineered to be powerful, durable, user friendly and require low maintenance. Made from tempered stainless steel and aluminum, this heavy-duty cutter uses turbine technology in combination with 3D fluid mechanics to deliver unmatched cutting performance in its operating range. Roots, grease, mineral deposits and protruding taps do not stand a chance against this impressive cutter. The flexible guide skid is adjustable between 15" - 36" within 1/16" making it capable of handling offsets in the pipe. An extension kit increases the cutters operation up to 48". The cutter comes standard with one-piece ceramic inserts and a high-pressure swivel and is capable of use with recycled water.

TURBO IV - ACCESSORIES



| | |
|--------------|---------------------------------|
| 2354M | 3 Piece set of chain w/bits 15" |
| 2355M | 3 Piece set of chain w/bits 18" |
| 2356M | 3 Piece set of chain w/bits 20" |
| 2357M | 6 Piece set of chain w/bits 24" |
| 2358M | 6 Piece set of chain w/bits 28" |
| 2359M | 6 Piece set of chain w/bits 30" |
| 2360M | 6 Piece set of chain w/bits 32" |
| 2361M | 6 Piece set of chain w/bits 36" |



| | |
|--------------|---|
| 2354D | 3 Piece set of chain w/diamond bits 15" |
| 2355D | 3 Piece set of chain w/diamond bits 18" |
| 2356D | 3 Piece set of chain w/diamond bits 20" |
| 2357D | 3 Piece set of chain w/diamond bits 24" |
| 2358D | 3 Piece set of chain w/diamond bits 28" |
| 2359D | 3 Piece set of chain w/diamond bits 30" |
| 2360D | 3 Piece set of chain w/diamond bits 32" |
| 2361D | 3 Piece set of chain w/diamond bits 36" |



2338 Block for chain



2339 Diamond bits



2320 6ft Replacement chain



2362M Chain retainer wheel large w/6 tabs for 12B and 16B up to 36"












2364S Chain retainer wheel large w/6 tabs for 12B up to 48"



2398 Pulling eye swivel

TURBIKIT 3D



|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Turbine Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|
| 2400 | ½", ¾", 1" | 14 | 4" – 8" | 5.90" x 2.36" | 3,3 | 6 | 3 | 2 |

2410 6ft Replacement chain

2411 3 Piece set of chains x 7 links 4"

2412 2 Piece set of chains x 9 links 6"

2413 3 Piece set of chains x 11 links 8"










2420 6ft Replacement screws M6 x 6

High strength open-link chain

Open-link chain makes the **Turbikit 3D** unique from other chain cutters offered by USB. Driven by a turbine technology, the high strength open link chain delivers extremely effective cutting power. The cutter can be used to remove roots and mineral deposits from the sewer pipe without a centralizing skid. The cutter comes standard with one-piece ceramic inserts and a high-pressure swivel and is capable of use with recycled water.

PIPE WOLF NOZZLE 3D



|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Turbine Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|
| 1984 | 1", 1 1/4" | 80 | 8" - 24" | 7.48" x 3.74" | 11,9 | 6 | 3 | 3 |
| 1982 | 1" | 60 | 6" - 15" | 6.29" x 2.83" | 5,73 | 6 | 3 | 3 |
| 1982,75 | 3/4" | 30 | 6" - 12" | 6.29" x 2.83" | 5,73 | 6 | 3 | 3 |
| 1980 | 1/2" | 12 | 4" - 8" | 4.56" x 2.12" | 2,42 | 6 | 3 | 3 |










A beast for organic blockages

The **Pipe Wolf Nozzle 3D** is an extremely aggressive specialty tool perfect for total blockages that are made from organic material. A hardened, tapered head with sharp edges utilizes turbine technology and spins at approximately 10,000 rpms, boring a hole and opening up the blockage. This essential nozzle comes standard with one-piece ceramic inserts, can be used with recycled water and delivers in emergency situations.

DIAMOND FACE CUTTER 3D



2452

|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Turbine Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|
| 2453 | 1", 1 1/4" | 80 | 6" - 10" | 5.74" x 3.74" | 11,24 | 6 | 3 | 3 |
| 2452 | 1" | 60 | 6" - 8" | 4.92" x 2.87" | 5,29 | 6 | 3 | 3 |
| 2451 | 3/4" | 30 | 6" - 8" | 4.92" x 2.87" | 5,29 | 6 | 3 | 3 |
| 2450 | 1/2" | 14 | 4" - 6" | 3.85" x 2.24" | 2,42 | 6 | 3 | 3 |

| | |
|------|---|
| 1986 | Replacement head for Diamond Cutter No. 2450 |
| 1987 | Replacement head for Diamond Cutter No. 2451 and 2452 |
| 1988 | Replacement head for Diamond Cutter No. 2453 |

An aggressive tool for total blockages and mineral deposits

The **Diamond Face Cutter 3D** is an extremely aggressive specialty tool perfect for total blockages and some hardened mineral deposits. Turbine technology and 3D fluid mechanics spin a cutting head equipped with diamond bits and sharp edges at approximately 10,000 rpms, boring a hole and opening the blockage. This nozzle comes standard with one-piece ceramic inserts and can be used with recycled water.













| <div> <div></div> <div>P/N</div> </div> | <div> <div></div> <div>Hose Con.</div> </div> | <div> <div></div> <div>Minimum/GPM</div> </div> | <div> <div> <div>inch</div> </div> <div>Pipe Diameter</div> </div> | <div> <div>L x W</div> <div>Dimensions</div> </div> | <div> <div>lbs.</div> <div>Weight</div> </div> | <div> <div></div> <div>Rear Jets</div> </div> | <div> <div></div> <div>Front Jets</div> </div> | <div> <div></div> <div>Radial Jets</div> </div> | <div> <div>#</div> <div>Tier</div> </div> |
|---|---|---|--|---|--|---|--|---|---|
| 1974 | 1/2" | 12 | 4" - 6" | 7.67" x 1.57" | 0,88 | 3 | --- | 3 | 2 |
| 1975 | 1/4" | 8 | 1" - 2" | 2.75" x 1.18" | 0,44 | 3 | --- | 3 | 2 |
| 1976 | 3/8" | 8 | 2" - 4" | 2.75" x 1.18" | 0,44 | 3 | --- | 3 | 2 |
| 1977 | 1/4" | 6 | 1" - 2" | 1.65" x 0.78" | < .22 | 3 | --- | 3 | 1 |

Two nozzles in one to pierce and penetrate blockages

USB combined two nozzles to create the **Rotor Wolf**! Designed for use in smaller pipes, the hardened tapered head with sharp edges effectively pierces and penetrates blockages fast. The middle 90° rotating jets spin the head as they clean the interior walls of the pipe.

RADIAL FLEX SKID



|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 5250 | 1", 1¼" | 80 | 20" - 48" | 38,18" x 18,5" | 72,75 | 3 | --- | 4 | 2 |
| 5070 | 1" Nozzle extension | | | | | | | | |
| 5072 | 2" Nozzle extension | | | | | | | | |
| 5074 | 4" Nozzle extension | | | | | | | | |

Tackle large diameter pipes

The **Radial Flex Skid** is a controlled rotating nozzle with flexible guide skid for large diameter pipes of up to 48". The 360° cleaning thoroughly removes hardened grease and some mineral deposits from the top of the pipe. Constructed from high quality stainless steel and aluminum, this flexible skid is adjustable within 1/16", very user friendly and can be used with recycled water.

HANDY CART













|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. |  Rear Jets |  Front Jets |  Radial Jets |  Tier |
|--|--|--|--|--|---|--|---|--|---|
| 2550 | 1", 1 1/4" | 80 | 40" and up | 39.37" x 16.53" | 88,18 | 5 | 6 | 4 | 2 |
| 5070 | 1" Nozzle extension | | | | | | | | |
| 5072 | 2" Nozzle extension | | | | | | | | |
| 5074 | 4" Nozzle extension | | | | | | | | |

Powerful cleaning for rectangular or large diameter pipes

The **Handy Cart** includes a controlled rotating nozzle with a robust transporter skid for various rectangular or large diameter pipes of up to 16 feet! The 360° cleaning thoroughly removes hardened grease and some mineral deposits from the top of the pipe. Constructed from high quality stainless steel this Handy Cart is very user friendly and ready for immediate use.

EIBOW FLEX SKID













|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  Tier |
|---|---|---|---|---|--|---|--|---|--|
| 2555 | 1", 1 1/4" | 80 | 24" - 72" | — | 55,11 | 5 | — | 4 | 2 |
| 5070 | 1" Nozzle extension | | | | | | | | |
| 5072 | 2" Nozzle extension | | | | | | | | |
| 5074 | 4" Nozzle extension | | | | | | | | |

Powerful cleaning for large egg-shaped pipes

The **Eibow Flex Skid** offers a controlled rotating nozzle with flexible guide skid for large egg-shaped pipes up to 72". The 360° cleaning thoroughly removes hardened grease and some mineral deposits from the top of pipes. The start-of-the-art flexible skid is adjustable within 1/16", very user friendly and can be used with recycled water.

SPIN-JET













|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 5050 | 1/2", 1" | 12 | Man Hole or Lift Station 4' - 15' | 6.29" x 9.84" | 4,85 | --- | 3 | 3 | 2 |
| 5052 | 3/4" | 30 | Man Hole or Lift Station 4' - 15' | 6.29" x 11.02" | 7,05 | --- | 3 | 6 | 2 |

A controlled, rotating nozzle for cleaning lift stations, barrels and manholes

The **Spin-Jet** is a self-centering, controlled rotating nozzle that is used for cleaning lift stations, barrels and manholes prior to rehabilitation. Available in two different versions, the Spin-Jet has driving nozzles that rotate in a 360° horizontal plane only. This action eliminates the need to cover the manhole during operation, allowing for constant viewing of the cleaning process. Front jets thoroughly clean any grease, sludge or mud at the bottom.

STEERING NOZZLE



|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 1240 | ½" | 12 | 3" - 8" | 10.62" x 1.25" | 0,22 | 4 | 4 | --- | 2 |
| 1241 | ½" | 12 | 3" - 8" | 9.05" x 1.25" | 0,55 | 6 | 4 | --- | 2 |
| 1243 | ½" | 12 | 3" - 8" | 9.44" x 1.57" | 0,99 | 6 | 4 | --- | 2 |
| 1245 | ½" | 12 | 3" - 8" | 9.84" x 1.57" | 1,54 | 3 | 4 | 3 | 2 |
| 1246 | ½" | 12 | 3" - 8" | 9.84" x 1.57" | 1,43 | 3 | 4 | 3 | 2 |

A nozzle for navigating

As the name suggest, the **Steering Nozzle** can be navigated into and through laterals and other branches. Simply twist your high-pressure hose to the left or right to direct the nozzle exactly where you want it to go.

ANTIBLASTER













1198



1199



1200

|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |  # Tier |
|---|---|---|---|---|--|---|--|---|---|
| 1198 | 1" | 60 | 6" - 12" | 4,52" x 2,75" | 3,74 | 8 | 1 | --- | 3 |
| 1198,75 | 3/4" | 30 | 6" - 10" | 4,52" x 2,75" | 3,74 | 8 | 1 | --- | 3 |
| 1199 | 1" | 80 | 6" - 12" | 4,52" x 2,75" | 3,74 | 8 | 1 | 8 | 3 |
| 1200 | 1" | 80 | 8" - 15" | 5,90" x 3,93" | 10,58 | 6 | — | 6 | 3 |

Smooth propulsion for shallow depths and pipes near homes

With a wide 35 and 70 degree spray angles, the **Antiblaster** nozzle is perfect for reducing the chances of blowing toilets. Constructed from hardened stainless steel, the nozzle was designed for cleaning pipes at a shallow depths and pipes that are adjacent to homes. The 3D fluid mechanics and one-piece ceramic inserts provide powerful cleaning and smooth propulsion. An optional front jet is also available.

HIGH PRESSURE SWIVEL



1653



1652



1651



1650



P/N



Hose Con.



| | | |
|------|--------|--------------------------|
| 1650 | 1 1/4" | Swivel Joint male/female |
| 1651 | 1" | Swivel Joint male/female |
| 1652 | 3/4" | Swivel Joint male/female |
| 1653 | 1/2" | Swivel Joint male/female |

Keep nozzles stationary

High Pressure Swivels are made from hardened stainless steel and allow for the hose to twist and swivel without turning what's connected to it while in use. High-pressure swivels are made for chain cutters, bottom cleaners and nozzles.

CROWN NOZZLE












|  P/N |  Hose Con. | Jets | Suction Pipe Diameter |
|---|---|------|-----------------------|
| 2730 | 1/2" | 6 | 2.95/3.14" |
| 2732 | 1/2" | 6 | 3.93/4.33" |
| 2734 | 1/2" | 6 | 4.92/5.31" |
| 2736 | 3/4" | 6 | 5.9" |

The crown jewel of hydro-excavation

The **Crown Nozzle** can be easily attached to the suction tube for hydro-excavation. Six powerful jets loosen and break up material, which can then be effortlessly transported to the debris tank. The crown is constructed of hardened stainless steel and has replaceable one-piece ceramic jets.

UNI-FLEX SKID



|  P/N |  Hose Con. |  Minimum/GPM |  Pipe Diameter |  L x W Dimensions |  lbs. Weight |  Rear Jets |  Front Jets |  Radial Jets |
|---|---|---|---|---|--|---|--|---|
| 2602 | 1" | N/A | 10" - 20" | 25.59" x 9.25" | 33,06 | 3 | --- | --- |
| 2601 | 1" | N/A | 6" - 12" | 15.74" x 5.31" | 15,43 | 3 | --- | --- |




Adjustable and accommodating

Used for centralization in the pipe, the **Uni-Flex Skid** is continuously adjustable by increments of 1/16" within its operating range. The front 1" NPT threads accommodate most cleaning, rotor and radial cleaning nozzles. The universal flex skid comes standard with a high-pressure swivel.




REDUCERS | COLLARS






ENLARGING COLLAR - STAINLESS STEEL

| | | |
|---|---|---|
|  |  |  |
| 1810 | 1" male | x 1 1/4" female |
| 1811 | 3/4" male | x 1" female |
| 1812 | 1/2" male | x 3/4" female |
| 1813 | 3/8" male | x 1/2" female |
| 1814 | 1/4" male | x 1/2" female |




STRAIGHT COLLARS - STAINLESS STEEL

| | | |
|--|---|---|
|  |  |  |
| 1850 | 1 1/4" male | x 1 1/4" female |
| 1851 | 1" male | x 1" female |
| 1852 | 3/4" male | x 3/4" female |
| 1853 | 1/2" male | x 1/2" female |
| 1854 | 3/8" male | x 3/8" female |
| 1855 | 1/4" male | x 1/4" female |


REDUCER - STAINLESS STEEL

| | | |
|---|---|---|
|  |  |  |
| 1820 | 1 1/4" male | x 1" female |
| 1821 | 1" male | x 3/4" female |
| 1822 | 3/4" male | x 1/2" female |
| 1823 | 1/2" male | x 3/8" female |
| 1824 | 3/8" male | x 1/4" female |




FEMALE TO FEMALE FITTING - GALVANIZED

| | | |
|--|---|---|
|  |  |  |
| 1860 | 1 1/4" female | x 1 1/4" female |
| 1861 | 1" female | x 1" female |
| 1862 | 3/4" female | x 3/4" female |
| 1863 | 1/2" female | x 1/2" female |
| 1864 | 3/8" female | x 3/8" female |
| 1865 | 1/4" female | x 1/4" female |

DOUBLE NIPPLE - GALVANIZED

| | | |
|---|---|---|
|  |  |  |
| 1830 | 1 1/4" male | x 1 1/4" male |
| 1831 | 1 1/4" male | x 1" male |
| 1832 | 1" male | x 1" male |
| 1833 | 1" male | x 3/4" male |
| 1834 | 3/4" male | x 3/4" male |
| 1835 | 3/4" male | x 1/2" male |
| 1836 | 1/2" male | x 1/2" male |
| 1837 | 1/2" male | x 3/8" male |
| 1838 | 3/8" male | x 1/4" male |
| 1839 | 1/4" male | x 1/4" male |
| 1840 | 1/4" male | x 1/8" male |
| 1841 | 1/8" male | x 1/8" male |

SWIVEL FITTING - GALVANIZED

| | | |
|--|---|---|
|  |  |  |
| 1870 | 1 1/4" male | x 1 1/4" female |
| 1871 | 1 1/4" male | x 1" female |
| 1872 | 1" male | x 1" female |
| 1873 | 1" male | x 3/4" female |
| 1874 | 3/4" male | x 3/4" female |
| 1875 | 3/4" male | x 1/2" female |
| 1876 | 1/2" male | x 1/2" female |
| 1877 | 1/2" male | x 3/8" female |
| 1878 | 3/8" male | x 3/8" female |
| 1879 | 3/8" male | x 1/4" female |
| 1880 | 1/4" male | x 1/4" female |

TOOLS | ACCESSORIES

INSERT GAUGE



8000 0.45 - 1.5

8001 1.5 - 3.0

T-HANDLE WRENCH FOR ISK INSERTS



8010 2,0

8011 2,5

8012 3,0

8013 4,0

8014 5,0

8014 6,0

8016 8,0

T-HANDLE WRENCH FOR ASK INSERTS



8020 SW6

8021 SW8

8022 SW9

8023 SW10

8024 SW12

8025 SW14

8026 SW17

AKTIVATOR

8050 Aktivator 200 ML



NOZZLE ADHESIVE

8055 Medium strength, blue 50 ml

8057 High strength, green 50 ml

ALLEN WRENCH



8040 2,0

8041 2,5

8042 3,0

8043 4,0

8044 5,0

8045 6,0

PUNCH FOR TURBOS



8065 4,0

8067 5,0

8069 6,0

8070 8,0

8072 10,0

TEFLON

8080 Teflon 1 l



TEFLONSPRAY

8082 Teflonspray 500 ml


8085 Teflonspray FIN SUPER 100 ml

CARE SPRAY



8095 Care spray 500 ml

NOZZLE INSERTS





|  |  | wrench size |
|---|---|-------------|
| 1561 | G ¼" | SW 14 |
| 1563 | M 10 x 1 | SW 10 |
| 1564 | G ⅛" | SW 14 |
| 1567 | M6 | SW 6 |
| 1568 | M8 | SW 8 |





|  |  | wrench size |
|---|---|-------------|
| 1550 | G ¼" | SW 14 |
| 1551 | G ¼" | SW 9 |
| 1563 K | M 10 x 1 | SW 10 |
| 1564 K | G ⅛" | SW 14 |
| 1527 AK | M6 | SW 6 |
| 1528 AK | M8 | SW 8 |



|  |  | |
|--|--|--|
| 1532 | M 12 | |
| 1528 | M 8 | |
| 1527 | M 6 | |
| 1526 | M 5 | |
| 1525 | M 4 | |





|  |  | |
|---|---|--|
| 1552 | M 12 | |
| 1529 K | M 10 | |
| 1528 K | M 8 | |
| 1527 K | M 6 | |



|  |  | |
|---|---|--|
| 1572 | G ¼" | |
| 1576 | G ¼" | |



|  |  | wrench size |
|---|---|-------------|
| 1573 K | G ¼" | SW 14 |
| 1574 K | G ⅛" | SW 14 |
| 1575 K | M 10 x 1 | SW 10 |

WARRANTY



Thank you for your interest in the products and services of USB-USA LLC. This limited warranty applies to physical goods, and only for physical goods, purchased from USB-USA LLC.

What does this limited warranty cover?

This limited warranty covers any manufacturer's defect in material or workmanship under normal use during the warranty period.

During the warranty period, USB-USA LLC will repair or replace, at no charge, products or parts of a product that proves defective because of improper material or workmanship, under normal use and maintenance.

What will we do to correct problems?

USB-USA LLC will repair the product at no charge, using new or refurbished replacement parts. If necessary full replacement is offered.

How long does the coverage last?

The warranty period for physical goods purchased from USB-USA LLC is one year for any physical nozzle or chain cutter that spins (Turbo Chain Cutter, Rotors, Primus etc.) and three years for any nozzle with ceramic nozzle inserts and 3D fluid mechanics from the date of purchase.

A replacement physical good or part assumes the remaining warranty of the original physical good or 90 days from the date of replacement or repair, whichever is longer.

What does this limited warranty not cover?

This limited warranty does not cover any problem that is caused by conditions, malfunctions or damage not resulting from defects in material or workmanship.

What do you have to do?

To obtain warranty service, you must first contact us to determine the problem and most appropriate solution for you.



USB-USA

1-800-626-7835 | info@sweeperland.com

