

Bortek





ORBIZ

Unleash Your Full Cleaning Potential

COMPACT SURFACE PREPARATION SCRUBBERS

Made in the USA

AFFORDABLE & RELIABLE EQUIPMENT



KEY FEATURES



Orbital Scrubhead delivers premium chemical-free floor stripping while reducing water consumption by up to 70%.



High Performance motors and down pressure provides an unmatched standard of cleaning.

Reduce Slip & Fall potential by eliminating

chemical stripper from your facilities

cleaning supplies.



Tons of Applications simply by changing pad types or adding extra weights if possible.



Heavy Duty Isolators delivers ideal vibration reduction to the operators hands for optimal operator ergonomics.

APPLICATIONS

- School Systems
- Sports Arenas
- Retail
- Food & Beverage

• HEALTHCARE

• GROCERY STORE

- OFFICES
- AUTOMOTIVE
- AIRPORTS





MULTIPLE FLOOR APPLICATIONS



1: Sand Screen

2: Sand Paper







3: ECO Prep Pad
4: Black Strip Pad
5: HD Dominator Pad
6: Green Pad
7: Blue Pad
8: Red Pad
9: White Pad
10: White White Melamine Magic Eraser





6: Green Pad
7: Blue Pad
8: Red Pad
9: White Pad
10: White White Melamine Magic Eraser
11: HD Polishing Pad
12: Microfiber Pad
13: Tile & Grout Pad





13

12: Microfiber Pad













Technical Data ORBITZ AT A GLANCE

Scrub Head Construction:	10" NANO A/C 10 Gauge Steel (2.6 mm) 2.75" × 4" × 6.25" (24.8 × 10.2 × 15.9 cm) 10 Gauge Steel (2.6 mm) 51.25" × 1" ∅ (130.2 × 2.5 cm ∅) Padded	10" NANO DC 10 Gauge Steel (2.6 mm) 9.75" × 4" × 6.25" (24.8 × 10.2 × 15.9 cm) 10 Gauge Steel (2.6 mm) 51.25" × 1" Ø (130.2 × 2.5 cm Ø)	ORBITZ 20 10 Gauge Steel (2.6 mm) 20" × 14" × 2.75" (50.8 × 35.6 × 7 cm) 7 Gauge Stainless Steel (4.8 mm) 37.25" × 1.5" Ø (94.6 × 3.8 cm Ø)
Scrub Head Size (Lx W x H): 9 Scrub Head Construction:	2.75" × 4" × 6.25" (24.8 × 10.2 × 15.9 cm) 10 Gauge Steel (2.6 mm) 51.25" × 1" ∅ (130.2 × 2.5 cm ∅)	9.75" × 4" × 6.25" (24.8 × 10.2 × 15.9 cm) 10 Gauge Steel (2.6 mm) 51.25" × 1" ∅ (130.2 × 2.5 cm ∅)	20" × 14" × 2.75" (50.8 × 35.6 × 7 cm) 7 Gauge Stainless Steel (4.8 mm)
Scrub Head Construction:	10 Gauge Steel (2.6 mm) 51.25" × 1" ∅ (130.2 × 2.5 cm ∅)	10 Gauge Steel (2.6 mm) 51.25" × 1" Ø (130.2 × 2.5 cm Ø)	7 Gauge Stainless Steel (4.8 mm)
	51.25" × 1" ∅ (130.2 × 2.5 cm ∅)	51.25" × 1" Ø (130.2 × 2.5 cm Ø)	
		· · · · · · · · · · · · · · · · · · ·	$37.25'' \times 15'' (0/6 \times 3.8 \text{ cm} (0))$
Handlebar Size (L x Diameter)	Padded		57.25 × 1.5 @ (74.0 × 5.0 Cm @)
Handlebar Grips:		Padded	Padded
Wheels:	N / A	N / A	6" x 2" Non-Marking Wheels
Total Assembled Weight:	22 lbs (10 kg)	22 lbs (10 kg)	144 lbs (65.3 kg)
Optional Weight Capacity Max:	N / A	N / A	232 lbs (105.2 kg)
Battery Run Time (Up to Hours):*	N / A	40 mins	N / A
Charger:	N /A	Included	N /A
Pad Dimensions:	10.5" × 5.25" (26.7 x 13.3 cm)	10.5" × 5.25" (26.7 x 13.3 cm)	20" × 14" (50.8 x 35.6 cm)
Lower Deck Isolators:	4 (0.5" Ø × 1.0" Height)	4 (0.5" Ø × 1.0" Height)	4 (1.5" Ø × 2.25" Height)
Upper Deck Isolators:	N / A	N / A	10 (1.0" Ø × 0.5" Height)
Motor Power:	0.33 HP (246 watts)	0.33 HP (246 watts)	1.5 HP (1,119 watts)
Motor Speed @ 60 Hz:	4,100 RPM (3,410 RPM @ 50 Hz)	4,100 RPM (3,410 RPM @ 50 Hz)	3,450 RPM (2,850 RPM @ 50 Hz)
Current Draw:	1.2 amps (@120 VAC / 60 Hz)	1.2 amps (@120 VAC / 60 Hz)	7 amps (@120 VAC / 60 Hz)
System Voltage: 12	0 VAC / 50-60 Hz (240 VAC / 50-60 Hz)	42V DC - Lithium Ion Batteries	120 VAC / 50-60 Hz (240 VAC / 50-60 Hz
Cord Length:	30 ft / 18 Gauge (9 m / 1 mm)	N / A	50 ft / 14 Gauge (9 m / 1.5 mm2)
Cleaning Width:	10.5" (27 cm)	10.5" (27 cm)	20" (50.8 cm)
Sound Levels:	Under 57 dBA	Under 57 dBA	69 dBA
Vibration at Base	Avg. 6.5 mm/s2, MAX e 6.8 mm/s2 (Avg. 5.8 mm/s2, MAX e 6.0 mm/s2)	Avg. 6.5 mm/s2, MAX @ 6.8 mm/s2 (Avg. 5.8 mm/s2, MAX @ 6.0 mm/s2)	N / A
Vibration at Handle:	2.13 mm/s2 (Passed Requirements)	2.13 mm/s2 (Passed Requirements)	N / A
Dust Skirt:	Standard	Standard	Standard

WHY CHOOSE KODIAK?

Kodiak Cleaning Equipment specializes in durable equipment that will last for years to come. If you are tired of purchasing a new floor scrubber every year, you have come to the right place! We would love to get in contact with you and provide a complimentary Site Survey and Demonstration. Finally a quality alternative to used, reconditioned, demoed or cheap imported products that break and lack local support. Kodiak is assembled with American Labor and has parts and technical support 2nd to none. Comparable in price to mid-lower segment equipment, but not cheaply made. Reduced cost to build due to simplicity in design, leveraging excess production capacity and brought to market with exhibiting resources.

A FAMILY COMPANY SINCE 1967



Corporate Headquarters | 4713 Gettysburg Road | Mechanicsburg, PA 17055 Contact Us Today: 1-800-626-7835